

750 Royal Oaks Drive, Suite 100  
Monrovia, California 91016-3629  
Tel: (626) 386-1100  
Fax: (866) 988-3757  
1 800 566 LABS (1 800 566 5227)

**Client:** Tribeca Beverage, LLC  
185 Lackawanna Ave  
Woodland Park, NJ 07424

**Report Date:** 08/09/2019  
**Date Received:** 07/12/2019  
**Sample No:** 201906210096

**Attention:** Mark Zonin

**Sample Id:** 2019 Annual Testing (Finished Product)  
**Date Sampled:** 7/10/2019

**Investigation:** Analysis per Title 21, Federal Code of Regulations 165.110 - California Limits

**ANALYTICAL RESULTS**

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
<b>GROUP I</b>					
<b>PHYSICAL</b>					
Apparent Color (ACU)	SM 2120B	3.0	1	ND ACU	15
Odor at 60 C (TON)	SM 2150B	1.0	1	1.0 TON	3
pH (units)	SM4500-HB	0.10	1	8.5	8.5
Specific Conductance (uS/cm)	SM2510B	2.0	1	44	no std
Total Dissolved Solid (TDS)	SM 2540C	10	1	22	500
Turbidity (NTU)	EPA 180.1	0.10	1	ND NTU	5
<b>GROUP II</b>					
<b>CHEMICAL SUBSTANCE 1</b>					
<b>Milligrams per Liter</b>					
Alkalinity in CaCO3 units	SM 2320B	2.0	1	16	no std
Aluminum	EPA 200.8	0.020	1	ND	0.2
Antimony	EPA 200.8	0.0010	1	ND	0.006
Arsenic	EPA 200.8	0.0010	1	ND	0.010
Asbestos by TEM - >10 microns (MFL)	EPA 100.2	0.20	1	ND	no std
Barium	EPA 200.8	0.0020	1	ND	2
Beryllium	EPA 200.8	0.0010	1	ND	0.004
Bicarb Alkalinity as HCO3	SM2330B	2.0	1	19	no std
Cadmium	EPA 200.8	0.00050	1	ND	0.005
Calcium	EPA 200.7	1.0	1	4.1	no std
Carbonate as CO3	SM2330B	2.0	1	ND	no std
Chloride	EPA 300.0	0.50	1	2.0	250
Chromium	EPA 200.8	0.0010	1	0.0014	0.1
Copper	EPA 200.8	0.0020	1	0.0037	1.0
Corrosivity (units)	SM 2330B	-14	1	-1.0	no std
Cyanide	SM 4500CN-F	0.025	1	ND	0.1
Fluoride	SM 4500F-C	0.050	1	ND	1.4
Hydroxide as OH	SM2330B	2.0	1	ND	no std
Iron	EPA 200.7	0.020	1	ND	0.3

SOQ=Standard of Quality per FDA or California

ND=Not detected at the specified limit

All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100  
 Monrovia, California 91016-3629  
 Tel: (626) 386-1100  
 Fax: (866) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA\_CA  
 Report: 812008

Report Date: 08/09/2019  
 Date Received: 07/12/2019  
 Sample No: 201906210096

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
Lead	EPA 200.8	0.00050	1	ND	0.005
Magnesium	EPA 200.7	0.10	1	1.2	no std
Manganese	EPA 200.8	0.0020	1	ND	0.05
Mercury	EPA 245.1	0.00020	1	ND	0.002
Nickel	EPA 200.8	0.0050	1	ND	0.1
Nitrate-N	EPA 300.0	0.10	1	0.17	10
Nitrite-N	EPA 300.0	0.050	1	ND	1
Perchlorate	EPA 331.0	0.00050	1	ND	no std
Phenol	EPA 420.4	0.0010	1	ND	0.001
Potassium	EPA 200.7	1.0	1	ND	no std
Selenium	EPA 200.8	0.0050	1	ND	0.05
Silver	EPA 200.8	0.00050	1	ND	0.1
Sodium	EPA 200.7	1.0	1	2.1	no std
Sulfate	EPA 300.0	0.50	1	ND	250
Surfactants (MBAS)	SM 5540C	0.10	1	ND	no std
Thallium	EPA 200.8	0.0010	1	ND	0.002
Total Hardness as CaCO <sub>3</sub>	EPA 200.7	3.0	1	15	no std
Total Nitrate + Nitrite	EPA 300.0	0.10	1	0.17	10
Zinc	EPA 200.8	0.020	1	ND	5.0
<b>GROUP III</b>					
<b>CHEMICAL SUBSTANCE 2 (VOC)</b>		<b>Milligrams per Liter</b>			
1,1,1,2-Tetrachloroethane	EPA 524.2	0.00050	1	ND	no std
1,1,1-Trichloroethane	EPA 524.2	0.00050	1	ND	0.20
1,1,2,2-Tetrachloroethane	EPA 524.2	0.00050	1	ND	no std
1,1,2-Trichloroethane	EPA 524.2	0.00050	1	ND	0.005
1,1-Dichloroethane	EPA 524.2	0.00050	1	ND	no std
1,1-Dichloroethene	EPA 524.2	0.00050	1	ND	0.007
1,1-Dichloropropene	EPA 524.2	0.00050	1	ND	no std
1,2,3-Trichlorobenzene	EPA 524.2	0.00050	1	ND	no std
1,2,3-Trichloropropane	EPA 524.2	0.00050	1	ND	no std
1,2,4-Trichlorobenzene	EPA 524.2	0.00050	1	ND	0.07
1,2,4-Trimethylbenzene	EPA 524.2	0.00050	1	ND	no std
1,2-Dichloroethane	EPA 524.2	0.00050	1	ND	0.005
1,2-Dichloropropane	EPA 524.2	0.00050	1	ND	0.005
1,3,5-Trimethylbenzene	EPA 524.2	0.00050	1	ND	no std
1,3-Dichloropropane	EPA 524.2	0.00050	1	ND	no std
2,2-Dichloropropane	EPA 524.2	0.00050	1	ND	no std
Benzene	EPA 524.2	0.00050	1	ND	0.005

SOQ=Standard of Quality per FDA or California  
 ND=Not detected at the specified limit  
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100  
 Monrovia, California 91016-3629  
 Tel: (626) 386-1100  
 Fax: (866) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA\_CA  
 Report: 812008

Report Date: 08/09/2019  
 Date Received: 07/12/2019  
 Sample No: 201906210096

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
Bromobenzene	EPA 524.2	0.00050	1	ND	no std
Bromochloromethane	EPA 524.2	0.00050	1	ND	no std
Bromodichloromethane	EPA 524.2	0.00050	1	ND	no std
Bromoform	EPA 524.2	0.00050	1	ND	no std
Bromomethane	EPA 524.2	0.00050	1	ND	no std
Carbon Tetrachloride	EPA 524.2	0.00050	1	ND	0.005
Chlorobenzene	EPA 524.2	0.00050	1	ND	0.1
Chlorodibromomethane	EPA 524.2	0.00050	1	ND	no std
Chloroethane	EPA 524.2	0.00050	1	ND	no std
Chloroform (Trichloromethane)	EPA 524.2	0.00050	1	0.0016	no std
Chloromethane	EPA 524.2	0.00050	1	ND	no std
cis-1,2-Dichloroethylene	EPA 524.2	0.00050	1	ND	0.07
cis-1,3-Dichloropropene	EPA 524.2	0.00050	1	ND	no std
Dibromomethane	EPA 524.2	0.00050	1	ND	no std
Dichlorodifluoromethane	EPA 524.2	0.00050	1	ND	no std
Dichloromethane (MeCl <sub>2</sub> )	EPA 524.2	0.00050	1	ND	0.005
Ethyl benzene	EPA 524.2	0.00050	1	ND	0.7
Fluorotrichloromethane-Freon11	EPA 524.2	0.00050	1	ND	no std
Hexachlorobutadiene	EPA 524.2	0.00050	1	ND	no std
Isopropylbenzene	EPA 524.2	0.00050	1	ND	no std
m,p-Xylenes	EPA 524.2	0.00050	1	ND	no std
m-Dichlorobenzene (1,3-DCB)	EPA 524.2	0.00050	1	ND	no std
Methyl ethyl ketone (MEK, Butanone)	EPA 524.2	0.00050	1	ND	no std
MTBE	EPA 524.2	0.00050	1	ND	no std
n-Butylbenzene	EPA 524.2	0.00050	1	ND	no std
n-Propylbenzene	EPA 524.2	0.00050	1	ND	no std
o-Chlorotoluene	EPA 524.2	0.00050	1	ND	no std
o-Dichlorobenzene (1,2-DCB)	EPA 524.2	0.00050	1	ND	0.6
o-Xylene	EPA 524.2	0.00050	1	ND	no std
p-Chlorotoluene	EPA 524.2	0.00050	1	ND	no std
p-Dichlorobenzene (1,4-DCB)	EPA 524.2	0.00050	1	ND	0.075
p-Isopropyltoluene	EPA 524.2	0.00050	1	ND	no std
sec-Butylbenzene	EPA 524.2	0.00050	1	ND	no std
Styrene	EPA 524.2	0.00050	1	ND	0.1
tert-Butylbenzene	EPA 524.2	0.00050	1	ND	no std
Tetrachloroethylene (PCE)	EPA 524.2	0.00050	1	ND	0.005
Toluene	EPA 524.2	0.00050	1	ND	1
Total 1,3-Dichloropropene	EPA 524.2	0.00050	1	ND	no std

SOQ=Standard of Quality per FDA or California  
 ND=Not detected at the specified limit  
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100  
 Monrovia, California 91016-3629  
 Tel: (626) 386-1100  
 Fax: (866) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA\_CA  
 Report: 812008

Report Date: 08/09/2019  
 Date Received: 07/12/2019  
 Sample No: 201906210096

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
Total THM	EPA 524.2	0.00050	1	0.0016	0.010
Total xylenes	EPA 524.2	0.00050	1	ND	10
trans-1,2-Dichloroethylene	EPA 524.2	0.00050	1	ND	0.1
trans-1,3-Dichloropropene	EPA 524.2	0.00050	1	ND	no std
Trichloroethylene (TCE)	EPA 524.2	0.00050	1	ND	0.005
Trichlorotrifluoroethane(F113)	EPA 524.2	0.00050	1	ND	no std
Vinyl chloride (VC)	EPA 524.2	0.00030	1	ND	0.002
<b>GROUP IV</b>					
<b>CHEMICAL SUBSTANCE 3 (NON VOC)</b>		<b>Milligrams per Liter</b>			
1,2,3-Trichloropropane (TCP)	EPA 504.1	0.000020	1	ND	no std
1,2,3-Trichloropropane (TCP)	EPA 504.1	0.000020	1	ND	no std
2,3,7,8-TCDD (ug/L)	EPA 1613B	0.0000000050	1	ND	0.00000003
2,4,5-TP (Silvex)	EPA 515.4	0.00020	1	ND	0.05
2,4-D	EPA 515.4	0.00010	1	ND	0.07
3-Hydroxycarbofuran	EPA 531.2	0.00050	1	ND	no std
Alachlor (Alanex)	EPA 505	0.00010	1	ND	0.002
Aldicarb (Temik)	EPA 531.2	0.00050	1	ND	no std
Aldicarb sulfone	EPA 531.2	0.00050	1	ND	no std
Aldicarb sulfoxide	EPA 531.2	0.00050	1	ND	no std
Aldrin	EPA 505	0.000010	1	ND	no std
Atrazine	EPA 525.2	0.000050	1	ND	0.003
Baygon	EPA 531.2	0.00050	1	ND	no std
Bentazon	EPA 515.4	0.00050	1	ND	no std
Benzo(a)pyrene	EPA 525.2	0.000020	1	ND	0.0002
Butachlor	EPA 525.2	0.000050	1	ND	no std
Carbaryl	EPA 531.2	0.00050	1	ND	no std
Carbofuran	EPA 531.2	0.00050	1	ND	0.04
Chlordane	EPA 505	0.00010	1	ND	0.002
Dalapon	EPA 515.4	0.0010	1	ND	0.2
Di-(2-Ethylhexyl)adipate	EPA 525.2	0.00060	1	ND	0.4
Di(2-Ethylhexyl)phthalate	EPA 525.2	0.00060	1	ND	0.006
Dibromochloropropane (DBCP)	EPA 504.1	0.000010	1	ND	0.0002
Dibromochloropropane (DBCP)	EPA 504.1	0.000010	1	ND	0.0002
Dicamba	EPA 515.4	0.00010	1	ND	no std
Dieldrin	EPA 505	0.000010	1	ND	no std
Dinoseb	EPA 515.4	0.00020	1	ND	0.007
Diquat	EPA 549.2	0.00040	1	ND	0.02
Endothall	EPA 548.1	0.0050	1	ND	0.1

SOQ=Standard of Quality per FDA or California

ND=Not detected at the specified limit

All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100  
 Monrovia, California 91016-3629  
 Tel: (626) 386-1100  
 Fax: (866) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA\_CA  
 Report: 812008

Report Date: 08/09/2019  
 Date Received: 07/12/2019  
 Sample No: 201906210096

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
Endrin	EPA 505	0.000010	1	ND	0.002
Ethylene Dibromide (EDB)	EPA 504.1	0.000010	1	ND	0.00005
Ethylene Dibromide (EDB)	EPA 504.1	0.000010	1	ND	0.00005
Glyphosate	EPA 547	0.0060	1	ND	0.7
Heptachlor	EPA 505	0.000010	1	ND	0.0004
Heptachlor Epoxide	EPA 505	0.000010	1	ND	0.0002
Hexachlorobenzene	EPA 525.2	0.000050	1	ND	0.001
Hexachlorocyclopentadiene	EPA 525.2	0.000050	1	ND	0.05
Lindane (gamma-BHC)	EPA 505	0.000010	1	ND	0.0002
Methiocarb	EPA 531.2	0.00050	1	ND	no std
Methomyl	EPA 531.2	0.00050	1	ND	no std
Methoxychlor	EPA 505	0.000050	1	ND	0.04
Metolachlor	EPA 525.2	0.000050	1	ND	no std
Metribuzin	EPA 525.2	0.000050	1	ND	no std
Oxamyl (Vydate)	EPA 531.2	0.00050	1	ND	0.2
Paraquat	EPA 549.2	0.0020	1	ND	no std
Pentachlorophenol	EPA 515.4	0.000040	1	ND	0.001
Picloram	EPA 515.4	0.00010	1	ND	0.5
Propachlor	EPA 525.2	0.000050	1	ND	no std
Simazine	EPA 525.2	0.000050	1	ND	0.004
Thiobencarb	EPA 525.2	0.00020	1	ND	no std
Total PCBs	EPA 505	0.00010	1	ND	0.0005
Toxaphene	EPA 505	0.00050	1	ND	0.003
<b>GROUP V</b>					
<b>RADIOACTIVITY</b>					
		<b>Picocuries per Liter</b>			
Gross Alpha	EPA 900.0	3.0	1	ND	15
Gross Alpha	EPA 900.0	3.0	1	ND	15
Gross Beta	EPA 900.0	3.0	1	ND	50
Gross Beta	EPA 900.0	3.0	1	ND	50
Radium 226	Ra-226 GA	1.0	1	ND	5
Radium 228	Ra-228 GA	1.0	1	ND	5
Uranium (mg/L)	EPA 200.8	0.0010	1	ND	0.03
Uranium by ICPMS as pCi/L	EPA 200.8	0.70	1	ND	20
<b>GROUP VIa</b>					
<b>BACTERIOLOGICAL</b>					
		<b>Colonies/100 mL</b>			
E Coli Bacteria	SM 9223	1.0	1	<1	1
Total Coliform Bacteria	SM 9223	1.0	1	<1	2.2

SOQ=Standard of Quality per FDA or California  
 ND=Not detected at the specified limit  
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100  
 Monrovia, California 91016-3629  
 Tel: (626) 386-1100  
 Fax: (866) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA\_CA  
 Report: 812008

Report Date: 08/09/2019  
 Date Received: 07/12/2019  
 Sample No: 201906210096

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
<b>GROUP VIb</b>					
<b>BACTERIOLOGICAL-HPC</b>					
<b>Colony Forming Units per mL</b>					
Heterotrophic Plate Count	SM 9215B	1.0	1	5.0	no std
<b>GROUP VII</b>					
<b>Disinfection Byproducts</b>					
<b>Milligrams per Liter</b>					
Bromate	EPA 317	0.0010	1	ND	0.01
Bromide	EPA 300.0	0.0050	1	ND	no std
Chlorite	EPA 300.0	0.010	1	ND	1
D/DBP Haloacetic Acids (HAA5)	SM 6251B	0.0020	1	ND	0.06
<b>GROUP VIII</b>					
<b>Residual Disinfectants</b>					
<b>Milligrams per Liter</b>					
Chloramines	SM 4500CL-G/HACH	0.10	1	ND	4
Chlorine Dioxide	SM 4500CLO2-D/HACH	0.24	1	ND	0.8
Total Chlorine Residual	SM 4500CL-G/HACH	0.10	1	ND	4

SOQ=Standard of Quality per FDA or California  
 ND=Not detected at the specified limit  
 All results reported in milligrams per liter unless otherwise noted

Tel: (626) 386-1100  
 Fax: (866) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

**Tribeca Beverage, LLC**  
 Mark Zonin  
 185 Lackawanna Ave  
 Woodland Park, NJ 07424

Samples Received on:  
 07/12/2019 1152

Prepped	Analyzed	Prep Batch	Analytical Batch	Method	Analyte	Result	Units	MRL	Dilution
<b>2019 Annual Testing (Finished Product) (201906210096)</b>						<b>Sampled on 07/10/2019 1524</b>			
<b>EPA 200.8 - ICPMS Metals</b>									
07/15/19	07/16/19 10:27	1183701	1184319	(EPA 200.8)	Aluminum Total ICAP/MS	ND	ug/L	20	1
07/15/19	07/16/19 10:27	1183701	1184319	(EPA 200.8)	Antimony Total ICAP/MS	ND	ug/L	1.0	1
07/15/19	07/16/19 10:27	1183701	1184319	(EPA 200.8)	Arsenic Total ICAP/MS	ND	ug/L	1.0	1
07/15/19	07/16/19 10:27	1183701	1184319	(EPA 200.8)	Barium Total ICAP/MS	ND	ug/L	2.0	1
07/15/19	07/16/19 10:27	1183701	1184319	(EPA 200.8)	Beryllium Total ICAP/MS	ND	ug/L	1.0	1
07/15/19	07/16/19 10:27	1183701	1184319	(EPA 200.8)	Cadmium Total ICAP/MS	ND	ug/L	0.50	1
07/15/19	07/16/19 10:27	1183701	1184319	(EPA 200.8)	Chromium Total ICAP/MS	1.4	ug/L	1.0	1
07/15/19	07/16/19 10:27	1183701	1184319	(EPA 200.8)	Copper Total ICAP/MS	3.7	ug/L	2.0	1
07/15/19	07/16/19 10:27	1183701	1184319	(EPA 200.8)	Lead Total ICAP/MS	ND	ug/L	0.50	1
07/15/19	07/16/19 10:27	1183701	1184319	(EPA 200.8)	Manganese Total ICAP/MS	ND	ug/L	2.0	1
07/15/19	07/16/19 10:27	1183701	1184319	(EPA 200.8)	Nickel Total ICAP/MS	ND	ug/L	5.0	1
07/15/19	07/16/19 10:27	1183701	1184319	(EPA 200.8)	Selenium Total ICAP/MS	ND	ug/L	5.0	1
07/15/19	07/18/19 09:53	1183701	1184953	(EPA 200.8)	Silver Total ICAP/MS	ND	ug/L	0.50	1
07/15/19	07/16/19 10:27	1183701	1184319	(EPA 200.8)	Thallium Total ICAP/MS	ND	ug/L	1.0	1
07/15/19	07/16/19 10:27	1183701	1184319	(EPA 200.8)	Uranium ICAP/MS	ND	ug/L	1.0	1
07/15/19	07/16/19 10:27	1183701	1184319	(EPA 200.8)	Zinc Total ICAP/MS	ND	ug/L	20	1
<b>EPA 200.7 - ICP Metals</b>									
07/15/19	07/15/19 14:01	1183701	1184083	(EPA 200.7)	Calcium Total ICAP	4.1	mg/L	1.0	1
07/15/19	07/15/19 14:01	1183701	1184083	(EPA 200.7)	Iron Total ICAP	ND	mg/L	0.020	1
07/15/19	07/15/19 14:01	1183701	1184083	(EPA 200.7)	Magnesium Total ICAP	1.2	mg/L	0.10	1
07/15/19	07/15/19 14:01	1183701	1184083	(EPA 200.7)	Potassium Total ICAP	ND	mg/L	1.0	1
07/15/19	07/15/19 14:01	1183701	1184083	(EPA 200.7)	Sodium Total ICAP	2.1	mg/L	1.0	1
<b>EPA 245.1 - Mercury Total</b>									
07/23/19	07/23/19 18:39	1186013	1186106	(EPA 245.1)	Mercury	ND	ug/L	0.20	1
<b>SM 9215B - Heterotrophic Plate Count</b>									
07/12/19	07/14/19 10:51	1184217	1184216	(SM 9215B)	Heterotrophic Plate Count	5 (H3)	CFU/ml	1.0	1
<b>EPA 100.2 - Asbestos by TEM - &gt;10 microns</b>									
07/12/19	07/29/19 00:00	1183892	1187210	(EPA 100.2)	Asbestos by TEM - >10 microns	ND (QG)	MFL	0.20	1
<b>SM 9223B - Quantitray Coliforms 18 Hour</b>									
07/12/19	07/13/19 11:12	1184080	1184085	(SM 9223B)	18 Hour E. Coli Confirmed (Large Wells)	ND (H3)	PW	1.0	1
07/12/19	07/13/19 11:12	1184080	1184085	(SM 9223B)	18 Hour E. Coli Confirmed (Small Wells)	ND (H3)	PW	1.0	1
07/12/19	07/13/19 11:12	1184080	1184085	(SM 9223B)	18 Hour Total Coliform Confm (Large Wells)	ND (H3)	PW	1.0	1
07/12/19	07/13/19 11:12	1184080	1184085	(SM 9223B)	18 Hour Total Coliform Confm (Small Wells)	ND (H3)	PW	1.0	1

Rounding on totals after summation.  
 (c) - indicates calculated results. Analysis is a calculated result. Reported results are not rounded until the final step before reporting. Therefore methods that use a test result with further calculation may have slight differences in final result than the component analyses.

Tel: (626) 386-1100  
 Fax: (866) 988-3757  
 1 800 566 LABS (1 800 566 5227)

**Report:** 812008  
**Project:** BW  
**Group:** Finished Product

**Tribeca Beverage, LLC**  
 Mark Zonin  
 185 Lackawanna Ave  
 Woodland Park, NJ 07424

Samples Received on:  
 07/12/2019 1152

Prepped	Analyzed	Prep Batch	Analytical Batch	Method	Analyte	Result	Units	MRL	Dilution
07/12/19	07/13/19 11:12	1184080	1184085	(SM 9223B)	E. Coli Bacteria (P/A)	A (H3)	PA		1
07/12/19	07/13/19 11:12	1184080	1184085	(SM 9223B)	Total Coliform Bacteria (P/A)	A (H3)	PA		1
07/12/19	07/13/19 11:12	1184080	1184085	(SM 9223B)	E. Coli Bacteria	<1 (H3)	MPN/100 mL	1.0	1
07/12/19	07/13/19 11:12	1184080	1184085	(SM 9223B)	Total Coliform Bacteria	<1 (H3)	MPN/100 mL	1.0	1
<b>SM2330B - Hydroxide as OH, Calculated</b>									
	07/18/19 16:25			(SM2330B)	Hydroxide as OH Calculated	ND (c)	mg/L	2.0	1
<b>EPA 200.8 - Uranium by ICPMS as pCi/L</b>									
	07/16/19 12:30			(EPA 200.8)	Uranium by ICPMS as pCi/L	ND (c)	pCi/L	0.70	1
<b>SM4500-CO2-D - Carbon Dioxide,Free(25C)-Calc.</b>									
	07/18/19 16:25			(SM4500-CO2-D)	Carbon Dioxide,Free(25C)-Calc.	ND (c)	mg/L	2.0	1
<b>SM 2330B - Langelier Index - 25 degree</b>									
	07/18/19 16:25			(SM 2330B)	Langelier Index - 25 degree	-1.0 (c)	None	-14	1
<b>SM2330B - Carbonate as CO3, Calculated</b>									
	07/18/19 16:31			(SM2330B)	Carbonate as CO3, Calculated	ND (c)	mg/L	2.0	1
<b>SM 2340B - Total Hardness as CaCO3 by ICP</b>									
	07/15/19 15:18			(SM 2340B)	Total Hardness as CaCO3 by ICP (calc)	15 (c)	mg/L	3.0	1
<b>SM 1030E - Anion Sum - Calculated</b>									
	07/18/19 16:07			(SM 1030E)	Anion Sum - Calculated	0.39 (c)	meq/L	0.0010	1
<b>SM 1030E - Cation Sum - Calculated</b>									
	07/15/19 15:18			(SM 1030E)	Cation Sum - Calculated	0.40 (c)	meq/L	0.0010	1
<b>SM2330B - Bicarb.Alkalinity as HCO3,calc</b>									
	07/18/19 16:25			(SM2330B)	Bicarb.Alkalinity as HCO3calc	19 (c)	mg/L	2.0	1
<b>EPA 505 - Organochlorine Pesticides/PCBs</b>									
07/17/19	07/18/19 15:01	1184697	1186375	(EPA 505)	Alachlor (Alanex)	ND	ug/L	0.10	1
07/17/19	07/18/19 15:01	1184697	1186375	(EPA 505)	Aldrin	ND	ug/L	0.010	1
07/17/19	07/18/19 15:01	1184697	1186375	(EPA 505)	Chlordane	ND	ug/L	0.10	1
07/17/19	07/18/19 15:01	1184697	1186375	(EPA 505)	Dieldrin	ND	ug/L	0.0100	1
07/17/19	07/18/19 15:01	1184697	1186375	(EPA 505)	Endrin	ND	ug/L	0.010	1
07/17/19	07/18/19 15:01	1184697	1186375	(EPA 505)	Heptachlor	ND	ug/L	0.010	1
07/17/19	07/18/19 15:01	1184697	1186375	(EPA 505)	Heptachlor Epoxide	ND	ug/L	0.010	1
07/17/19	07/18/19 15:01	1184697	1186375	(EPA 505)	Lindane (gamma-BHC)	ND	ug/L	0.010	1
07/17/19	07/18/19 15:01	1184697	1186375	(EPA 505)	Methoxychlor	ND	ug/L	0.050	1
07/17/19	07/18/19 15:01	1184697	1186375	(EPA 505)	PCB 1016 Aroclor	ND	ug/L	0.080	1
07/17/19	07/18/19 15:01	1184697	1186375	(EPA 505)	PCB 1221 Aroclor	ND	ug/L	0.10	1
07/17/19	07/18/19 15:01	1184697	1186375	(EPA 505)	PCB 1232 Aroclor	ND	ug/L	0.10	1
07/17/19	07/18/19 15:01	1184697	1186375	(EPA 505)	PCB 1242 Aroclor	ND	ug/L	0.10	1
07/17/19	07/18/19 15:01	1184697	1186375	(EPA 505)	PCB 1248 Aroclor	ND	ug/L	0.10	1

Rounding on totals after summation.

(c) - indicates calculated results. Analysis is a calculated result. Reported results are not rounded until the final step before reporting. Therefore methods that use a test result with further calculation may have slight differences in final result than the component analyses.



Tel: (626) 386-1100  
 Fax: (866) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

**Tribeca Beverage, LLC**  
 Mark Zonin  
 185 Lackawanna Ave  
 Woodland Park, NJ 07424

Samples Received on:  
 07/12/2019 1152

Prepped	Analyzed	Prep Batch	Analytical Batch	Method	Analyte	Result	Units	MRL	Dilution
07/17/19	07/18/19 15:01	1184697	1186375	(EPA 505)	PCB 1254 Aroclor	ND	ug/L	0.10	1
07/17/19	07/18/19 15:01	1184697	1186375	(EPA 505)	PCB 1260 Aroclor	ND	ug/L	0.10	1
07/17/19	07/18/19 15:01	1184697	1186375	(EPA 505)	Total PCBs	ND	ug/L	0.10	1
07/17/19	07/18/19 15:01	1184697	1186375	(EPA 505)	Toxaphene	ND	ug/L	0.50	1
<b>EPA 515.4 - Chlorophenoxy Herbicides</b>									
07/23/19	07/24/19 04:45	1185210	1186299	(EPA 515.4)	2,4,5-T	ND	ug/L	0.20	1
07/23/19	07/24/19 04:45	1185210	1186299	(EPA 515.4)	2,4,5-TP (Silvex)	ND	ug/L	0.20	1
07/23/19	07/24/19 04:45	1185210	1186299	(EPA 515.4)	2,4-D	ND	ug/L	0.10	1
07/23/19	07/24/19 04:45	1185210	1186299	(EPA 515.4)	2,4-DB	ND	ug/L	2.0	1
07/23/19	07/24/19 04:45	1185210	1186299	(EPA 515.4)	3,5-Dichlorobenzoic acid	ND	ug/L	0.50	1
07/23/19	07/24/19 04:45	1185210	1186299	(EPA 515.4)	Acifluorfen	ND	ug/L	0.20	1
07/23/19	07/24/19 04:45	1185210	1186299	(EPA 515.4)	Bentazon	ND	ug/L	0.50	1
07/23/19	07/24/19 04:45	1185210	1186299	(EPA 515.4)	Dalapon	ND	ug/L	1.0	1
07/23/19	07/24/19 04:45	1185210	1186299	(EPA 515.4)	Dicamba	ND	ug/L	0.10	1
07/23/19	07/24/19 04:45	1185210	1186299	(EPA 515.4)	Dichlorprop	ND	ug/L	0.50	1
07/23/19	07/24/19 04:45	1185210	1186299	(EPA 515.4)	Dinoseb	ND	ug/L	0.20	1
07/23/19	07/24/19 04:45	1185210	1186299	(EPA 515.4)	Pentachlorophenol	ND	ug/L	0.040	1
07/23/19	07/24/19 04:45	1185210	1186299	(EPA 515.4)	Picloram	ND	ug/L	0.10	1
07/23/19	07/24/19 04:45	1185210	1186299	(EPA 515.4)	Tot DCPA Mono&Diacid Degradate	ND	ug/L	0.10	1
07/23/19	07/24/19 04:45	1185210	1186299	(EPA 515.4)	2,4-Dichlorophenyl acetic acid	111	%		1
07/23/19	07/24/19 04:45	1185210	1186299	(EPA 515.4)	4,4-Dibromooctafluorobiphenyl	97	%		1
<b>SM 6251B - Haloacetic Acids</b>									
07/24/19	07/31/19 05:13	1186154	1188864	(SM 6251B)	Bromochloroacetic acid	ND	ug/L	1.0	1
07/24/19	07/31/19 05:13	1186154	1188864	(SM 6251B)	Dibromoacetic acid	ND	ug/L	1.0	1
07/24/19	07/31/19 05:13	1186154	1188864	(SM 6251B)	Dichloroacetic acid	ND	ug/L	1.0	1
07/24/19	07/31/19 05:13	1186154	1188864	(SM 6251B)	Monobromoacetic acid	ND	ug/L	1.0	1
07/24/19	07/31/19 05:13	1186154	1188864	(SM 6251B)	Monochloroacetic acid	ND	ug/L	2.0	1
07/24/19	07/31/19 05:13	1186154	1188864	(SM 6251B)	Total Haloacetic Acids (HAA5)	ND	ug/L	2.0	1
07/24/19	07/31/19 05:13	1186154	1188864	(SM 6251B)	Trichloroacetic acid	ND	ug/L	1.0	1
07/24/19	07/31/19 05:13	1186154	1188864	(SM 6251B)	1,2,3-Trichloropropane	95	%		1
07/24/19	07/31/19 05:13	1186154	1188864	(SM 6251B)	2,3-Dibromopropionic acid	105	%		1
<b>EPA 504.1 - EPA Method 504.1</b>									
07/17/19	07/17/19 23:56	1184646	1183874	(EPA 504.1)	1,2,3-Trichloropropane	ND	ug/L	0.020	1
07/17/19	07/17/19 23:56	1184646	1183874	(EPA 504.1)	1,2-Dibromo-3-chloropropane	ND	ug/L	0.010	1
07/17/19	07/17/19 23:56	1184646	1183874	(EPA 504.1)	1,2-Dibromoethane	ND	ug/L	0.010	1
07/17/19	07/17/19 23:56	1184646	1183874	(EPA 504.1)	1,2-Dibromopropane	103	%		1
<b>EPA 525.2 - Semivolatiles by GCMS</b>									
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	2,4-Dinitrotoluene	ND	ug/L	0.10	1

Rounding on totals after summation.

(c) - indicates calculated results. Analysis is a calculated result. Reported results are not rounded until the final step before reporting. Therefore methods that use a test result with further calculation may have slight differences in final result than the component analyses.

Tel: (626) 386-1100  
 Fax: (866) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

**Tribeca Beverage, LLC**  
 Mark Zonin  
 185 Lackawanna Ave  
 Woodland Park, NJ 07424

Samples Received on:  
 07/12/2019 1152

Prepped	Analyzed	Prep Batch	Analytical Batch	Method	Analyte	Result	Units	MRL	Dilution
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	2,6-Dinitrotoluene	ND	ug/L	0.10	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	4,4-DDD	ND	ug/L	0.10	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	4,4-DDE	ND	ug/L	0.10	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	4,4-DDT	ND	ug/L	0.10	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Acenaphthene	ND	ug/L	0.10	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Acenaphthylene	ND (L4)	ug/L	0.10	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Acetochlor	ND	ug/L	0.10	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Alachlor	ND	ug/L	0.050	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Aldrin	ND (L4)	ug/L	0.050	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Alpha-BHC	ND	ug/L	0.10	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	alpha-Chlordane	ND	ug/L	0.050	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Anthracene	ND	ug/L	0.020	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Atrazine	ND	ug/L	0.050	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Benz(a)Anthracene	ND (R7)	ug/L	0.050	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Benzo(a)pyrene	ND	ug/L	0.020	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Benzo(b)Fluoranthene	ND	ug/L	0.020	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Benzo(g,h,i)Perylene	ND	ug/L	0.050	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Benzo(k)Fluoranthene	ND	ug/L	0.020	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Beta-BHC	ND	ug/L	0.10	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Bromacil	ND	ug/L	0.10	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Butachlor	ND	ug/L	0.050	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Butylbenzylphthalate	ND	ug/L	0.50	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Caffeine by method 525mod	ND	ug/L	0.050	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Chlorobenzilate	ND	ug/L	0.10	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Chloroneb	ND	ug/L	0.10	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Chlorothalonil(Draconil,Bravo)	ND	ug/L	0.10	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Chlorpyrifos (Dursban)	ND	ug/L	0.050	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Chrysene	ND	ug/L	0.020	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Delta-BHC	ND	ug/L	0.10	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Di-(2-Ethylhexyl)adipate	ND	ug/L	0.60	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Di(2-Ethylhexyl)phthalate	ND	ug/L	0.60	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Diazinon (Qualitative)	ND	ug/L	0.10	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Dibenz(a,h)Anthracene	ND	ug/L	0.050	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Dichlorvos (DDVP)	ND (LK)	ug/L	0.050	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Dieldrin	ND	ug/L	0.20	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Diethylphthalate	ND	ug/L	0.50	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Dimethoate	ND	ug/L	0.10	1

Rounding on totals after summation.  
 (c) - indicates calculated results. Analysis is a calculated result. Reported results are not rounded until the final step before reporting. Therefore methods that use a test result with further calculation may have slight differences in final result than the component analyses.

Tel: (626) 386-1100  
 Fax: (866) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

**Tribeca Beverage, LLC**  
 Mark Zonin  
 185 Lackawanna Ave  
 Woodland Park, NJ 07424

Samples Received on:  
 07/12/2019 1152

Prepped	Analyzed	Prep Batch	Analytical Batch	Method	Analyte	Result	Units	MRL	Dilution
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Dimethylphthalate	ND	ug/L	0.50	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Di-n-Butylphthalate	ND	ug/L	1.0	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Di-N-octylphthalate	ND	ug/L	0.10	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Endosulfan I (Alpha)	ND	ug/L	0.10	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Endosulfan II (Beta)	ND	ug/L	0.10	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Endosulfan Sulfate	ND	ug/L	0.10	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Endrin	ND	ug/L	0.20	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Endrin Aldehyde	ND	ug/L	0.10	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	EPTC	ND	ug/L	0.10	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Fluoranthene	ND	ug/L	0.10	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Fluorene	ND	ug/L	0.050	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	gamma-Chlordane	ND	ug/L	0.050	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Heptachlor	ND (LE)	ug/L	0.040	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Heptachlor Epoxide (isomer B)	ND	ug/L	0.050	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Hexachlorobenzene	ND	ug/L	0.050	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Hexachlorocyclopentadiene	ND	ug/L	0.050	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Indeno(1,2,3,c,d)Pyrene	ND	ug/L	0.050	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Isophorone	ND (LK)	ug/L	0.50	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Lindane	ND	ug/L	0.040	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Malathion	ND	ug/L	0.10	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Methoxychlor	ND	ug/L	0.10	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Metolachlor	ND	ug/L	0.050	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Metribuzin	ND	ug/L	0.050	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Molinate	ND	ug/L	0.10	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Naphthalene	ND	ug/L	0.30	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Parathion	ND	ug/L	0.10	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Pendimethalin	ND	ug/L	0.10	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Permethrin (mixed isomers)	ND	ug/L	0.20	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Phenanthrene	ND	ug/L	0.040	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Propachlor	ND	ug/L	0.050	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Pyrene	ND	ug/L	0.050	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Simazine	ND	ug/L	0.050	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Terbacil	ND	ug/L	0.10	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Terbutylazine	ND	ug/L	0.10	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Thiobencarb (ELAP)	ND	ug/L	0.20	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	trans-Nonachlor	ND	ug/L	0.050	1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Trifluralin	ND	ug/L	0.10	1

Rounding on totals after summation.  
 (c) - indicates calculated results. Analysis is a calculated result. Reported results are not rounded until the final step before reporting. Therefore methods that use a test result with further calculation may have slight differences in final result than the component analyses.

Tel: (626) 386-1100  
 Fax: (866) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

**Tribeca Beverage, LLC**  
 Mark Zonin  
 185 Lackawanna Ave  
 Woodland Park, NJ 07424

Samples Received on:  
 07/12/2019 1152

Prepped	Analyzed	Prep Batch	Analytical Batch	Method	Analyte	Result	Units	MRL	Dilution
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	1,3-Dimethyl-2-nitrobenzene	109	%		1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Acenaphthene-d10	102	%		1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Chrysene-d12	100	%		1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Perylene-d12	87	%		1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Phenanthrene-d10	103	%		1
07/16/19	07/18/19 12:15	1184331	1188764	(EPA 525.2)	Triphenylphosphate	113	%		1
<b>EPA 548.1 - Endothall</b>									
07/15/19	07/19/19 8:29	1184290	1185245	(EPA 548.1)	Endothall	ND	ug/L	5.0	1
<b>EPA 1613B - 2,3,7,8-TCDD_Dioxin</b>									
07/16/19	07/17/19 17:54	1184299	1184957	(EPA 1613B)	2,3,7,8-TCDD	ND	pg/L	5.00	1
07/16/19	07/17/19 17:54	1184299	1184957	(EPA 1613B)	C12-2,3,7,8-TCDD	76	%		1
<b>EPA 547 - Glyphosate</b>									
	07/17/19 14:57		1184765	(EPA 547)	Glyphosate	ND	ug/L	6.0	1
<b>EPA 531.2 - Aldicarbs</b>									
	07/16/19 01:51		1184495	(EPA 531.2)	3-Hydroxycarbofuran	ND	ug/L	0.50	1
	07/16/19 01:51		1184495	(EPA 531.2)	Aldicarb (Temik)	ND	ug/L	0.50	1
	07/16/19 01:51		1184495	(EPA 531.2)	Aldicarb sulfone	ND	ug/L	0.50	1
	07/16/19 01:51		1184495	(EPA 531.2)	Aldicarb sulfoxide	ND	ug/L	0.50	1
	07/16/19 01:51		1184495	(EPA 531.2)	Baygon	ND	ug/L	0.50	1
	07/16/19 01:51		1184495	(EPA 531.2)	Carbaryl	ND	ug/L	0.50	1
	07/16/19 01:51		1184495	(EPA 531.2)	Carbofuran (Furadan)	ND	ug/L	0.50	1
	07/16/19 01:51		1184495	(EPA 531.2)	Methiocarb	ND	ug/L	0.50	1
	07/16/19 01:51		1184495	(EPA 531.2)	Methomyl	ND	ug/L	0.50	1
	07/16/19 01:51		1184495	(EPA 531.2)	Oxamyl (Vydate)	ND	ug/L	0.50	1
	07/16/19 01:51		1184495	(EPA 531.2)	4-Bromo-3,5-dimethylphenyl-N-methylc arbamate	111	%		1
<b>EPA 549.2 - Diquat and Paraquat</b>									
07/15/19	07/16/19 16:57	1184062	1184503	(EPA 549.2)	Diquat	ND	ug/L	0.40	1
07/15/19	07/16/19 16:57	1184062	1184503	(EPA 549.2)	Paraquat	ND	ug/L	2.0	1
<b>EPA 317 - Bromate by UV/VIS 317</b>									
	07/17/19 23:19		1184999	(EPA 317)	Bromate by UV/VIS	ND	ug/L	1.0	1
<b>EPA 300.0 - Nitrate, Nitrite by EPA 300.0</b>									
	07/12/19 13:01		1183855	(EPA 300.0)	Nitrate as Nitrogen by IC	0.17	mg/L	0.10	1
	07/12/19 13:01		1183855	(EPA 300.0)	Nitrate as NO3 (calc)	0.76	mg/L	0.44	1
	07/12/19 13:01		1183855	(EPA 300.0)	Nitrite Nitrogen by IC	ND	mg/L	0.050	1
	07/12/19 13:01		1183855	(EPA 300.0)	Total Nitrate, Nitrite-N, CALC	0.17	mg/L	0.10	1
<b>EPA 300.0 - Chlorite by 300.0</b>									
	07/17/19 05:29		1184051	(EPA 300.0)	Chlorite by IC	ND	mg/L	0.010	1

Rounding on totals after summation.  
 (c) - indicates calculated results. Analysis is a calculated result. Reported results are not rounded until the final step before reporting. Therefore methods that use a test result with further calculation may have slight differences in final result than the component analyses.

Tel: (626) 386-1100  
 Fax: (866) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

**Tribeca Beverage, LLC**  
 Mark Zonin  
 185 Lackawanna Ave  
 Woodland Park, NJ 07424

Samples Received on:  
 07/12/2019 1152

Prepped	Analyzed	Prep Batch	Analytical Batch	Method	Analyte	Result	Units	MRL	Dilution
<b>EPA 300.0 - Disinfection ByProducts by 300.0</b>									
	07/17/19 05:29		1184550	(EPA 300.0)	Bromide	ND	ug/L	5.0	1
<b>EPA 300.0 - Chloride, Sulfate by EPA 300.0</b>									
	07/12/19 13:01		1183939	(EPA 300.0)	Chloride	2.0	mg/L	0.50	1
	07/12/19 13:01		1183939	(EPA 300.0)	Sulfate	ND	mg/L	0.50	1
<b>EPA 537 - Perfluorinated Alkyl Acids EPA 537 rev 1.1</b>									
07/16/19	07/18/19 0:01	1184205	1185403	(EPA 537)	N-ethyl Perfluorooctanesulfonamidoacetic acid	ND	ug/L	0.0020	1
07/16/19	07/18/19 0:01	1184205	1185403	(EPA 537)	N-methyl Perfluorooctanesulfonamidoacetic acid	ND	ug/L	0.0020	1
07/16/19	07/18/19 0:01	1184205	1185403	(EPA 537)	Perfluorobutanesulfonic acid	ND	ug/L	0.0020	1
07/16/19	07/18/19 0:01	1184205	1185403	(EPA 537)	Perfluorodecanoic acid	ND	ug/L	0.0020	1
07/16/19	07/18/19 0:01	1184205	1185403	(EPA 537)	Perfluorododecanoic acid	ND	ug/L	0.0020	1
07/16/19	07/18/19 0:01	1184205	1185403	(EPA 537)	Perfluoroheptanoic acid	ND	ug/L	0.0020	1
07/16/19	07/18/19 0:01	1184205	1185403	(EPA 537)	Perfluorohexanesulfonic acid	ND	ug/L	0.0020	1
07/16/19	07/18/19 0:01	1184205	1185403	(EPA 537)	Perfluorohexanoic acid	ND	ug/L	0.0020	1
07/16/19	07/18/19 0:01	1184205	1185403	(EPA 537)	Perfluorononanoic acid	ND	ug/L	0.0020	1
07/16/19	07/18/19 0:01	1184205	1185403	(EPA 537)	Perfluorooctanesulfonic acid	ND	ug/L	0.0020	1
07/16/19	07/18/19 0:01	1184205	1185403	(EPA 537)	Perfluorooctanoic acid	ND	ug/L	0.0020	1
07/16/19	07/18/19 0:01	1184205	1185403	(EPA 537)	Perfluorotetradecanoic acid	ND	ug/L	0.0020	1
07/16/19	07/18/19 0:01	1184205	1185403	(EPA 537)	Perfluorotridecanoic acid	ND	ug/L	0.0020	1
07/16/19	07/18/19 0:01	1184205	1185403	(EPA 537)	Perfluoroundecanoic acid	ND	ug/L	0.0020	1
07/16/19	07/18/19 0:01	1184205	1185403	(EPA 537)	13C-PFDA	119	%		1
07/16/19	07/18/19 0:01	1184205	1185403	(EPA 537)	13C-PFHxA	117	%		1
07/16/19	07/18/19 0:01	1184205	1185403	(EPA 537)	13C-PFOA	101	%		1
07/16/19	07/18/19 0:01	1184205	1185403	(EPA 537)	13C-PFOS	99	%		1
07/16/19	07/18/19 0:01	1184205	1185403	(EPA 537)	d3-NMeFOSAA	103	%		1
07/16/19	07/18/19 0:01	1184205	1185403	(EPA 537)	d5-NMeFOSAA	109	%		1
<b>EPA 331.0 - Perchlorate by EPA 331.0</b>									
	07/16/19 13:08		1184616	(EPA 331.0)	Perchlorate	ND	ug/L	0.50	1
<b>EPA 900.0 - Gross Alpha/Beta Radiation</b>									
07/16/19	07/24/19 14:23	1184420	1187151	(EPA 900.0)	Alpha, Gross	ND	pCi/L	3.0	1
07/16/19	07/24/19 14:23	1184420	1187151	(EPA 900.0)	Alpha, Min Detectable Activity	1	pCi/L		1
07/16/19	07/24/19 14:23	1184420	1187151	(EPA 900.0)	Alpha, Two Sigma Error	0.45	pCi/L		1
07/16/19	07/24/19 14:23	1184420	1187151	(EPA 900.0)	Beta, Gross	ND	pCi/L	3.0	1
07/16/19	07/24/19 14:23	1184420	1187151	(EPA 900.0)	Beta, Min Detectable Activity	2	pCi/L		1
07/16/19	07/24/19 14:23	1184420	1187151	(EPA 900.0)	Beta, Two Sigma Error	0.43	pCi/L		1
07/16/19	07/24/19 14:23	1184420	1187151	(EPA 900.0)	Gross Alpha + adjusted error	ND	pCi/L	3.0	1

Rounding on totals after summation.  
 (c) - indicates calculated results. Analysis is a calculated result. Reported results are not rounded until the final step before reporting. Therefore methods that use a test result with further calculation may have slight differences in final result than the component analyses.

Tel: (626) 386-1100  
 Fax: (866) 988-3757  
 1 800 566 LABS (1 800 566 5227)

**Report:** 812008  
**Project:** BW  
**Group:** Finished Product

**Tribeca Beverage, LLC**  
 Mark Zonin  
 185 Lackawanna Ave  
 Woodland Park, NJ 07424

Samples Received on:  
 07/12/2019 1152

Prepped	Analyzed	Prep Batch	Analytical Batch	Method	Analyte	Result	Units	MRL	Dilution
07/16/19	07/24/19 14:23	1184420	1187151	(EPA 900.0)	Gross Alpha + adjusted error	ND	pCi/L	3.0	1
<b>Ra-226 GA - Radium 226</b>									
07/19/19	08/06/19 01:33	1184843	1187489	(Ra-226 GA)	Radium 226	ND	pCi/L	1.0	1
07/19/19	08/06/19 01:33	1184843	1187489	(Ra-226 GA)	Radium 226 Min Detect Activity	0.5	pCi/L		1
07/19/19	08/06/19 01:33	1184843	1187489	(Ra-226 GA)	Radium 226 Two Sigma Error	ND	pCi/L	1.0	1
<b>RA-228 GA - Radium 228</b>									
07/19/19	08/06/19 01:33	1184852	1187488	(RA-228 GA)	Radium 228	ND (L5)	pCi/L	1.0	1
07/19/19	08/06/19 01:33	1184852	1187488	(RA-228 GA)	Radium 228 Min Detect Activity	1	pCi/L		1
07/19/19	08/06/19 01:33	1184852	1187488	(RA-228 GA)	Radium 228 Two Sigma Error	ND	pCi/L	1.0	1
<b>EPA 420.4 - Phenolic Compounds-low level</b>									
	07/19/19 13:50		1183623	(EPA 420.4)	Phenolic Compounds-low level	ND (NE)	ug/L	1.0	1
<b>EPA 524.2 - Volatile Organics by GCMS</b>									
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	1,1,1,2-Tetrachloroethane	ND	ug/L	0.50	1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	1,1,1-Trichloroethane	ND	ug/L	0.50	1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	1,1,2,2-Tetrachloroethane	ND	ug/L	0.50	1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	1,1,2-Trichloroethane	ND	ug/L	0.50	1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	1,1-Dichloroethane	ND	ug/L	0.50	1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	1,1-Dichloroethylene	ND	ug/L	0.50	1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	1,1-Dichloropropene	ND	ug/L	0.50	1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	1,2,3-Trichlorobenzene	ND	ug/L	0.50	1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	1,2,3-Trichloropropane	ND	ug/L	0.50	1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	1,2,4-Trichlorobenzene	ND	ug/L	0.50	1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	1,2,4-Trimethylbenzene	ND	ug/L	0.50	1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	1,2-Dichloroethane	ND	ug/L	0.50	1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	1,2-Dichloropropane	ND	ug/L	0.50	1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	1,3,5-Trimethylbenzene	ND	ug/L	0.50	1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	1,3-Dichloropropane	ND	ug/L	0.50	1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	2,2-Dichloropropane	ND	ug/L	0.50	1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	2-Butanone (MEK)	ND	ug/L	5.0	1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	4-Methyl-2-Pentanone (MIBK)	ND	ug/L	5.0	1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	Benzene	ND	ug/L	0.50	1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	Bromobenzene	ND	ug/L	0.50	1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	Bromochloromethane	ND	ug/L	0.50	1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	Bromodichloromethane	ND	ug/L	0.50	1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	Bromoethane	ND	ug/L	0.50	1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	Bromoform	ND	ug/L	0.50	1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	Bromomethane (Methyl Bromide)	ND	ug/L	0.50	1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	Carbon disulfide	ND	ug/L	0.50	1

Rounding on totals after summation.  
 (c) - indicates calculated results. Analysis is a calculated result. Reported results are not rounded until the final step before reporting. Therefore methods that use a test result with further calculation may have slight differences in final result than the component analyses.

Tel: (626) 386-1100  
 Fax: (866) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

**Tribeca Beverage, LLC**  
 Mark Zonin  
 185 Lackawanna Ave  
 Woodland Park, NJ 07424

Samples Received on:  
 07/12/2019 1152

Prepped	Analyzed	Prep Batch	Analytical Batch	Method	Analyte	Result	Units	MRL	Dilution
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) Carbon Tetrachloride	ND	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) Chlorobenzene	ND	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) Chlorodibromomethane	ND	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) Chloroethane	ND	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) Chloroform (Trichloromethane)	1.6	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) Chloromethane(Methyl Chloride)	ND	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) cis-1,2-Dichloroethylene	ND	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) cis-1,3-Dichloropropene	ND	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) Dibromomethane	ND	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) Dichlorodifluoromethane	ND	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) Dichloromethane	ND	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) Di-isopropyl ether	ND	ug/L	3.0	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) Ethyl benzene	ND	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) Hexachlorobutadiene	ND	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) Isopropylbenzene	ND	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) m,p-Xylenes	ND	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) m-Dichlorobenzene (1,3-DCB)	ND	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) Methyl Tert-butyl ether (MTBE)	ND	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) Naphthalene	ND	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) n-Butylbenzene	ND	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) n-Propylbenzene	ND	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) o-Chlorotoluene	ND	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) o-Dichlorobenzene (1,2-DCB)	ND	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) o-Xylene	ND	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) p-Chlorotoluene	ND	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) p-Dichlorobenzene (1,4-DCB)	ND	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) p-Isopropyltoluene	ND	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) sec-Butylbenzene	ND	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) Styrene	ND	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) tert-amyl Methyl Ether	ND	ug/L	3.0	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) tert-Butyl Ethyl Ether	ND	ug/L	3.0	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) tert-Butylbenzene	ND	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) Tetrachloroethylene (PCE)	ND	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) Toluene	ND	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) Total 1,3-Dichloropropene	ND	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) Total THM	1.6	ug/L	0.50	1
07/15/19	07/16/19	1:36	1184407	1184413	(EPA 524.2) Total xylenes	ND	ug/L	0.50	1

Rounding on totals after summation.  
 (c) - indicates calculated results. Analysis is a calculated result. Reported results are not rounded until the final step before reporting. Therefore methods that use a test result with further calculation may have slight differences in final result than the component analyses.

Tel: (626) 386-1100  
 Fax: (866) 988-3757  
 1 800 566 LABS (1 800 566 5227)

**Report:** 812008  
**Project:** BW  
**Group:** Finished Product

**Tribeca Beverage, LLC**  
 Mark Zonin  
 185 Lackawanna Ave  
 Woodland Park, NJ 07424

Samples Received on:  
 07/12/2019 1152

Prepped	Analyzed	Prep Batch	Analytical Batch	Method	Analyte	Result	Units	MRL	Dilution
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	trans-1,2-Dichloroethylene	ND	ug/L	0.50	1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	trans-1,3-Dichloropropene	ND	ug/L	0.50	1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	Trichloroethylene (TCE)	ND	ug/L	0.50	1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	Trichlorofluoromethane	ND	ug/L	0.50	1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	Trichlorotrifluoroethane(Freon 113)	ND	ug/L	0.50	1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	Vinyl chloride (VC)	ND	ug/L	0.30	1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	1,2-Dichloroethane-d4	102	%		1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	4-Bromofluorobenzene	99	%		1
07/15/19	07/16/19 1:36	1184407	1184413	(EPA 524.2)	Toluene-d8	87	%		1
<b>SM4500CN-F - Cyanide</b>									
	07/19/19 15:24		1185228	(SM4500CN-F)	Cyanide	ND	mg/L	0.025	1
<b>SM 2150B - Odor at 60 C (TON)</b>									
	07/12/19 12:30		1183972	(SM 2150B)	Odor at 60 C (TON)	1.0 (H3)	TON	1.0	1
<b>SM 4500F-C - Fluoride</b>									
	07/17/19 22:21		1185115	(SM 4500F-C)	Fluoride	ND	mg/L	0.050	1
<b>SM 2320B - Alkalinity in CaCO3 units</b>									
	07/16/19 22:28		1184784	(SM 2320B)	Alkalinity in CaCO3 units	16	mg/L	2.0	1
<b>E160.1/SM2540C - Total Dissolved Solids (TDS)</b>									
07/15/19	07/15/19 21:26	1183959	1184284	(E160.1/SM2540C)	Total Dissolved Solids (TDS)	22	mg/L	10	1
<b>SM4500-HB - PH (H3=past HT not compliant)</b>									
	07/16/19 22:28		1184788	(SM4500-HB)	PH (H3=past HT not compliant)	8.5	Units	0.10	1
<b>SM 5540C/EPA 425.1 - Surfactants</b>									
	07/12/19 15:13		1183989	(SM 5540C/EPA 425.1)	Surfactants	ND	mg/L	0.10	1
<b>EPA 180.1 - Turbidity</b>									
	07/12/19 13:07		1183636	(EPA 180.1)	Turbidity	ND	NTU	0.10	1
<b>SM2510B - Specific Conductance</b>									
	07/16/19 22:28		1184793	(SM2510B)	Specific Conductance, 25 C	44	umho/cm	2.0	1
<b>SM 2120B - Apparent Color</b>									
	07/12/19 13:17		1183955	(SM 2120B)	Apparent Color	ND	ACU	3.0	1
<b>SM 4500-CLO2-D/HACH - Chlorine Dioxide (H3=past HT not compliant)</b>									
	07/20/19 15:19		1185820	(SM 4500-CLO2-D/HACH)	Chlorine Dioxide (H3=past HT not compliant)	ND	mg/L	0.24	1
<b>SM 4500-CL G - Total Chlorine Residual (H3=past HT not compliant)</b>									
	07/20/19 15:19		1185828	(SM 4500-CL G)	Total Chlorine Residual (H3=past HT not compliant)	ND	mg/L	0.10	1
<b>SM 4500CL-G/HACH - Free Chlorine Residual (H3=past HT not compliant)</b>									
	07/20/19 15:19		1185825	(SM 4500CL-G/HACH)	Free Chlorine Residual (H3=past HT not compliant)	ND	mg/L	0.10	1

Rounding on totals after summation.  
 (c) - indicates calculated results. Analysis is a calculated result. Reported results are not rounded until the final step before reporting. Therefore methods that use a test result with further calculation may have slight differences in final result than the component analyses.





Eaton Analytical

Tel: (626) 386-1100  
Fax: (866) 988-3757  
1 800 566 LABS (1 800 566 5227)

Laboratory Data

Report: 812008  
Project: BW  
Group: Finished Product

**Tribeca Beverage, LLC**  
Mark Zonin  
185 Lackawanna Ave  
Woodland Park, NJ 07424

Samples Received on:  
07/12/2019 1152

Prepped	Analyzed	Prep Batch	Analytical Batch	Method	Analyte	Result	Units	MRL	Dilution
<b>SM 4500CL-G/HACH - Chloramines (H3=past HT not compliant)</b>									
	07/20/19 15:19		1185817	(SM 4500CL-G/HACH)	Chloramines (H3=past HT not compliant)	ND	mg/L	0.10	1

Rounding on totals after summation.  
(c) - indicates calculated results. Analysis is a calculated result. Reported results are not rounded until the final step before reporting. Therefore methods that use a test result with further calculation may have slight differences in final result than the component analyses.

Tribeca Beverage, LLC

---

**Phenolic Compounds-low level**

**Analytical Batch: 1183623**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/19/2019**

Analyzed by: MIA8

**Turbidity**

**Analytical Batch: 1183636**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/12/2019**

Analyzed by: T4ZB

**Nitrate, Nitrite by EPA 300.0**

**Analytical Batch: 1183855**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/12/2019**

Analyzed by: TR7W

**EPA Method 504.1**

**Prep Batch: 1184646 Analytical Batch: 1183874**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/17/2019**

Analyzed by: VQT9

**Chloride, Sulfate by EPA 300.0**

**Analytical Batch: 1183939**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/12/2019**

Analyzed by: TR7W

**Apparent Color**

**Analytical Batch: 1183955**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/12/2019**

Analyzed by: AP6M

**Odor at 60 C (TON)**

**Analytical Batch: 1183972**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/12/2019**

Analyzed by: T4ZB

**Surfactants**

**Analytical Batch: 1183989**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/12/2019**

Analyzed by: SL3Y

**Chlorite by 300.0**

**Analytical Batch: 1184051**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/17/2019**

Analyzed by: NJR

**ICP Metals**

**Prep Batch: 1183701 Analytical Batch: 1184083**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/15/2019**

Analyzed by: 6Q4

**Quantitray Coliforms 18 Hour**

**Prep Batch: 1184080 Analytical Batch: 1184085**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/13/2019**

Analyzed by: C9GR

**Heterotrophic Plate Count**

**Prep Batch: 1184217 Analytical Batch: 1184216**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/14/2019**

Analyzed by: C9GR

**Total Dissolved Solids (TDS)**

**Prep Batch: 1183959 Analytical Batch: 1184284**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/15/2019**

Analyzed by: TJ52

Tribeca Beverage, LLC

**ICPMS Metals****Prep Batch: 1183701 Analytical Batch: 1184319**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/16/2019**

Analyzed by: LUPE

**Volatile Organics by GCMS****Prep Batch: 1184407 Analytical Batch: 1184413**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/16/2019**

Analyzed by: TG9W

**Aldicarbs****Analytical Batch: 1184495**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/16/2019**

Analyzed by: XWO

**Diquat and Paraquat****Prep Batch: 1184062 Analytical Batch: 1184503**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/16/2019**

Analyzed by: XWO

**Disinfection ByProducts by 300.0****Analytical Batch: 1184550**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/17/2019**

Analyzed by: NJR

**Perchlorate by EPA 331.0****Analytical Batch: 1184616**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/16/2019**

Analyzed by: PHK

**Glyphosate****Analytical Batch: 1184765**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/17/2019**

Analyzed by: XWO

**Alkalinity in CaCO3 units****Analytical Batch: 1184784**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/16/2019**

Analyzed by: BM2O

**PH (H3=past HT not compliant)****Analytical Batch: 1184788**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/16/2019**

Analyzed by: BM2O

**PH, Bottled Water****Analytical Batch: 1184792**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/16/2019**

Analyzed by: BM2O

**Specific Conductance****Analytical Batch: 1184793**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/16/2019**

Analyzed by: BM2O

**ICPMS Metals****Prep Batch: 1183701 Analytical Batch: 1184953**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/18/2019**

Analyzed by: NINA

**2,3,7,8-TCDD\_Dioxin****Prep Batch: 1184299 Analytical Batch: 1184957**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/17/2019**

Analyzed by: JYH

Tribeca Beverage, LLC

**Bromate by UV/VIS 317**

**Analytical Batch: 1184999**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/17/2019**

Analyzed by: TLH

**Fluoride**

**Analytical Batch: 1185115**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/17/2019**

Analyzed by: BM2O

**Cyanide**

**Analytical Batch: 1185228**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/19/2019**

Analyzed by: B6ZC

**Endothall**

**Prep Batch: 1184290 Analytical Batch: 1185245**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/19/2019**

Analyzed by: X8AA

**Perfluorinated Alkyl Acids EPA 537 rev 1.1**

**Prep Batch: 1184205 Analytical Batch: 1185403**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/18/2019**

Analyzed by: KAM

**Chloramines (H3=past HT not compliant)**

**Analytical Batch: 1185817**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/20/2019**

Analyzed by: AP6M

**Chlorine Dioxide (H3=past HT not compliant)**

**Analytical Batch: 1185820**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/20/2019**

Analyzed by: AP6M

**Free Chlorine Residual (H3=past HT not compliant)**

**Analytical Batch: 1185825**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/20/2019**

Analyzed by: AP6M

**Total Chlorine Residual (H3=past HT not compliant)**

**Analytical Batch: 1185828**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/20/2019**

Analyzed by: AP6M

**Mercury Total**

**Prep Batch: 1186013 Analytical Batch: 1186106**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/23/2019**

Analyzed by: AZS

**Chlorophenoxy Herbicides**

**Prep Batch: 1185210 Analytical Batch: 1186299**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/24/2019**

Analyzed by: LRL

**Organochlorine Pesticides/PCBs**

**Prep Batch: 1184697 Analytical Batch: 1186375**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/18/2019**

Analyzed by: LRL

**Gross Alpha/Beta Radiation**

**Prep Batch: 1184420 Analytical Batch: 1187151**

201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/24/2019**

Analyzed by: EAE5

Tel: (626) 386-1100  
Fax: (866) 988-3757  
1 800 566 LABS (1 800 566 5227)

**Report:** 812008  
**Project:** BW  
**Group:** Finished Product

Tribeca Beverage, LLC

---

**Asbestos by TEM - >10 microns**

**Prep Batch: 1183892 Analytical Batch: 1187210**  
201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/29/2019**  
Analyzed by: CJB

**Radium 228**

**Prep Batch: 1184852 Analytical Batch: 1187488**  
201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 08/06/2019**  
Analyzed by: EAE5

**Radium 226**

**Prep Batch: 1184843 Analytical Batch: 1187489**  
201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 08/06/2019**  
Analyzed by: EAE5

**Semivolatiles by GCMS**

**Prep Batch: 1184331 Analytical Batch: 1188764**  
201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/18/2019**  
Analyzed by: KDT

**Haloacetic Acids**

**Prep Batch: 1186154 Analytical Batch: 1188864**  
201906210096 2019 Annual Testing (Finished Product)

**Analysis Date: 07/31/2019**  
Analyzed by: A4H

Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
<b>Phenolic Compounds-low level by EPA 420.4</b>									
<b>Analytical Batch: 1183623</b>					<b>Analysis Date: 07/19/2019</b>				
LCS1	Phenolic Compounds-low level		20	20.4	ug/L	102	(90-110)		
LCS2	Phenolic Compounds-low level		20	20.7	ug/L	103	(90-110)	20	1.5
MBLK	Phenolic Compounds-low level			<0.50	ug/L				
MRL_CHK	Phenolic Compounds-low level		1	0.969	ug/L	97	(50-150)		
MS_201907170604	Phenolic Compounds-low level	ND	5	5.73	ug/L	83	(80-120)		
MS_201907100408	Phenolic Compounds-low level	ND	5	6.19	ug/L	101	(80-120)		
MSD_201907100408	Phenolic Compounds-low level	ND	5	6.18	ug/L	100	(80-120)	20	0.13
MSD_201907170604	Phenolic Compounds-low level	ND	5	5.07	ug/L	<u>70</u>	(80-120)	20	12
<b>Turbidity by EPA 180.1</b>									
<b>Analytical Batch: 1183636</b>					<b>Analysis Date: 07/12/2019</b>				
DUP1_201907120081	Turbidity	ND		0.0700	NTU		(0-20)	20	6.9
LCS1	Turbidity		20	19.9	NTU	100	(90-110)		
LCS2	Turbidity		20	19.5	NTU	98	(90-110)	20	2.0
MBLK	Turbidity			<0.10	NTU				
MRLHI	Turbidity		0.1	0.0720	NTU	72	(50-150)		
<b>Nitrate, Nitrite by EPA 300.0 by EPA 300.0</b>									
<b>Analytical Batch: 1183855</b>					<b>Analysis Date: 07/12/2019</b>				
LCS1	Nitrate as Nitrogen by IC		2.5	2.48	mg/L	99	(90-110)		
LCS2	Nitrate as Nitrogen by IC		2.5	2.56	mg/L	102	(90-110)	20	3.2
MBLK	Nitrate as Nitrogen by IC			<0.05	mg/L				
MRL_CHK	Nitrate as Nitrogen by IC		0.05	0.0447	mg/L	89	(50-150)		
MRLLLW	Nitrate as Nitrogen by IC		0.013	0.0109	mg/L	87	(50-150)		
MS_201907020080	Nitrate as Nitrogen by IC	ND	1.3	1.40	mg/L	104	(80-120)		
MS_201907120282	Nitrate as Nitrogen by IC	3.1	1.3	4.52	mg/L	115	(80-120)		
MSD_201907120282	Nitrate as Nitrogen by IC	3.1	1.3	4.41	mg/L	106	(80-120)	20	2.5
MSD_201907020080	Nitrate as Nitrogen by IC	ND	1.3	1.41	mg/L	105	(80-120)	20	0.96
LCS1	Nitrite Nitrogen by IC		1	0.937	mg/L	94	(90-110)		
LCS2	Nitrite Nitrogen by IC		1	0.964	mg/L	96	(90-110)	20	2.8
MBLK	Nitrite Nitrogen by IC			<0.025	mg/L				
MRL_CHK	Nitrite Nitrogen by IC		0.05	0.0503	mg/L	101	(50-150)		
MRLLLW	Nitrite Nitrogen by IC		0.013	0.0134	mg/L	107	(50-150)		
MS_201907020080	Nitrite Nitrogen by IC	ND	0.5	0.501	mg/L	100	(80-120)		
MS_201907120282	Nitrite Nitrogen by IC	ND	0.5	0.455	mg/L	91	(80-120)		
MSD_201907120282	Nitrite Nitrogen by IC	ND	0.5	0.440	mg/L	88	(80-120)	20	3.3

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.

Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
MSD_201907020080	Nitrite Nitrogen by IC	ND	0.5	0.504	mg/L	101	(80-120)	20	0.60

**EPA Method 504.1 by EPA 504.1**

Prep Batch: 1184646 Analytical Batch: 1183874

Analysis Date: 07/17/2019

CCCM2	1,2,3-Trichloropropane		0.25	0.275	ug/L	110	(70-130)		
DUP_201907100341	1,2,3-Trichloropropane	ND		ND	ug/L		(0-20)		
LCS2	1,2,3-Trichloropropane		0.2	0.210	ug/L	105	(70-130)		
MBLK	1,2,3-Trichloropropane			0	ug/L				
MRL_CHK	1,2,3-Trichloropropane		0.05	0.0497	ug/L	99	(60-140)		
MRLLW	1,2,3-Trichloropropane		0.02	0.0175	ug/L	88	(60-140)		
MS_201907150474	1,2,3-Trichloropropane	ND	1.3	1.15	ug/L	92	(65-135)		
CCCM2	1,2-Dibromo-3-chloropropane		0.05	0.0511	ug/L	102	(70-130)		
DUP_201907100341	1,2-Dibromo-3-chloropropane	ND		ND	ug/L		(0-20)		
LCS2	1,2-Dibromo-3-chloropropane		0.2	0.195	ug/L	98	(70-130)		
MBLK	1,2-Dibromo-3-chloropropane			0	ug/L				
MRL_CHK	1,2-Dibromo-3-chloropropane		0.01	0.00840	ug/L	84	(60-140)		
MRLLW	1,2-Dibromo-3-chloropropane		0.004	0.00370	ug/L	93	(60-140)		
MS_201907150474	1,2-Dibromo-3-chloropropane	ND	0.25	0.217	ug/L	87	(65-135)		
CCCM2	1,2-Dibromoethane		0.05	0.0528	ug/L	106	(70-130)		
DUP_201907100341	1,2-Dibromoethane	ND		ND	ug/L		(0-20)		
LCS2	1,2-Dibromoethane		0.2	0.203	ug/L	102	(70-130)		
MBLK	1,2-Dibromoethane			0	ug/L				
MRL_CHK	1,2-Dibromoethane		0.01	0.00930	ug/L	93	(60-140)		
MRLLW	1,2-Dibromoethane		0.004	0.00450	ug/L	113	(60-140)		
MS_201907150474	1,2-Dibromoethane	ND	0.25	0.231	ug/L	92	(65-135)		
CCCM2	1,2-Dibromopropane (S)		100	111	%	111	(60-140)		
DUP_201907100341	1,2-Dibromopropane (S)		100	102	%	102	(60-140)		
LCS2	1,2-Dibromopropane (S)		100	105	%	105	(60-140)		
MBLK	1,2-Dibromopropane (S)			104	%	104	(60-140)		
MRL_CHK	1,2-Dibromopropane (S)		100	105	%	105	(60-140)		
MRLLW	1,2-Dibromopropane (S)		100	110	%	110	(60-140)		
MS_201907150474	1,2-Dibromopropane (S)		100	98.1	%	98	(60-140)		

**Chloride, Sulfate by EPA 300.0 by EPA 300.0**

Analytical Batch: 1183939

Analysis Date: 07/12/2019

LCS1	Chloride		25	24.9	mg/L	100	(90-110)		
LCS2	Chloride		25	25.7	mg/L	103	(90-110)	20	3.2
MBLK	Chloride			<0.25	mg/L				
MRL_CHK	Chloride		0.5	0.453	mg/L	91	(50-150)		

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.

Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

**Report:** 812008  
**Project:** BW  
**Group:** Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
MS_201907020080	Chloride	2.3	13	15.5	mg/L	105	(80-120)		
MS_201907120282	Chloride	41	13	ND	mg/L	98	(80-120)		
MSD_201907120282	Chloride	41	13	ND	mg/L	89	(80-120)	20	2.3
MSD_201907020080	Chloride	2.3	13	15.6	mg/L	107	(80-120)	20	1.4
LCS1	Sulfate		50	50.5	mg/L	101	(90-110)		
LCS2	Sulfate		50	52.1	mg/L	104	(90-110)	20	3.1
MBLK	Sulfate			<0.125	mg/L				
MRL_CHK	Sulfate		1	0.970	mg/L	97	(50-150)		
MRLW	Sulfate		0.25	0.234	mg/L	93	(50-150)		
MS_201907120282	Sulfate	10	25	38.4	mg/L	111	(80-120)		
MS_201907020080	Sulfate	0.61	25	27.5	mg/L	108	(80-120)		
MSD_201907120282	Sulfate	10	25	37.5	mg/L	108	(80-120)	20	2.3
MSD_201907020080	Sulfate	0.61	25	27.8	mg/L	109	(80-120)	20	1.1

**Apparent Color by SM 2120B**

**Analytical Batch: 1183955**

**Analysis Date: 07/12/2019**

DUP1_201906210096	Apparent Color	ND		ND	ACU		(0-20)		
MBLK	Apparent Color			<0.5	ACU				

**Odor at 60 C (TON) by SM 2150B**

**Analytical Batch: 1183972**

**Analysis Date: 07/12/2019**

DUP1_201907120084	Odor at 60 C (TON)	1.0		1.00	TON		(0-20)	20	0.0
DUP2_201906210096	Odor at 60 C (TON)	1.0		1.00	TON		(0-20)	20	0.0
MBLK	Odor at 60 C (TON)			<1	TON				

**Surfactants by SM 5540C/EPA 425.1**

**Analytical Batch: 1183989**

**Analysis Date: 07/12/2019**

LCS1	Surfactants		0.2	0.208	mg/L	104	(90-110)		
LCS2	Surfactants		0.2	0.214	mg/L	107	(90-110)	20	2.8
MBLK	Surfactants			<0.05	mg/L				
MRL_CHK	Surfactants		0.1	0.106	mg/L	106	(75-125)		
MS_201906210096	Surfactants	ND	0.2	0.258	mg/L	114	(80-120)		
MSD_201906210096	Surfactants	ND	0.2	0.264	mg/L	117	(80-120)	20	2.3

**Chlorite by 300.0 by EPA 300.0**

**Analytical Batch: 1184051**

**Analysis Date: 07/16/2019**

LCS1	Chlorite by IC		0.2	0.207	mg/L	104	(90-110)		
LCS2	Chlorite by IC		0.2	0.205	mg/L	102	(90-110)	20	0.97
MBLK	Chlorite by IC			<0.005	mg/L				
MRL_CHK	Chlorite by IC		0.01	0.0106	mg/L	106	(75-125)		

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.



Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

**Report:** 812008  
**Project:** BW  
**Group:** Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
MS_201906020026	Chlorite by IC	ND	0.1	0.101	mg/L	101	(80-120)		
MS_201907100410	Chlorite by IC	ND	0.1	0.102	mg/L	102	(80-120)		
MSD_201907100410	Chlorite by IC	ND	0.1	0.105	mg/L	105	(80-120)	15	2.6
MSD_201906020026	Chlorite by IC	ND	0.1	0.106	mg/L	106	(80-120)	15	4.8

**ICP Metals by EPA 200.7**

**Analytical Batch: 1184083**

**Analysis Date: 07/15/2019**

LCS1	Calcium Total ICAP		50	48.9	mg/L	98	(85-115)		
LCS2	Calcium Total ICAP		50	49.1	mg/L	98	(85-115)	20	0.41
MBLK	Calcium Total ICAP			<0.5	mg/L				
MRL_CHK	Calcium Total ICAP		1	0.931	mg/L	93	(50-150)		
MS_201907120147	Calcium Total ICAP	36	50	85.6	mg/L	100	(70-130)		
MS2_201906250278	Calcium Total ICAP	34	50	83.8	mg/L	100	(70-130)		
MSD_201907120147	Calcium Total ICAP	36	50	85.7	mg/L	100	(70-130)	20	0.061
MSD2_201906250278	Calcium Total ICAP	34	50	83.1	mg/L	99	(70-130)	20	0.87
LCS1	Iron Total ICAP		5	4.91	mg/L	98	(85-115)		
LCS2	Iron Total ICAP		5	4.92	mg/L	98	(85-115)	20	0.20
MBLK	Iron Total ICAP			<0.01	mg/L				
MRL_CHK	Iron Total ICAP		0.02	0.0200	mg/L	100	(50-150)		
MS_201907120147	Iron Total ICAP	ND	5	5.18	mg/L	104	(70-130)		
MS2_201906250278	Iron Total ICAP	0.026	5	5.16	mg/L	103	(70-130)		
MSD_201907120147	Iron Total ICAP	ND	5	5.18	mg/L	103	(70-130)	20	0.030
MSD2_201906250278	Iron Total ICAP	0.026	5	5.10	mg/L	101	(70-130)	20	1.1
LCS1	Magnesium Total ICAP		20	19.2	mg/L	96	(85-115)		
LCS2	Magnesium Total ICAP		20	19.3	mg/L	97	(85-115)	20	0.52
MBLK	Magnesium Total ICAP			<0.05	mg/L				
MRL_CHK	Magnesium Total ICAP		0.1	0.0801	mg/L	80	(50-150)		
MS_201907120147	Magnesium Total ICAP	27	20	46.5	mg/L	98	(70-130)		
MS2_201906250278	Magnesium Total ICAP	8.1	20	28.4	mg/L	101	(70-130)		
MSD_201907120147	Magnesium Total ICAP	27	20	46.5	mg/L	98	(70-130)	20	0.039
MSD2_201906250278	Magnesium Total ICAP	8.1	20	28.2	mg/L	100	(70-130)	20	0.65
LCS1	Potassium Total ICAP		20	19.5	mg/L	98	(85-115)		
LCS2	Potassium Total ICAP		20	19.6	mg/L	98	(85-115)	20	0.51
MBLK	Potassium Total ICAP			<0.5	mg/L				
MRL_CHK	Potassium Total ICAP		1	0.744	mg/L	74	(50-150)		
MS_201907120147	Potassium Total ICAP	ND	20	22.1	mg/L	109	(70-130)		
MS2_201906250278	Potassium Total ICAP	1.0	20	22.5	mg/L	107	(70-130)		
MSD_201907120147	Potassium Total ICAP	ND	20	22.1	mg/L	109	(70-130)	20	0.14

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.

Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
MSD2_201906250278	Potassium Total ICAP	1.0	20	22.2	mg/L	106	(70-130)	20	1.5
LCS1	Sodium Total ICAP		50	49.6	mg/L	99	(85-115)		
LCS2	Sodium Total ICAP		50	50.0	mg/L	100	(85-115)	20	0.80
MBLK	Sodium Total ICAP			<0.5	mg/L				
MRL_CHK	Sodium Total ICAP		1	0.808	mg/L	81	(50-150)		
MS_201907120147	Sodium Total ICAP	26	50	76.8	mg/L	101	(70-130)		
MS2_201906250278	Sodium Total ICAP	5.4	50	57.6	mg/L	105	(70-130)		
MSD_201907120147	Sodium Total ICAP	26	50	77.0	mg/L	101	(70-130)	20	0.29
MSD2_201906250278	Sodium Total ICAP	5.4	50	55.9	mg/L	101	(70-130)	20	3.0

**Total Dissolved Solids (TDS) by E160.1/SM2540C**

Analytical Batch: 1184284

Analysis Date: 07/15/2019

DUP_201907020280	Total Dissolved Solid (TDS)	650		650	mg/L		(0-10)	10	0.62
DUP_201907110805	Total Dissolved Solid (TDS)	330		330	mg/L		(0-10)	10	1.2
LCS1	Total Dissolved Solid (TDS)		175	176	mg/L	101	(80-114)		
LCS2	Total Dissolved Solid (TDS)		700	694	mg/L	99	(80-114)		
MBLK	Total Dissolved Solid (TDS)			<5	mg/L				
MRL_CHK	Total Dissolved Solid (TDS)		10	10.0	mg/L	100	(50-150)		

**ICPMS Metals by EPA 200.8**

Analytical Batch: 1184319

Analysis Date: 07/16/2019

LCS1	Aluminum Total ICAP/MS		100	104	ug/L	104	(85-115)		
LCS2	Aluminum Total ICAP/MS		100	104	ug/L	104	(85-115)	20	0.0
MBLK	Aluminum Total ICAP/MS			<10	ug/L				
MRL_CHK	Aluminum Total ICAP/MS		20	19.7	ug/L	99	(50-150)		
MS_201907150319	Aluminum Total ICAP/MS	ND	100	107	ug/L	107	(70-130)		
MS2_201907110461	Aluminum Total ICAP/MS	ND	100	113	ug/L	113	(70-130)		
MSD_201907150319	Aluminum Total ICAP/MS	ND	100	107	ug/L	107	(70-130)	20	0.058
MSD2_201907110461	Aluminum Total ICAP/MS	ND	100	124	ug/L	123	(70-130)	20	9.4
LCS1	Antimony Total ICAP/MS		50	47.6	ug/L	95	(85-115)		
LCS2	Antimony Total ICAP/MS		50	49.4	ug/L	99	(85-115)	20	3.7
MBLK	Antimony Total ICAP/MS			<0.5	ug/L				
MRL_CHK	Antimony Total ICAP/MS		1	1.04	ug/L	104	(50-150)		
MS_201907150319	Antimony Total ICAP/MS	ND	50	52.1	ug/L	104	(70-130)		
MS2_201907110461	Antimony Total ICAP/MS	ND	50	51.7	ug/L	103	(70-130)		
MSD_201907150319	Antimony Total ICAP/MS	ND	50	52.3	ug/L	104	(70-130)	20	0.31
MSD2_201907110461	Antimony Total ICAP/MS	ND	50	57.1	ug/L	114	(70-130)	20	9.9
LCS1	Arsenic Total ICAP/MS		50	52.9	ug/L	106	(85-115)		
LCS2	Arsenic Total ICAP/MS		50	55.0	ug/L	110	(85-115)	20	4.1

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.

Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
MBLK	Arsenic Total ICAP/MS			<0.5	ug/L				
MRL_CHK	Arsenic Total ICAP/MS		1	1.12	ug/L	112	(50-150)		
MS_201907150319	Arsenic Total ICAP/MS	ND	50	63.7	ug/L	126	(70-130)		
MS2_201907110461	Arsenic Total ICAP/MS	ND	50	58.6	ug/L	116	(70-130)		
MSD_201907150319	Arsenic Total ICAP/MS	ND	50	63.1	ug/L	125	(70-130)	20	0.99
MSD2_201907110461	Arsenic Total ICAP/MS	ND	50	61.8	ug/L	123	(70-130)	20	5.5
LCS1	Barium Total ICAP/MS		50	51.9	ug/L	104	(85-115)		
LCS2	Barium Total ICAP/MS		50	53.4	ug/L	107	(85-115)	20	2.9
MBLK	Barium Total ICAP/MS			<1	ug/L				
MRL_CHK	Barium Total ICAP/MS		2	2.04	ug/L	102	(50-150)		
MS_201907150319	Barium Total ICAP/MS	44	50	99.6	ug/L	110	(70-130)		
MS2_201907110461	Barium Total ICAP/MS	8.8	50	64.6	ug/L	112	(70-130)		
MSD_201907150319	Barium Total ICAP/MS	44	50	101	ug/L	112	(70-130)	20	1.5
MSD2_201907110461	Barium Total ICAP/MS	8.8	50	72.3	ug/L	127	(70-130)	20	11
LCS1	Beryllium Total ICAP/MS		25	25.7	ug/L	103	(85-115)		
LCS2	Beryllium Total ICAP/MS		25	26.8	ug/L	107	(85-115)	20	4.2
MBLK	Beryllium Total ICAP/MS			<0.5	ug/L				
MRL_CHK	Beryllium Total ICAP/MS		1	0.997	ug/L	100	(50-150)		
MS_201907150319	Beryllium Total ICAP/MS	ND	25	28.7	ug/L	115	(70-130)		
MS2_201907110461	Beryllium Total ICAP/MS	ND	25	28.7	ug/L	115	(70-130)		
MSD_201907150319	Beryllium Total ICAP/MS	ND	25	29.2	ug/L	117	(70-130)	20	1.8
MSD2_201907110461	Beryllium Total ICAP/MS	ND	25	33.2	ug/L	<b>133</b>	(70-130)	20	15
LCS1	Cadmium Total ICAP/MS		25	25.9	ug/L	104	(85-115)		
LCS2	Cadmium Total ICAP/MS		25	26.8	ug/L	107	(85-115)	20	3.4
MBLK	Cadmium Total ICAP/MS			<0.25	ug/L				
MRL_CHK	Cadmium Total ICAP/MS		0.5	0.508	ug/L	102	(50-150)		
MS_201907150319	Cadmium Total ICAP/MS	ND	25	27.0	ug/L	108	(70-130)		
MS2_201907110461	Cadmium Total ICAP/MS	ND	25	27.2	ug/L	109	(70-130)		
MSD_201907150319	Cadmium Total ICAP/MS	ND	25	28.0	ug/L	112	(70-130)	20	3.8
MSD2_201907110461	Cadmium Total ICAP/MS	ND	25	31.6	ug/L	126	(70-130)	20	15
LCS1	Chromium Total ICAP/MS		50	51.8	ug/L	104	(85-115)		
LCS2	Chromium Total ICAP/MS		50	53.8	ug/L	108	(85-115)	20	3.8
MBLK	Chromium Total ICAP/MS			<0.5	ug/L				
MRL_CHK	Chromium Total ICAP/MS		1	1.02	ug/L	102	(50-150)		
MS_201907150319	Chromium Total ICAP/MS	ND	50	55.6	ug/L	111	(70-130)		
MS2_201907110461	Chromium Total ICAP/MS	ND	50	55.6	ug/L	111	(70-130)		
MSD_201907150319	Chromium Total ICAP/MS	ND	50	54.9	ug/L	110	(70-130)	20	1.4
MSD2_201907110461	Chromium Total ICAP/MS	ND	50	63.5	ug/L	127	(70-130)	20	13

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.

Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
LCS1	Copper Total ICAP/MS		50	52.2	ug/L	104	(85-115)		
LCS2	Copper Total ICAP/MS		50	54.2	ug/L	108	(85-115)	20	3.8
MBLK	Copper Total ICAP/MS			<1	ug/L				
MRL_CHK	Copper Total ICAP/MS		2	2.09	ug/L	105	(50-150)		
MS_201907150319	Copper Total ICAP/MS	ND	50	55.9	ug/L	110	(70-130)		
MS2_201907110461	Copper Total ICAP/MS	ND	50	48.7	ug/L	97	(70-130)		
MSD_201907150319	Copper Total ICAP/MS	ND	50	55.6	ug/L	109	(70-130)	20	0.57
MSD2_201907110461	Copper Total ICAP/MS	ND	50	55.2	ug/L	110	(70-130)	20	12
LCS1	Lead Total ICAP/MS		50	51.8	ug/L	104	(85-115)		
LCS2	Lead Total ICAP/MS		50	54.0	ug/L	108	(85-115)	20	4.3
MBLK	Lead Total ICAP/MS			<0.25	ug/L				
MRL_CHK	Lead Total ICAP/MS		0.5	0.514	ug/L	103	(50-150)		
MS_201907150319	Lead Total ICAP/MS	ND	50	54.0	ug/L	108	(70-130)		
MS2_201907110461	Lead Total ICAP/MS	ND	50	54.4	ug/L	109	(70-130)		
MSD_201907150319	Lead Total ICAP/MS	ND	50	54.4	ug/L	109	(70-130)	20	0.77
MSD2_201907110461	Lead Total ICAP/MS	ND	50	61.2	ug/L	122	(70-130)	20	12
LCS1	Manganese Total ICAP/MS		100	106	ug/L	106	(85-115)		
LCS2	Manganese Total ICAP/MS		100	109	ug/L	109	(85-115)	20	2.8
MBLK	Manganese Total ICAP/MS			<1	ug/L				
MRL_CHK	Manganese Total ICAP/MS		2	2.08	ug/L	104	(50-150)		
MS_201907150319	Manganese Total ICAP/MS	ND	100	112	ug/L	112	(70-130)		
MS2_201907110461	Manganese Total ICAP/MS	15	100	128	ug/L	113	(70-130)		
MSD_201907150319	Manganese Total ICAP/MS	ND	100	110	ug/L	110	(70-130)	20	1.7
MSD2_201907110461	Manganese Total ICAP/MS	15	100	142	ug/L	127	(70-130)	20	11
LCS1	Nickel Total ICAP/MS		50	51.4	ug/L	103	(85-115)		
LCS2	Nickel Total ICAP/MS		50	53.2	ug/L	106	(85-115)	20	3.4
MBLK	Nickel Total ICAP/MS			<2.5	ug/L				
MRL_CHK	Nickel Total ICAP/MS		5	5.08	ug/L	102	(50-150)		
MS_201907150319	Nickel Total ICAP/MS	ND	50	53.7	ug/L	107	(70-130)		
MS2_201907110461	Nickel Total ICAP/MS	ND	50	53.3	ug/L	107	(70-130)		
MSD_201907150319	Nickel Total ICAP/MS	ND	50	53.6	ug/L	107	(70-130)	20	0.21
MSD2_201907110461	Nickel Total ICAP/MS	ND	50	61.0	ug/L	122	(70-130)	20	13
LCS1	Selenium Total ICAP/MS		50	51.8	ug/L	104	(85-115)		
LCS2	Selenium Total ICAP/MS		50	54.0	ug/L	108	(85-115)	20	4.2
MBLK	Selenium Total ICAP/MS			<2.5	ug/L				
MRL_CHK	Selenium Total ICAP/MS		5	5.35	ug/L	107	(50-150)		
MS2_201907110461	Selenium Total ICAP/MS	ND	50	60.4	ug/L	118	(70-130)		
MSD2_201907110461	Selenium Total ICAP/MS	ND	50	69.8	ug/L	<b>137</b>	(70-130)	20	14

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.

Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
LCS1	Silver Total ICAP/MS		25	24.3	ug/L	97	(85-115)		
LCS2	Silver Total ICAP/MS		25	25.3	ug/L	101	(85-115)	20	4.0
MBLK	Silver Total ICAP/MS			<0.25	ug/L				
MRL_CHK	Silver Total ICAP/MS		0.5	0.430	ug/L	86	(50-150)		
MS_201907150319	Silver Total ICAP/MS	ND	25	24.8	ug/L	99	(70-130)		
MS2_201907110461	Silver Total ICAP/MS		25	21.8	ug/L	87	(70-130)		
MSD_201907150319	Silver Total ICAP/MS	ND	25	25.1	ug/L	100	(70-130)	20	1.2
MSD2_201907110461	Silver Total ICAP/MS		25	21.5	ug/L	86	(70-130)	20	1.2
LCS1	Thallium Total ICAP/MS		50	51.5	ug/L	103	(85-115)		
LCS2	Thallium Total ICAP/MS		50	53.9	ug/L	108	(85-115)	20	4.5
MBLK	Thallium Total ICAP/MS			<0.5	ug/L				
MRL_CHK	Thallium Total ICAP/MS		1	1.03	ug/L	103	(50-150)		
MS_201907150319	Thallium Total ICAP/MS	ND	50	53.7	ug/L	107	(70-130)		
MS2_201907110461	Thallium Total ICAP/MS	ND	50	54.1	ug/L	108	(70-130)		
MSD_201907150319	Thallium Total ICAP/MS	ND	50	53.9	ug/L	108	(70-130)	20	0.34
MSD2_201907110461	Thallium Total ICAP/MS	ND	50	59.7	ug/L	119	(70-130)	20	9.8
LCS1	Uranium ICAP/MS		50	52.5	ug/L	105	(85-115)		
LCS2	Uranium ICAP/MS		50	54.0	ug/L	108	(85-115)	20	2.8
MBLK	Uranium ICAP/MS			<0.5	ug/L				
MRL_CHK	Uranium ICAP/MS		1	1.01	ug/L	101	(50-150)		
MS_201907150319	Uranium ICAP/MS	12	50	71.9	ug/L	119	(70-130)		
MSD_201907150319	Uranium ICAP/MS	12	50	72.6	ug/L	121	(70-130)	20	0.94
LCS1	Zinc Total ICAP/MS		50	52.1	ug/L	104	(85-115)		
LCS2	Zinc Total ICAP/MS		50	53.5	ug/L	107	(85-115)	20	2.6
MBLK	Zinc Total ICAP/MS			<10	ug/L				
MRL_CHK	Zinc Total ICAP/MS		20	20.3	ug/L	102	(50-150)		
MS_201907150319	Zinc Total ICAP/MS	ND	50	59.6	ug/L	112	(70-130)		
MS2_201907110461	Zinc Total ICAP/MS	ND	50	56.0	ug/L	111	(70-130)		
MSD_201907150319	Zinc Total ICAP/MS	ND	50	59.5	ug/L	112	(70-130)	20	0.21
MSD2_201907110461	Zinc Total ICAP/MS	ND	50	65.1	ug/L	129	(70-130)	20	15

**Volatile Organics by GCMS by EPA 524.2**

Analytical Batch: 1184413

Analysis Date: 07/15/2019

LCS1	1,1,1,2-Tetrachloroethane		5	4.35	ug/L	87	(70-130)		
LCS2	1,1,1,2-Tetrachloroethane		5	4.16	ug/L	83	(70-130)	20	4.5
MBLK	1,1,1,2-Tetrachloroethane			<0.5	ug/L				
MRL_CHK	1,1,1,2-Tetrachloroethane		0.5	0.530	ug/L	106	(50-150)		
LCS1	1,1,1-Trichloroethane		5	4.28	ug/L	86	(70-130)		
LCS2	1,1,1-Trichloroethane		5	3.82	ug/L	76	(70-130)	20	11

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.

Tel: (626) 386-1100  
 Fax: (866) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
MBLK	1,1,1-Trichloroethane			<0.5	ug/L				
MRL_CHK	1,1,1-Trichloroethane		0.5	0.430	ug/L	86	(50-150)		
LCS1	1,1,2,2-Tetrachloroethane		5	4.76	ug/L	95	(70-130)		
LCS2	1,1,2,2-Tetrachloroethane		5	5.01	ug/L	100	(70-130)	20	5.1
MBLK	1,1,2,2-Tetrachloroethane			<0.5	ug/L				
MRL_CHK	1,1,2,2-Tetrachloroethane		0.5	0.440	ug/L	88	(50-150)		
LCS1	1,1,2-Trichloroethane		5	4.23	ug/L	85	(70-130)		
LCS2	1,1,2-Trichloroethane		5	4.36	ug/L	87	(70-130)	20	3.0
MBLK	1,1,2-Trichloroethane			<0.5	ug/L				
MRL_CHK	1,1,2-Trichloroethane		0.5	0.480	ug/L	96	(50-150)		
LCS1	1,1-Dichloroethane		5	4.63	ug/L	93	(70-130)		
LCS2	1,1-Dichloroethane		5	4.85	ug/L	97	(70-130)	20	4.6
MBLK	1,1-Dichloroethane			<0.5	ug/L				
MRL_CHK	1,1-Dichloroethane		0.5	0.540	ug/L	108	(50-150)		
LCS1	1,1-Dichloroethylene		5	4.71	ug/L	94	(70-130)		
LCS2	1,1-Dichloroethylene		5	4.99	ug/L	100	(70-130)	20	5.8
MBLK	1,1-Dichloroethylene			<0.5	ug/L				
MRL_CHK	1,1-Dichloroethylene		0.5	0.290	ug/L	58	(50-150)		
LCS1	1,1-Dichloropropene		5	4.52	ug/L	90	(70-130)		
LCS2	1,1-Dichloropropene		5	4.52	ug/L	90	(70-130)	20	0.0
MBLK	1,1-Dichloropropene			<0.5	ug/L				
MRL_CHK	1,1-Dichloropropene		0.5	0.470	ug/L	94	(50-150)		
LCS1	1,2,3-Trichlorobenzene		5	4.89	ug/L	98	(70-130)		
LCS2	1,2,3-Trichlorobenzene		5	4.64	ug/L	93	(70-130)	20	5.3
MBLK	1,2,3-Trichlorobenzene			<0.5	ug/L				
MRL_CHK	1,2,3-Trichlorobenzene		0.5	0.480	ug/L	96	(50-150)		
LCS1	1,2,3-Trichloropropane		5	4.55	ug/L	91	(70-130)		
LCS2	1,2,3-Trichloropropane		5	4.77	ug/L	95	(70-130)	20	4.7
MBLK	1,2,3-Trichloropropane			<0.5	ug/L				
MRL_CHK	1,2,3-Trichloropropane		0.5	0.460	ug/L	92	(50-150)		
LCS1	1,2,4-Trichlorobenzene		5	4.82	ug/L	96	(70-130)		
LCS2	1,2,4-Trichlorobenzene		5	4.86	ug/L	97	(70-130)	20	0.83
MBLK	1,2,4-Trichlorobenzene			<0.5	ug/L				
MRL_CHK	1,2,4-Trichlorobenzene		0.5	0.510	ug/L	102	(50-150)		
LCS1	1,2,4-Trimethylbenzene		5	4.41	ug/L	88	(70-130)		
LCS2	1,2,4-Trimethylbenzene		5	4.49	ug/L	90	(70-130)	20	1.8
MBLK	1,2,4-Trimethylbenzene			<0.5	ug/L				
MRL_CHK	1,2,4-Trimethylbenzene		0.5	0.440	ug/L	88	(50-150)		

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.

Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
LCS1	1,2-Dichloroethane		5	4.52	ug/L	90	(70-130)		
LCS2	1,2-Dichloroethane		5	4.63	ug/L	93	(70-130)	20	2.4
MBLK	1,2-Dichloroethane			<0.5	ug/L				
MRL_CHK	1,2-Dichloroethane		0.5	0.490	ug/L	98	(50-150)		
LCS1	1,2-Dichloroethane-d4 (S)		5	95.8	%	96	(70-130)		
LCS2	1,2-Dichloroethane-d4 (S)		5	98.2	%	98	(70-130)		
MBLK	1,2-Dichloroethane-d4 (S)			99.0	%	99	(70-130)		
MRL_CHK	1,2-Dichloroethane-d4 (S)		5	98.2	%	98	(70-130)		
MRLLW	1,2-Dichloroethane-d4 (S)		5	97.6	%	98	(70-130)		
LCS1	1,2-Dichloropropane		5	4.52	ug/L	90	(70-130)		
LCS2	1,2-Dichloropropane		5	4.63	ug/L	93	(70-130)	20	2.4
MBLK	1,2-Dichloropropane			<0.5	ug/L				
MRL_CHK	1,2-Dichloropropane		0.5	0.480	ug/L	96	(50-150)		
LCS1	1,3,5-Trimethylbenzene		5	4.53	ug/L	91	(70-130)		
LCS2	1,3,5-Trimethylbenzene		5	4.43	ug/L	89	(70-130)	20	2.2
MBLK	1,3,5-Trimethylbenzene			<0.5	ug/L				
MRL_CHK	1,3,5-Trimethylbenzene		0.5	0.410	ug/L	82	(50-150)		
LCS1	1,3-Dichloropropane		5	4.27	ug/L	85	(70-130)		
LCS2	1,3-Dichloropropane		5	4.47	ug/L	89	(70-130)	20	4.6
MBLK	1,3-Dichloropropane			<0.5	ug/L				
MRL_CHK	1,3-Dichloropropane		0.5	0.460	ug/L	92	(50-150)		
LCS1	2,2-Dichloropropane		5	4.31	ug/L	86	(70-130)		
LCS2	2,2-Dichloropropane		5	3.96	ug/L	79	(70-130)	20	8.5
MBLK	2,2-Dichloropropane			<0.5	ug/L				
MRL_CHK	2,2-Dichloropropane		0.5	0.520	ug/L	104	(50-150)		
LCS1	2-Butanone (MEK)		50	49.0	ug/L	98	(70-130)		
LCS2	2-Butanone (MEK)		50	50.2	ug/L	100	(70-130)	20	2.5
MBLK	2-Butanone (MEK)			<5.0	ug/L				
MRL_CHK	2-Butanone (MEK)		5	5.05	ug/L	101	(50-150)		
LCS1	4-Bromofluorobenzene (S)		5	97.6	%	98	(70-130)		
LCS2	4-Bromofluorobenzene (S)		5	95.2	%	95	(70-130)		
MBLK	4-Bromofluorobenzene (S)			96.8	%	97	(70-130)		
MRL_CHK	4-Bromofluorobenzene (S)		5	94.4	%	94	(70-130)		
MRLLW	4-Bromofluorobenzene (S)		5	92.6	%	93	(70-130)		
LCS1	4-Methyl-2-Pentanone (MIBK)		50	48.2	ug/L	96	(70-130)		
LCS2	4-Methyl-2-Pentanone (MIBK)		50	50.1	ug/L	100	(70-130)	20	3.8
MBLK	4-Methyl-2-Pentanone (MIBK)			<5.0	ug/L				
MRL_CHK	4-Methyl-2-Pentanone (MIBK)		5	4.78	ug/L	96	(50-150)		

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.

Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
LCS1	Benzene		5	4.84	ug/L	97	(70-130)		
LCS2	Benzene		5	4.79	ug/L	96	(70-130)	20	1.0
MBLK	Benzene			<0.5	ug/L				
MRL_CHK	Benzene		0.5	0.500	ug/L	100	(50-150)		
LCS1	Bromobenzene		5	4.53	ug/L	91	(70-130)		
LCS2	Bromobenzene		5	4.57	ug/L	91	(70-130)	20	0.88
MBLK	Bromobenzene			<0.5	ug/L				
MRL_CHK	Bromobenzene		0.5	0.490	ug/L	98	(50-150)		
LCS1	Bromochloromethane		5	4.59	ug/L	92	(70-130)		
LCS2	Bromochloromethane		5	4.66	ug/L	93	(70-130)	20	1.5
MBLK	Bromochloromethane			<0.5	ug/L				
MRL_CHK	Bromochloromethane		0.5	0.460	ug/L	92	(50-150)		
LCS1	Bromodichloromethane		5	4.05	ug/L	81	(70-130)		
LCS2	Bromodichloromethane		5	4.17	ug/L	83	(70-130)	20	2.9
MBLK	Bromodichloromethane			<0.5	ug/L				
MRL_CHK	Bromodichloromethane		0.5	0.380	ug/L	76	(50-150)		
LCS1	Bromoethane		5	5.11	ug/L	102	(70-130)		
LCS2	Bromoethane		5	5.01	ug/L	100	(70-130)	20	2.0
MBLK	Bromoethane			<0.5	ug/L				
MRL_CHK	Bromoethane		0.5	0.450	ug/L	90	(50-150)		
LCS1	Bromoform		5	3.55	ug/L	71	(70-130)		
LCS2	Bromoform		5	3.69	ug/L	74	(70-130)	20	3.9
MBLK	Bromoform			<0.5	ug/L				
MRL_CHK	Bromoform		0.5	0.340	ug/L	68	(50-150)		
LCS1	Bromomethane (Methyl Bromide)		5	5.23	ug/L	105	(70-130)		
LCS2	Bromomethane (Methyl Bromide)		5	5.24	ug/L	105	(70-130)	20	0.19
MBLK	Bromomethane (Methyl Bromide)			<0.5	ug/L				
MRL_CHK	Bromomethane (Methyl Bromide)		0.5	0.530	ug/L	106	(50-150)		
LCS1	Carbon disulfide		5	4.29	ug/L	86	(70-130)		
LCS2	Carbon disulfide		5	4.30	ug/L	86	(70-130)	20	0.23
MBLK	Carbon disulfide			<0.5	ug/L				
MRL_CHK	Carbon disulfide		0.5	0.420	ug/L	84	(50-150)		
LCS1	Carbon Tetrachloride		5	3.98	ug/L	80	(70-130)		
LCS2	Carbon Tetrachloride		5	3.91	ug/L	78	(70-130)	20	1.8
MBLK	Carbon Tetrachloride			<0.5	ug/L				
MRL_CHK	Carbon Tetrachloride		0.5	0.350	ug/L	70	(50-150)		
LCS1	Chlorobenzene		5	4.16	ug/L	83	(70-130)		
LCS2	Chlorobenzene		5	4.11	ug/L	82	(70-130)	20	1.2

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.



Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
MBLK	Chlorobenzene			<0.5	ug/L				
MRL_CHK	Chlorobenzene		0.5	0.450	ug/L	90	(50-150)		
LCS1	Chlorodibromomethane		5	4.02	ug/L	80	(70-130)		
LCS2	Chlorodibromomethane		5	4.09	ug/L	82	(70-130)	20	1.7
MBLK	Chlorodibromomethane			<0.5	ug/L				
MRL_CHK	Chlorodibromomethane		0.5	0.590	ug/L	118	(50-150)		
LCS1	Chloroethane		5	4.99	ug/L	100	(70-130)		
LCS2	Chloroethane		5	4.87	ug/L	97	(70-130)	20	2.4
MBLK	Chloroethane			<0.5	ug/L				
MRL_CHK	Chloroethane		0.5	0.600	ug/L	120	(50-150)		
LCS1	Chloroform (Trichloromethane)		5	4.69	ug/L	94	(70-130)		
LCS2	Chloroform (Trichloromethane)		5	4.72	ug/L	94	(70-130)	20	0.64
MBLK	Chloroform (Trichloromethane)			<0.5	ug/L				
MRL_CHK	Chloroform (Trichloromethane)		0.5	0.520	ug/L	104	(50-150)		
LCS1	Chloromethane(Methyl Chloride)		5	5.01	ug/L	100	(70-130)		
LCS2	Chloromethane(Methyl Chloride)		5	4.93	ug/L	99	(70-130)	20	1.6
MBLK	Chloromethane(Methyl Chloride)			<0.5	ug/L				
MRL_CHK	Chloromethane(Methyl Chloride)		0.5	0.570	ug/L	114	(50-150)		
LCS1	cis-1,2-Dichloroethylene		5	4.63	ug/L	93	(70-130)		
LCS2	cis-1,2-Dichloroethylene		5	4.66	ug/L	93	(70-130)	20	0.65
MBLK	cis-1,2-Dichloroethylene			<0.5	ug/L				
MRL_CHK	cis-1,2-Dichloroethylene		0.5	0.550	ug/L	110	(50-150)		
LCS1	cis-1,3-Dichloropropene		5	3.89	ug/L	78	(70-130)		
LCS2	cis-1,3-Dichloropropene		5	3.79	ug/L	76	(70-130)	20	2.6
MBLK	cis-1,3-Dichloropropene			<0.5	ug/L				
MRL_CHK	cis-1,3-Dichloropropene		0.5	0.360	ug/L	72	(50-150)		
LCS1	Dibromomethane		5	4.44	ug/L	89	(70-130)		
LCS2	Dibromomethane		5	4.41	ug/L	88	(70-130)	20	0.68
MBLK	Dibromomethane			<0.5	ug/L				
MRL_CHK	Dibromomethane		0.5	0.510	ug/L	102	(50-150)		
LCS1	Dichlorodifluoromethane		5	4.95	ug/L	99	(70-130)		
LCS2	Dichlorodifluoromethane		5	5.08	ug/L	102	(70-130)	20	2.6
MBLK	Dichlorodifluoromethane			<0.5	ug/L				
MRL_CHK	Dichlorodifluoromethane		0.5	0.470	ug/L	94	(50-150)		
LCS1	Dichloromethane		5	4.78	ug/L	96	(70-130)		
LCS2	Dichloromethane		5	5.05	ug/L	101	(70-130)	20	5.5
MBLK	Dichloromethane			<0.5	ug/L				
MRL_CHK	Dichloromethane		0.5	0.360	ug/L	72	(50-150)		

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.

Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
LCS1	Di-isopropyl ether		5	4.72	ug/L	94	(70-130)		
LCS2	Di-isopropyl ether		5	4.77	ug/L	95	(70-130)	20	1.1
MBLK	Di-isopropyl ether			<3.0	ug/L				
MRL_CHK	Di-isopropyl ether		0.5	0.510	ug/L	102	(50-150)		
LCS1	Ethyl benzene		5	4.14	ug/L	83	(70-130)		
LCS2	Ethyl benzene		5	4.19	ug/L	84	(70-130)	20	1.2
MBLK	Ethyl benzene			<0.5	ug/L				
MRL_CHK	Ethyl benzene		0.5	0.420	ug/L	84	(50-150)		
LCS1	Hexachlorobutadiene		5	5.12	ug/L	102	(70-130)		
LCS2	Hexachlorobutadiene		5	4.61	ug/L	92	(70-130)	20	11
MBLK	Hexachlorobutadiene			<0.5	ug/L				
MRL_CHK	Hexachlorobutadiene		0.5	0.520	ug/L	104	(50-150)		
LCS1	Isopropylbenzene		5	4.68	ug/L	94	(70-130)		
LCS2	Isopropylbenzene		5	4.75	ug/L	95	(70-130)	20	1.5
MBLK	Isopropylbenzene			<0.5	ug/L				
MRL_CHK	Isopropylbenzene		0.5	0.480	ug/L	96	(50-150)		
LCS1	m,p-Xylenes		10	8.94	ug/L	89	(70-130)		
LCS2	m,p-Xylenes		10	8.97	ug/L	90	(70-130)	20	0.34
MBLK	m,p-Xylenes			<0.5	ug/L				
MRL_CHK	m,p-Xylenes		1	1.15	ug/L	115	(50-150)		
MRLLW	m,p-Xylenes		0.5	0.710	ug/L	142	(50-150)		
LCS1	m-Dichlorobenzene (1,3-DCB)		5	4.60	ug/L	92	(70-130)		
LCS2	m-Dichlorobenzene (1,3-DCB)		5	4.50	ug/L	90	(70-130)	20	2.2
MBLK	m-Dichlorobenzene (1,3-DCB)			<0.5	ug/L				
MRL_CHK	m-Dichlorobenzene (1,3-DCB)		0.5	0.510	ug/L	102	(50-150)		
LCS1	Methyl Tert-butyl ether (MTBE)		5	4.94	ug/L	99	(70-130)		
LCS2	Methyl Tert-butyl ether (MTBE)		5	4.98	ug/L	100	(70-130)	20	0.81
MBLK	Methyl Tert-butyl ether (MTBE)			<0.5	ug/L				
MRL_CHK	Methyl Tert-butyl ether (MTBE)		0.5	0.540	ug/L	108	(50-150)		
LCS1	Naphthalene		5	5.20	ug/L	104	(70-130)		
LCS2	Naphthalene		5	5.11	ug/L	102	(70-130)	20	1.8
MBLK	Naphthalene			<0.5	ug/L				
MRL_CHK	Naphthalene		0.5	0.490	ug/L	98	(50-150)		
LCS1	n-Butylbenzene		5	4.74	ug/L	95	(70-130)		
LCS2	n-Butylbenzene		5	4.43	ug/L	89	(70-130)	20	6.8
MBLK	n-Butylbenzene			<0.5	ug/L				
MRL_CHK	n-Butylbenzene		0.5	0.430	ug/L	86	(50-150)		
LCS1	n-Propylbenzene		5	4.54	ug/L	91	(70-130)		

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.

Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
LCS2	n-Propylbenzene		5	4.67	ug/L	93	(70-130)	20	2.8
MBLK	n-Propylbenzene			<0.5	ug/L				
MRL_CHK	n-Propylbenzene		0.5	0.490	ug/L	98	(50-150)		
LCS1	o-Chlorotoluene		5	4.38	ug/L	88	(70-130)		
LCS2	o-Chlorotoluene		5	4.53	ug/L	91	(70-130)	20	3.4
MBLK	o-Chlorotoluene			<0.5	ug/L				
MRL_CHK	o-Chlorotoluene		0.5	0.470	ug/L	94	(50-150)		
LCS1	o-Dichlorobenzene (1,2-DCB)		5	4.65	ug/L	93	(70-130)		
LCS2	o-Dichlorobenzene (1,2-DCB)		5	4.40	ug/L	88	(70-130)	20	5.5
MBLK	o-Dichlorobenzene (1,2-DCB)			<0.5	ug/L				
MRL_CHK	o-Dichlorobenzene (1,2-DCB)		0.5	0.490	ug/L	98	(50-150)		
LCS1	o-Xylene		5	4.43	ug/L	89	(70-130)		
LCS2	o-Xylene		5	4.60	ug/L	92	(70-130)	20	3.8
MBLK	o-Xylene			<0.5	ug/L				
MRL_CHK	o-Xylene		0.5	0.410	ug/L	82	(50-150)		
LCS1	p-Chlorotoluene		5	4.48	ug/L	90	(70-130)		
LCS2	p-Chlorotoluene		5	4.44	ug/L	89	(70-130)	20	0.90
MBLK	p-Chlorotoluene			<0.5	ug/L				
MRL_CHK	p-Chlorotoluene		0.5	0.540	ug/L	108	(50-150)		
LCS1	p-Dichlorobenzene (1,4-DCB)		5	4.56	ug/L	91	(70-130)		
LCS2	p-Dichlorobenzene (1,4-DCB)		5	4.45	ug/L	89	(70-130)	20	2.4
MBLK	p-Dichlorobenzene (1,4-DCB)			<0.5	ug/L				
MRL_CHK	p-Dichlorobenzene (1,4-DCB)		0.5	0.460	ug/L	92	(50-150)		
LCS1	p-Isopropyltoluene		5	4.43	ug/L	89	(70-130)		
LCS2	p-Isopropyltoluene		5	4.41	ug/L	88	(70-130)	20	0.45
MBLK	p-Isopropyltoluene			<0.5	ug/L				
MRL_CHK	p-Isopropyltoluene		0.5	0.410	ug/L	82	(50-150)		
LCS1	sec-Butylbenzene		5	4.81	ug/L	96	(70-130)		
LCS2	sec-Butylbenzene		5	4.78	ug/L	96	(70-130)	20	0.63
MBLK	sec-Butylbenzene			<0.5	ug/L				
MRL_CHK	sec-Butylbenzene		0.5	0.430	ug/L	86	(50-150)		
LCS1	Styrene		5	4.58	ug/L	92	(70-130)		
LCS2	Styrene		5	4.68	ug/L	94	(70-130)	20	2.2
MBLK	Styrene			<0.5	ug/L				
MRL_CHK	Styrene		0.5	0.520	ug/L	104	(50-150)		
LCS1	tert-amyl Methyl Ether		5	4.53	ug/L	91	(70-130)		
LCS2	tert-amyl Methyl Ether		5	4.55	ug/L	91	(70-130)	20	0.44
MBLK	tert-amyl Methyl Ether			<3.0	ug/L				

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.

Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
MRL_CHK	tert-amyl Methyl Ether		0.5	0.420	ug/L	84	(50-150)		
LCS1	tert-Butyl Ethyl Ether		5	4.98	ug/L	100	(70-130)		
LCS2	tert-Butyl Ethyl Ether		5	4.93	ug/L	99	(70-130)	20	1.0
MBLK	tert-Butyl Ethyl Ether			<3.0	ug/L				
MRL_CHK	tert-Butyl Ethyl Ether		0.5	0.480	ug/L	96	(50-150)		
LCS1	tert-Butylbenzene		5	4.44	ug/L	89	(70-130)		
LCS2	tert-Butylbenzene		5	4.58	ug/L	92	(70-130)	20	3.1
MBLK	tert-Butylbenzene			<0.5	ug/L				
MRL_CHK	tert-Butylbenzene		0.5	0.460	ug/L	92	(50-150)		
LCS1	Tetrachloroethylene (PCE)		5	4.15	ug/L	83	(70-130)		
LCS2	Tetrachloroethylene (PCE)		5	4.24	ug/L	85	(70-130)	20	2.1
MBLK	Tetrachloroethylene (PCE)			<0.5	ug/L				
MRL_CHK	Tetrachloroethylene (PCE)		0.5	0.440	ug/L	88	(50-150)		
LCS1	Toluene		5	4.49	ug/L	90	(70-130)		
LCS2	Toluene		5	4.49	ug/L	90	(70-130)	20	0.0
MBLK	Toluene			<0.5	ug/L				
MRL_CHK	Toluene		0.5	0.450	ug/L	90	(50-150)		
LCS1	Toluene-d8 (S)		5	92.6	%	93	(70-130)		
LCS2	Toluene-d8 (S)		5	94.0	%	94	(70-130)		
MBLK	Toluene-d8 (S)			92.0	%	92	(70-130)		
MRL_CHK	Toluene-d8 (S)		5	94.6	%	95	(70-130)		
MRLLLW	Toluene-d8 (S)		5	92.8	%	93	(70-130)		
LCS1	trans-1,2-Dichloroethylene		5	4.93	ug/L	99	(70-130)		
LCS2	trans-1,2-Dichloroethylene		5	5.09	ug/L	102	(70-130)	20	3.2
MBLK	trans-1,2-Dichloroethylene			<0.5	ug/L				
MRL_CHK	trans-1,2-Dichloroethylene		0.5	0.460	ug/L	92	(50-150)		
LCS1	trans-1,3-Dichloropropene		5	3.80	ug/L	76	(70-130)		
LCS2	trans-1,3-Dichloropropene		5	3.60	ug/L	72	(70-130)	20	5.4
MBLK	trans-1,3-Dichloropropene			<0.5	ug/L				
MRL_CHK	trans-1,3-Dichloropropene		0.5	0.480	ug/L	96	(50-150)		
LCS1	Trichloroethylene (TCE)		5	4.40	ug/L	88	(70-130)		
LCS2	Trichloroethylene (TCE)		5	4.57	ug/L	91	(70-130)	20	3.8
MBLK	Trichloroethylene (TCE)			<0.5	ug/L				
MRL_CHK	Trichloroethylene (TCE)		0.5	0.460	ug/L	92	(50-150)		
LCS1	Trichlorofluoromethane		5	4.50	ug/L	90	(70-130)		
LCS2	Trichlorofluoromethane		5	4.47	ug/L	89	(70-130)	20	0.67
MBLK	Trichlorofluoromethane			<0.5	ug/L				
MRL_CHK	Trichlorofluoromethane		0.5	0.540	ug/L	108	(50-150)		

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.

Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
LCS1	Trichlorotrifluoroethane(Freon		5	4.94	ug/L	99	(70-130)		
LCS2	Trichlorotrifluoroethane(Freon		5	4.99	ug/L	100	(70-130)	20	1.0
MBLK	Trichlorotrifluoroethane(Freon			<0.5	ug/L				
MRL_CHK	Trichlorotrifluoroethane(Freon		0.5	0.450	ug/L	90	(50-150)		
LCS1	Vinyl chloride (VC)		5	4.85	ug/L	97	(70-130)		
LCS2	Vinyl chloride (VC)		5	5.14	ug/L	103	(70-130)	20	5.8
MBLK	Vinyl chloride (VC)			<0.3	ug/L				
MRL_CHK	Vinyl chloride (VC)		0.5	0.490	ug/L	98	(50-150)		
MRLW	Vinyl chloride (VC)		0.25	0.290	ug/L	116	(50-150)		

Aldicarb by EPA 531.2

Analytical Batch: 1184495

Analysis Date: 07/15/2019

CCCH	3-Hydroxycarbofuran		25	24.9	ug/L	100	(70-130)		
CCCM	3-Hydroxycarbofuran		10	10.1	ug/L	101	(70-130)		
LCS	3-Hydroxycarbofuran		5	5.04	ug/L	101	(70-130)		
MBLK	3-Hydroxycarbofuran			<0.167	ug/L				
MRL_CHK	3-Hydroxycarbofuran		0.5	0.508	ug/L	102	(50-150)		
MS1_201907120389	3-Hydroxycarbofuran	ND	5	5.05	ug/L	101	(70-130)		
MSD1_201907120389	3-Hydroxycarbofuran	ND	5	4.84	ug/L	97	(70-130)	20	4.3
CCCH	4-Bromo-3,5-dimethylphenyl-N-methylcarbamate (:			103	%	103	(70-130)		
CCCM	4-Bromo-3,5-dimethylphenyl-N-methylcarbamate (:			103	%	103	(70-130)		
LCS	4-Bromo-3,5-dimethylphenyl-N-methylcarbamate (:			106	%	106	(70-130)		
MBLK	4-Bromo-3,5-dimethylphenyl-N-methylcarbamate (:			108	%	108	(70-130)		
MRL_CHK	4-Bromo-3,5-dimethylphenyl-N-methylcarbamate (:		100	107	%	107	(70-130)		
MS1_201907120389	4-Bromo-3,5-dimethylphenyl-N-methylcarbamate (:			105	%	105	(70-130)		
MSD1_201907120389	4-Bromo-3,5-dimethylphenyl-N-methylcarbamate (:			104	%	104	(70-130)		
CCCH	Aldicarb (Temik)		25	24.2	ug/L	97	(70-130)		
CCCM	Aldicarb (Temik)		10	9.99	ug/L	100	(70-130)		
LCS	Aldicarb (Temik)		5	5.30	ug/L	106	(70-130)		
MBLK	Aldicarb (Temik)			<0.167	ug/L				
MRL_CHK	Aldicarb (Temik)		0.5	0.532	ug/L	106	(50-150)		
MS1_201907120389	Aldicarb (Temik)	ND	5	5.12	ug/L	102	(70-130)		
MSD1_201907120389	Aldicarb (Temik)	ND	5	5.09	ug/L	102	(70-130)	20	0.55
CCCH	Aldicarb sulfone		25	25.0	ug/L	100	(70-130)		
CCCM	Aldicarb sulfone		10	10.3	ug/L	103	(70-130)		
LCS	Aldicarb sulfone		5	5.40	ug/L	108	(70-130)		
MBLK	Aldicarb sulfone			<0.167	ug/L				
MRL_CHK	Aldicarb sulfone		0.5	0.552	ug/L	110	(50-150)		
MS1_201907120389	Aldicarb sulfone	ND	5	5.06	ug/L	101	(70-130)		

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.

Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
MSD1_201907120389	Aldicarb sulfone	ND	5	5.02	ug/L	100	(70-130)	20	0.80
CCCH	Aldicarb sulfoxide		25	24.3	ug/L	97	(70-130)		
CCCM	Aldicarb sulfoxide		10	9.89	ug/L	99	(70-130)		
LCS	Aldicarb sulfoxide		5	4.98	ug/L	100	(70-130)		
MBLK	Aldicarb sulfoxide			<0.167	ug/L				
MRL_CHK	Aldicarb sulfoxide		0.5	0.534	ug/L	107	(50-150)		
MS1_201907120389	Aldicarb sulfoxide	ND	5	4.98	ug/L	100	(70-130)		
MSD1_201907120389	Aldicarb sulfoxide	ND	5	5.01	ug/L	100	(70-130)	20	0.51
CCCH	Baygon		25	25.3	ug/L	101	(70-130)		
CCCM	Baygon		10	10.3	ug/L	103	(70-130)		
LCS	Baygon		5	5.08	ug/L	102	(70-130)		
MBLK	Baygon			<0.167	ug/L				
MRL_CHK	Baygon		0.5	0.587	ug/L	117	(50-150)		
MS1_201907120389	Baygon	ND	5	5.12	ug/L	102	(70-130)		
MSD1_201907120389	Baygon	ND	5	5.10	ug/L	102	(70-130)	20	0.46
CCCH	Carbaryl		25	25.1	ug/L	100	(70-130)		
CCCM	Carbaryl		10	10.0	ug/L	100	(70-130)		
LCS	Carbaryl		5	5.20	ug/L	104	(70-130)		
MBLK	Carbaryl			<0.167	ug/L				
MRL_CHK	Carbaryl		0.5	0.513	ug/L	103	(50-150)		
MS1_201907120389	Carbaryl	ND	5	4.80	ug/L	96	(70-130)		
MSD1_201907120389	Carbaryl	ND	5	4.85	ug/L	97	(70-130)	20	1.1
CCCH	Carbofuran (Furadan)		25	25.4	ug/L	101	(70-130)		
CCCM	Carbofuran (Furadan)		10	10.4	ug/L	105	(70-130)		
LCS	Carbofuran (Furadan)		5	5.17	ug/L	103	(70-130)		
MBLK	Carbofuran (Furadan)			<0.167	ug/L				
MRL_CHK	Carbofuran (Furadan)		0.5	0.592	ug/L	118	(50-150)		
MS1_201907120389	Carbofuran (Furadan)	ND	5	5.20	ug/L	104	(70-130)		
MSD1_201907120389	Carbofuran (Furadan)	ND	5	5.10	ug/L	102	(70-130)	20	1.9
CCCH	Methiocarb		25	26.2	ug/L	105	(70-130)		
CCCM	Methiocarb		10	10.4	ug/L	104	(70-130)		
LCS	Methiocarb		5	5.27	ug/L	105	(70-130)		
MBLK	Methiocarb			<0.167	ug/L				
MRL_CHK	Methiocarb		0.5	0.596	ug/L	119	(50-150)		
MS1_201907120389	Methiocarb	ND	5	5.13	ug/L	103	(70-130)		
MSD1_201907120389	Methiocarb	ND	5	5.12	ug/L	102	(70-130)	20	0.22
CCCH	Methomyl		25	24.1	ug/L	96	(70-130)		
CCCM	Methomyl		10	9.90	ug/L	99	(70-130)		

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.

Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
LCS	Methomyl		5	4.98	ug/L	100	(70-130)		
MBLK	Methomyl			<0.167	ug/L				
MRL_CHK	Methomyl		0.5	0.478	ug/L	96	(50-150)		
MS1_201907120389	Methomyl	ND	5	5.09	ug/L	102	(70-130)		
MSD1_201907120389	Methomyl	ND	5	5.10	ug/L	102	(70-130)	20	0.22
CCCH	Oxamyl (Vydate)		25	25.0	ug/L	100	(70-130)		
CCCM	Oxamyl (Vydate)		10	10.1	ug/L	101	(70-130)		
LCS	Oxamyl (Vydate)		5	4.96	ug/L	99	(70-130)		
MBLK	Oxamyl (Vydate)			<0.167	ug/L				
MRL_CHK	Oxamyl (Vydate)		0.5	0.560	ug/L	112	(50-150)		
MS1_201907120389	Oxamyl (Vydate)	ND	5	5.05	ug/L	101	(70-130)		
MSD1_201907120389	Oxamyl (Vydate)	ND	5	5.03	ug/L	101	(70-130)	20	0.43

Diquat and Paraquat by EPA 549.2

Analytical Batch: 1184503

Analysis Date: 07/16/2019

CCCH	Diquat		10	10.3	ug/L	103	(80-120)		
CCCL	Diquat		0.4	0.392	ug/L	98	(50-150)		
CCCM	Diquat		4	4.10	ug/L	103	(80-120)		
LCS1	Diquat		5	3.67	ug/L	74	(73-96)		
MBLK	Diquat			<0.4	ug/L				
MRLW	Diquat		0.4	0.408	ug/L	102	(50-150)		
MS_201907020080	Diquat	ND	5	4.03	ug/L	81	(70-130)		
MS2_201906210096	Diquat	ND	5	4.28	ug/L	86	(70-130)		
MSD_201907020080	Diquat	ND	5	3.92	ug/L	78	(70-130)	20	2.8
CCCH	Paraquat		10	10.7	ug/L	107	(80-120)		
CCCL	Paraquat		2	2.42	ug/L	121	(50-150)		
CCCM	Paraquat		4	4.21	ug/L	105	(80-120)		
LCS1	Paraquat		5	3.80	ug/L	76	(71-104)		
MBLK	Paraquat			<2	ug/L				
MRL_CHK	Paraquat		2	1.92	ug/L	96	(50-150)		
MS_201907020080	Paraquat	ND	5	4.05	ug/L	81	(70-130)		
MS2_201906210096	Paraquat	ND	5	4.32	ug/L	86	(70-130)		
MSD_201907020080	Paraquat	ND	5	3.91	ug/L	78	(70-130)	20	3.6

Disinfection ByProducts by 300.0 by EPA 300.0

Analytical Batch: 1184550

Analysis Date: 07/16/2019

LCS1	Bromide		100	98.5	ug/L	99	(90-110)		
LCS2	Bromide		100	101	ug/L	101	(90-110)	20	2.5
MBLK	Bromide			<2.5	ug/L				

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.

Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
MRL_CHK	Bromide		5	4.47	ug/L	89	(50-150)		
MS_201906020026	Bromide	9.1	50	59.5	ug/L	101	(80-120)		
MS_201907100410	Bromide	ND	50	46.1	ug/L	92	(80-120)		
MSD_201907100410	Bromide	ND	50	48.8	ug/L	98	(80-120)	15	5.8
MSD_201906020026	Bromide	9.1	50	61.3	ug/L	104	(80-120)	15	3.0

**Perchlorate by EPA 331.0 by EPA 331.0**

Analytical Batch: 1184616

Analysis Date: 07/16/2019

LCS1	Perchlorate		10	10.2	ug/L	102	(80-120)		
LCS2	Perchlorate		10	10.4	ug/L	105	(80-120)	20	2.9
MBLK	Perchlorate			<0.167	ug/L				
MRL_CHK	Perchlorate		0.5	0.461	ug/L	92	(50-150)		
MS1_201907020080	Perchlorate	0.74	5	6.07	ug/L	107	(80-120)		
MSD1_201907020080	Perchlorate	0.74	5	6.01	ug/L	105	(80-120)	20	0.99

**Glyphosate by EPA 547**

Analytical Batch: 1184765

Analysis Date: 07/17/2019

CCCH	Glyphosate		25	22.5	ug/L	90	(80-120)		
CCCM	Glyphosate		10	9.59	ug/L	96	(80-120)		
LCS1	Glyphosate		10	9.92	ug/L	99	(80-120)		
MBLK	Glyphosate			<3	ug/L				
MRL_CHK	Glyphosate		6	6.01	ug/L	100	(50-150)		
MS_201906210096	Glyphosate	ND	10	10.0	ug/L	100	(70-130)		
MS2_201907110810	Glyphosate	ND	10	9.76	ug/L	98	(70-130)		
MSD_201906210096	Glyphosate	ND	10	10.0	ug/L	100	(70-130)	20	0.17

**Alkalinity in CaCO3 units by SM 2320B**

Analytical Batch: 1184784

Analysis Date: 07/16/2019

LCS1	Alkalinity in CaCO3 units		100	99.4	mg/L	99	(90-110)		
LCS2	Alkalinity in CaCO3 units		100	98.7	mg/L	99	(90-110)	20	0.71
MBLK	Alkalinity in CaCO3 units			<1	mg/L				
MRL_CHK	Alkalinity in CaCO3 units		2	2.70	mg/L	135	(50-150)		
MS_201907120434	Alkalinity in CaCO3 units	83	100	183	mg/L	100	(80-120)		
MS_201907020280	Alkalinity in CaCO3 units	180	100	260	mg/L	82	(80-120)		
MSD_201907020280	Alkalinity in CaCO3 units	180	100	258	mg/L	80	(80-120)	20	0.88
MSD_201907120434	Alkalinity in CaCO3 units	83	100	183	mg/L	100	(80-120)	20	0.12

**PH (H3=past HT not compliant) by SM4500-HB**

Analytical Batch: 1184788

Analysis Date: 07/16/2019

DUP_201907120434	PH (H3=past HT not compliant)	7.8		7.86	Units		(0-20)	20	0.38
------------------	-------------------------------	-----	--	------	-------	--	--------	----	------

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.



Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

**Report:** 812008  
**Project:** BW  
**Group:** Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
DUP_201907020280	PH (H3=past HT not compliant)	7.8		7.77	Units		(0-20)	20	0.26
LCS1	PH (H3=past HT not compliant)		6	6.01	Units	100	(98-102)		
LCS2	PH (H3=past HT not compliant)		6	6.00	Units	100	(98-102)	20	0.17

**Specific Conductance by SM2510B**

**Analytical Batch: 1184793**

**Analysis Date: 07/16/2019**

DUP1_201907020280	Specific Conductance	1000		1060	umho/cm		(0-20)	20	0.019
DUP1_201907120434	Specific Conductance	200		206	umho/cm		(0-20)	20	0.097
LCS1	Specific Conductance		1000	1010	umho/cm	101	(95-105)		
LCS2	Specific Conductance		1000	1000	umho/cm	100	(95-105)	20	1
MBLK	Specific Conductance			<1	umho/cm				
MRL_CHK	Specific Conductance		1.8	1.70	umho/cm	95	(50-150)		

**ICPMS Metals by EPA 200.8**

**Analytical Batch: 1184953**

**Analysis Date: 07/18/2019**

LCS1	Silver Total ICAP/MS		25	25.4	ug/L	102	(85-115)		
LCS2	Silver Total ICAP/MS		25	25.9	ug/L	104	(85-115)	20	2.0
MBLK	Silver Total ICAP/MS			<0.25	ug/L				
MRL_CHK	Silver Total ICAP/MS		0.5	0.501	ug/L	100	(50-150)		
MS_201907150213	Silver Total ICAP/MS	ND	25	24.8	ug/L	99	(70-130)		
MS2_201907160396	Silver Total ICAP/MS	ND	25	24.9	ug/L	100	(70-130)		
MSD_201907150213	Silver Total ICAP/MS	ND	25	25.1	ug/L	100	(70-130)	20	1.2
MSD2_201907160396	Silver Total ICAP/MS	ND	25	26.2	ug/L	105	(70-130)	20	4.9

**2,3,7,8-TCDD\_Dioxin by EPA 1613B**

**Prep Batch: 1184299 Analytical Batch: 1184957**

**Analysis Date: 07/17/2019**

LCS1	2,3,7,8-TCDD		200	193	pg/L	97	(73-146)		
MBLK	2,3,7,8-TCDD			<1.67	pg/L				
MRL_CHK	2,3,7,8-TCDD		5	3.60	pg/L	72	(50-150)		
MS_201907150136	2,3,7,8-TCDD	ND	200	184	pg/L	92	(73-146)		
MSD_201907150136	2,3,7,8-TCDD	ND	200	176	pg/L	88	(73-146)	20	4.6
LCS1	C12-2,3,7,8-TCDD (S)		2000	76.4	%	76	(25-141)		
MBLK	C12-2,3,7,8-TCDD (S)			68.5	%	69	(31-137)		
MRL_CHK	C12-2,3,7,8-TCDD (S)		2000	54.7	%	55	(25-141)		
MS_201907150136	C12-2,3,7,8-TCDD (S)		2000	77.5	%	78	(25-141)		
MSD_201907150136	C12-2,3,7,8-TCDD (S)		2000	76.5	%	77	(25-141)		

**Bromate by UV/VIS 317 by EPA 317**

**Analytical Batch: 1184999**

**Analysis Date: 07/17/2019**

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.

Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
LCS1	Bromate by UV/VIS		10	10.2	ug/L	102	(90-110)		
LCS2	Bromate by UV/VIS		10	10.2	ug/L	102	(90-110)	20	0.0
MBLK	Bromate by UV/VIS			<0.5	ug/L				
MRL_CHK	Bromate by UV/VIS		1	0.911	ug/L	91	(75-125)		
MS_201907110272	Bromate by UV/VIS	ND	5	5.22	ug/L	105	(75-125)		
MS_201906250289	Bromate by UV/VIS	ND	5	5.04	ug/L	101	(75-125)		
MSD_201907110272	Bromate by UV/VIS	ND	5	5.27	ug/L	105	(75-125)	15	0.85
MSD_201906250289	Bromate by UV/VIS	ND	5	4.93	ug/L	99	(75-125)	15	2.2

**Fluoride by SM 4500F-C**

Analytical Batch: 1185115

Analysis Date: 07/17/2019

LCS1	Fluoride		1	1.01	mg/L	101	(90-110)		
LCS2	Fluoride		1	1.01	mg/L	101	(90-110)	20	0.0
MBLK	Fluoride			<0.025	mg/L				
MRL_CHK	Fluoride		0.05	0.0481	mg/L	96	(50-150)		
MS_201907180293	Fluoride	0.69	1	1.74	mg/L	105	(80-120)		
MS_201907110535	Fluoride	0.36	1	1.39	mg/L	103	(80-120)		
MSD_201907110535	Fluoride	0.36	1	1.39	mg/L	103	(80-120)	20	0.050
MSD_201907180293	Fluoride	0.69	1	1.74	mg/L	105	(80-120)	20	0.42

**Cyanide by SM4500CN-F**

Analytical Batch: 1185228

Analysis Date: 07/19/2019

LCS1	Cyanide		0.1	0.108	mg/L	108	(90-110)		
LCS2	Cyanide		0.1	0.105	mg/L	105	(90-110)	20	2.8
MBLK	Cyanide			<0.025	mg/L				
MRL_CHK	Cyanide		0.025	0.0234	mg/L	94	(50-150)		
MS_201907120282	Cyanide	ND	0.1	0.104	mg/L	95	(80-120)		
MS_201907110887	Cyanide	ND	0.1	0.112	mg/L	94	(80-120)		
MSD_201907120282	Cyanide	ND	0.1	0.113	mg/L	104	(80-120)	20	8.3
MSD_201907110887	Cyanide	ND	0.1	0.116	mg/L	98	(80-120)	20	3.5

**Endothall by EPA 548.1**

Prep Batch: 1184290 Analytical Batch: 1185245

Analysis Date: 07/19/2019

LCS1	Endothall		25	19.6	ug/L	78	(66-117)		
MBLK	Endothall			<5	ug/L				
MRL_CHK	Endothall		5	5.55	ug/L	111	(50-150)		
MS_201907110293	Endothall	ND	25	21.6	ug/L	86	(66-117)		
MS_2ND_201906210096	Endothall	ND	25	24.4	ug/L	98	(66-117)		
MSD_201907110293	Endothall	ND	25	22.6	ug/L	91	(66-117)	30	5.2

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.

Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
<b>Perfluorinated Alkyl Acids EPA 537 rev 1.1 by EPA 537</b>									
<b>Prep Batch: 1184205 Analytical Batch: 1185403</b>					<b>Analysis Date: 07/17/2019</b>				
DUP_201907120438	13C-PFDA (S)			120	%	120	(70-130)		
LCS1	13C-PFDA (S)		100	122	%	122	(70-130)		
LCS2	13C-PFDA (S)		100	114	%	114	(70-130)		
MBLK	13C-PFDA (S)			128	%	128	(70-130)		
MRL_CHK	13C-PFDA (S)		100	125	%	125	(70-130)		
MS1_201907120437	13C-PFDA (S)		100	121	%	121	(70-130)		
DUP_201907120438	13C-PFHxA (S)			112	%	112	(70-130)		
LCS1	13C-PFHxA (S)		100	115	%	115	(70-130)		
LCS2	13C-PFHxA (S)		100	111	%	111	(70-130)		
MBLK	13C-PFHxA (S)			114	%	114	(70-130)		
MRL_CHK	13C-PFHxA (S)		100	121	%	121	(70-130)		
MS1_201907120437	13C-PFHxA (S)		100	116	%	116	(70-130)		
DUP_201907120438	13C-PFOA (I)			105	%	105	(50-150)		
LCS1	13C-PFOA (I)		100	103	%	103	(50-150)		
LCS2	13C-PFOA (I)		100	101	%	101	(50-150)		
MBLK	13C-PFOA (I)			97.1	%	97	(50-150)		
MRL_CHK	13C-PFOA (I)		100	98.7	%	99	(50-150)		
MS1_201907120437	13C-PFOA (I)		100	101	%	101	(50-150)		
DUP_201907120438	13C-PFOS (I)			98.1	%	98	(50-150)		
LCS1	13C-PFOS (I)		100	101	%	101	(50-150)		
LCS2	13C-PFOS (I)		100	101	%	101	(50-150)		
MBLK	13C-PFOS (I)			108	%	108	(50-150)		
MRL_CHK	13C-PFOS (I)		100	101	%	101	(50-150)		
MS1_201907120437	13C-PFOS (I)		100	106	%	106	(50-150)		
DUP_201907120438	d3-NMeFOSAA (I)			104	%	104	(50-150)		
LCS1	d3-NMeFOSAA (I)		100	108	%	108	(50-150)		
LCS2	d3-NMeFOSAA (I)		100	105	%	105	(50-150)		
MBLK	d3-NMeFOSAA (I)			100	%	100	(50-150)		
MRL_CHK	d3-NMeFOSAA (I)		100	100	%	100	(50-150)		
MS1_201907120437	d3-NMeFOSAA (I)		100	102	%	102	(50-150)		
DUP_201907120438	d5-NEtFOSAA (S)			117	%	117	(70-130)		
LCS1	d5-NEtFOSAA (S)		100	114	%	114	(70-130)		
LCS2	d5-NEtFOSAA (S)		100	108	%	108	(70-130)		
MBLK	d5-NEtFOSAA (S)			111	%	111	(70-130)		
MRL_CHK	d5-NEtFOSAA (S)		100	117	%	117	(70-130)		

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.

Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
MS1_201907120437	d5-NEtFOSAA (S)		100	111	%	111	(70-130)		
DUP_201907120438	N-ethyl Perfluorooctanesulfonamidoacetic acid	ND		0.0000670	ug/L		(0-30)	30	<b>86</b>
LCS1	N-ethyl Perfluorooctanesulfonamidoacetic acid		0.025	0.0270	ug/L	108	(70-130)		
LCS2	N-ethyl Perfluorooctanesulfonamidoacetic acid		0.025	0.0256	ug/L	102	(70-130)	30	5.3
MBLK	N-ethyl Perfluorooctanesulfonamidoacetic acid			<0.000667	ug/L				
MRL_CHK	N-ethyl Perfluorooctanesulfonamidoacetic acid		0.002	0.00193	ug/L	96	(50-150)		
MS1_201907120437	N-ethyl Perfluorooctanesulfonamidoacetic acid	ND	0.025	0.0277	ug/L	110	(70-130)		
DUP_201907120438	N-methyl Perfluorooctanesulfonamidoacetic acid	ND		0.0000550	ug/L		(0-30)	30	3.7
LCS1	N-methyl Perfluorooctanesulfonamidoacetic acid		0.025	0.0260	ug/L	104	(70-130)		
LCS2	N-methyl Perfluorooctanesulfonamidoacetic acid		0.025	0.0268	ug/L	107	(70-130)	30	3.0
MBLK	N-methyl Perfluorooctanesulfonamidoacetic acid			<0.000667	ug/L				
MRL_CHK	N-methyl Perfluorooctanesulfonamidoacetic acid		0.002	0.00200	ug/L	100	(50-150)		
MS1_201907120437	N-methyl Perfluorooctanesulfonamidoacetic acid	ND	0.025	0.0246	ug/L	98	(70-130)		
DUP_201907120438	Perfluorobutanesulfonic acid	ND		0.000208	ng/L		(0-30)	30	9.2
LCS1	Perfluorobutanesulfonic acid		0.022	0.0254	ug/L	115	(70-130)		
LCS2	Perfluorobutanesulfonic acid		0.022	0.0238	ug/L	108	(70-130)	30	6.9
MBLK	Perfluorobutanesulfonic acid			<0.00059	ug/L				
MRL_CHK	Perfluorobutanesulfonic acid		0.0018	0.00187	ug/L	106	(50-150)		
MS1_201907120437	Perfluorobutanesulfonic acid	ND	0.022	0.0228	ug/L	101	(70-130)		
DUP_201907120438	Perfluorodecanoic acid	ND		ND	ng/L		(0-30)		
LCS1	Perfluorodecanoic acid		0.025	0.0280	ug/L	112	(70-130)		
LCS2	Perfluorodecanoic acid		0.025	0.0282	ug/L	113	(70-130)	30	0.71
MBLK	Perfluorodecanoic acid			<0.000667	ug/L				
MRL_CHK	Perfluorodecanoic acid		0.002	0.00207	ug/L	104	(50-150)		
MS1_201907120437	Perfluorodecanoic acid	ND	0.025	0.0282	ug/L	113	(70-130)		
DUP_201907120438	Perfluorododecanoic acid	ND		0.0000410	ug/L		(0-30)	30	<b>82</b>
LCS1	Perfluorododecanoic acid		0.025	0.0272	ug/L	109	(70-130)		
LCS2	Perfluorododecanoic acid		0.025	0.0291	ug/L	116	(70-130)	30	6.8
MBLK	Perfluorododecanoic acid			<0.000667	ug/L				
MRL_CHK	Perfluorododecanoic acid		0.002	0.00253	ug/L	126	(50-150)		
MS1_201907120437	Perfluorododecanoic acid	ND	0.025	0.0271	ug/L	108	(70-130)		
DUP_201907120438	Perfluoroheptanoic acid	ND		0.00104	ug/L		(0-30)	30	30
LCS1	Perfluoroheptanoic acid		0.025	0.0257	ug/L	103	(70-130)		
LCS2	Perfluoroheptanoic acid		0.025	0.0259	ug/L	104	(70-130)	30	0.78
MBLK	Perfluoroheptanoic acid			<0.000667	ug/L				
MRL_CHK	Perfluoroheptanoic acid		0.002	0.00282	ug/L	141	(50-150)		
MS1_201907120437	Perfluoroheptanoic acid	0.0033	0.025	0.0316	ug/L	113	(70-130)		
DUP_201907120438	Perfluorohexanesulfonic acid	ND		0.000877	ug/L		(0-30)	30	23

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.

Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
LCS1	Perfluorohexanesulfonic acid		0.023	0.0271	ug/L	119	(70-130)		
LCS2	Perfluorohexanesulfonic acid		0.023	0.0275	ug/L	121	(70-130)	30	1.5
MBLK	Perfluorohexanesulfonic acid			<0.000608	ug/L				
MRL_CHK	Perfluorohexanesulfonic acid		0.0018	0.00166	ug/L	91	(50-150)		
MS1_201907120437	Perfluorohexanesulfonic acid	ND	0.023	0.0254	ug/L	110	(70-130)		
DUP_201907120438	Perfluorohexanoic acid	ND		0.000230	ug/L		(0-30)	30	<u>67</u>
LCS1	Perfluorohexanoic acid		0.025	0.0278	ug/L	111	(70-130)		
LCS2	Perfluorohexanoic acid		0.025	0.0289	ug/L	116	(70-130)	30	3.9
MBLK	Perfluorohexanoic acid			<0.000667	ug/L				
MRL_CHK	Perfluorohexanoic acid		0.002	0.00250	ug/L	125	(50-150)		
MS1_201907120437	Perfluorohexanoic acid	0.0074	0.025	0.0387	ug/L	125	(70-130)		
DUP_201907120438	Perfluorononanoic acid	ND		0.0000980	ug/L		(0-30)	30	<u>95</u>
LCS1	Perfluorononanoic acid		0.025	0.0282	ug/L	113	(70-130)		
LCS2	Perfluorononanoic acid		0.025	0.0276	ug/L	111	(70-130)	30	2.1
MBLK	Perfluorononanoic acid			<0.000667	ug/L				
MRL_CHK	Perfluorononanoic acid		0.002	0.00213	ug/L	107	(50-150)		
MS1_201907120437	Perfluorononanoic acid	ND	0.025	0.0260	ug/L	103	(70-130)		
DUP_201907120438	Perfluorooctanesulfonic acid	ND		0.00188	ug/L		(0-30)	30	<u>40</u>
LCS1	Perfluorooctanesulfonic acid		0.023	0.0263	ug/L	114	(70-130)		
LCS2	Perfluorooctanesulfonic acid		0.023	0.0262	ug/L	113	(70-130)	30	0.38
MBLK	Perfluorooctanesulfonic acid			<0.000617	ug/L				
MRL_CHK	Perfluorooctanesulfonic acid		0.0019	0.00137	ug/L	74	(50-150)		
MS1_201907120437	Perfluorooctanesulfonic acid	ND	0.023	0.0271	ug/L	115	(70-130)		
DUP_201907120438	Perfluorooctanoic acid	ND		0.00108	ug/L		(0-30)	30	14
LCS1	Perfluorooctanoic acid		0.025	0.0298	ug/L	119	(70-130)		
LCS2	Perfluorooctanoic acid		0.025	0.0287	ug/L	115	(70-130)	30	3.8
MBLK	Perfluorooctanoic acid			<0.000667	ug/L				
MRL_CHK	Perfluorooctanoic acid		0.002	0.00277	ug/L	139	(50-150)		
MS1_201907120437	Perfluorooctanoic acid	0.0029	0.025	0.0320	ug/L	116	(70-130)		
DUP_201907120438	Perfluorotetradecanoic acid	ND		ND	ug/L		(0-30)		
LCS1	Perfluorotetradecanoic acid		0.025	0.0278	ug/L	111	(70-130)		
LCS2	Perfluorotetradecanoic acid		0.025	0.0302	ug/L	121	(70-130)	30	8.3
MBLK	Perfluorotetradecanoic acid			<0.000667	ug/L				
MRL_CHK	Perfluorotetradecanoic acid		0.002	0.00222	ug/L	111	(50-150)		
MS1_201907120437	Perfluorotetradecanoic acid	ND	0.025	0.0258	ug/L	103	(70-130)		
DUP_201907120438	Perfluorotridecanoic acid	ND		0.0000740	ug/L		(0-30)		
LCS1	Perfluorotridecanoic acid		0.025	0.0265	ug/L	106	(70-130)		
LCS2	Perfluorotridecanoic acid		0.025	0.0277	ug/L	111	(70-130)	30	4.4

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.

Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
MBLK	Perfluorotridecanoic acid			<0.000667	ug/L				
MRL_CHK	Perfluorotridecanoic acid		0.002	0.00232	ug/L	116	(50-150)		
MS1_201907120437	Perfluorotridecanoic acid	ND	0.025	0.0249	ug/L	100	(70-130)		
DUP_201907120438	Perfluoroundecanoic acid	ND		0.000167	ug/L		(0-30)		
LCS1	Perfluoroundecanoic acid		0.025	0.0268	ug/L	107	(70-130)		
LCS2	Perfluoroundecanoic acid		0.025	0.0286	ug/L	114	(70-130)	30	6.5
MBLK	Perfluoroundecanoic acid			<0.000667	ug/L				
MRL_CHK	Perfluoroundecanoic acid		0.002	0.00225	ug/L	112	(50-150)		
MS1_201907120437	Perfluoroundecanoic acid	ND	0.025	0.0283	ug/L	113	(70-130)		

**Chloramines (H3=past HT not compliant) by SM 4500CL-G/HACH**

Analytical Batch: 1185817

Analysis Date: 07/20/2019

DUP_201907220691	Chloramines	0.17		0.170	mg/L		(0-20)	20	0.0
DUP_201907220692	Chloramines	ND		0.0200	mg/L		(0-20)	20	0.0

**Chlorine Dioxide (H3=past HT not compliant) by SM 4500-CLO2-D/HACH**

Analytical Batch: 1185820

Analysis Date: 07/20/2019

DUP_201907040002	Chlorine Dioxide	ND		0.0300	mg/L		(0-20)	20	0.0
DUP_201907220691	Chlorine Dioxide	ND		0.200	mg/L		(0-20)	20	0.0
LCS1	Chlorine Dioxide		2.4	2.54	mg/L	106	(85-115)		
LCS2	Chlorine Dioxide		2.4	2.47	mg/L	103	(85-115)	20	2.8
MBLK	Chlorine Dioxide			<0.24	mg/L				
MRL_CHK	Chlorine Dioxide		0.24	0.290	mg/L	121	(50-150)		

**Free Chlorine Residual (H3=past HT not compliant) by SM 4500CL-G/HACH**

Analytical Batch: 1185825

Analysis Date: 07/20/2019

DUP_201907220691	Free Chlorine Residual	ND		0.0400	mg/L		(0-20)	20	0.0
DUP_201907220692	Free Chlorine Residual	ND		0.0500	mg/L		(0-20)	20	0.0
LCS1	Free Chlorine Residual		1	0.970	mg/L	97	(85-115)		
LCS2	Free Chlorine Residual		1	0.920	mg/L	92	(85-115)	20	5.3
MBLK	Free Chlorine Residual			<0.1	mg/L				
MRL_CHK	Free Chlorine Residual		0.1	0.0900	mg/L	90	(50-150)		

**Total Chlorine Residual (H3=past HT not compliant) by SM 4500-CL G**

Analytical Batch: 1185828

Analysis Date: 07/20/2019

DUP_201907220692	Total Chlorine Residual	ND		0.0700	mg/L		(0-20)	20	0.0
DUP_201907220691	Total Chlorine Residual	0.21		0.210	mg/L		(0-20)	20	0.0
LCS1	Total Chlorine Residual		1	0.970	mg/L	97	(85-115)		
LCS2	Total Chlorine Residual		1	0.920	mg/L	92	(85-115)	20	5.3
MBLK	Total Chlorine Residual			<0.1	mg/L				

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.

Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
MRL_CHK	Total Chlorine Residual		0.1	0.0900	mg/L	90	(50-150)		

**Mercury Total by EPA 245.1**

Analytical Batch: 1186106

Analysis Date: 07/23/2019

LCS1	Mercury		1.5	1.48	ug/L	98	(90-110)		
LCS2	Mercury		1.5	1.46	ug/L	97	(90-110)	20	1.4
MBLK	Mercury			<0.1	ug/L				
MRL_CHK	Mercury		0.2	0.138	ug/L	69	(50-150)		
MS_201907110805	Mercury	ND	1.5	1.45	ug/L	97	(70-130)		
MS2_201907020297	Mercury	ND	1.5	1.52	ug/L	102	(70-130)		
MSD_201907110805	Mercury	ND	1.5	1.44	ug/L	96	(70-130)	20	0.55
MSD2_201907020297	Mercury	ND	1.5	1.46	ug/L	97	(70-130)	20	4.4

**Chlorophenoxy Herbicides by EPA 515.4**

Prep Batch: 1185210 Analytical Batch: 1186299

Analysis Date: 07/23/2019

CCC3	2,4,5-T		4	4.05	ug/L	101	(70-130)		
CCCH	2,4,5-T		4	4.02	ug/L	100	(70-130)		
CCCM	2,4,5-T		1	1.14	ug/L	114	(70-130)		
MBLK	2,4,5-T			<0.066	ug/L				
MRL_CHK	2,4,5-T		0.2	0.278	ug/L	139	(50-150)		
MS1_201907110503	2,4,5-T	ND	3	3.20	ug/L	107	(70-130)		
MSD1_201907110503	2,4,5-T	ND	3	3.29	ug/L	110	(70-130)	30	2.9
CCC3	2,4,5-TP (Silvex)		4	3.82	ug/L	95	(70-130)		
CCCH	2,4,5-TP (Silvex)		4	3.87	ug/L	97	(70-130)		
CCCM	2,4,5-TP (Silvex)		1	1.05	ug/L	105	(70-130)		
MBLK	2,4,5-TP (Silvex)			<0.066	ug/L				
MRL_CHK	2,4,5-TP (Silvex)		0.2	0.195	ug/L	97	(50-150)		
MS1_201907110503	2,4,5-TP (Silvex)	ND	3	3.37	ug/L	112	(70-130)		
MSD1_201907110503	2,4,5-TP (Silvex)	ND	3	3.27	ug/L	109	(70-130)	30	3.1
CCC3	2,4-D		2	2.03	ug/L	102	(70-130)		
CCCH	2,4-D		2	2.05	ug/L	103	(70-130)		
CCCM	2,4-D		0.5	0.549	ug/L	110	(70-130)		
MBLK	2,4-D			<0.033	ug/L				
MRL_CHK	2,4-D		0.1	0.110	ug/L	110	(50-150)		
MS1_201907110503	2,4-D	ND	1.5	1.96	ug/L	125	(70-130)		
MSD1_201907110503	2,4-D	ND	1.5	1.80	ug/L	115	(70-130)	30	8.2
CCC3	2,4-DB		40	39.6	ug/L	99	(70-130)		
CCCH	2,4-DB		40	39.3	ug/L	98	(70-130)		
CCCM	2,4-DB		10	10.3	ug/L	103	(70-130)		

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.

Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
MBLK	2,4-DB			<0.666	ug/L				
MRL_CHK	2,4-DB		2	1.58	ug/L	79	(50-150)		
MS1_201907110503	2,4-DB	ND	30	33.4	ug/L	111	(70-130)		
MSD1_201907110503	2,4-DB	ND	30	32.6	ug/L	109	(70-130)	30	2.4
CCC3	2,4-Dichlorophenyl acetic acid (S)		100	100	%	100	(70-130)		
CCCH	2,4-Dichlorophenyl acetic acid (S)		10	99.9	%	100	(70-130)		
CCCM	2,4-Dichlorophenyl acetic acid (S)		2.5	95.0	%	95	(70-130)		
MBLK	2,4-Dichlorophenyl acetic acid (S)			125	%	125	(70-130)		
MRL_CHK	2,4-Dichlorophenyl acetic acid (S)			109	%	109	(70-130)		
MS1_201907110503	2,4-Dichlorophenyl acetic acid (S)			117	%	117	(70-130)		
MSD1_201907110503	2,4-Dichlorophenyl acetic acid (S)			111	%	111	(70-130)		
CCC3	3,5-Dichlorobenzoic acid		10	9.83	ug/L	98	(70-130)		
CCCH	3,5-Dichlorobenzoic acid		10	9.95	ug/L	100	(70-130)		
CCCM	3,5-Dichlorobenzoic acid		2.5	2.37	ug/L	95	(70-130)		
MBLK	3,5-Dichlorobenzoic acid			<0.166	ug/L				
MRL_CHK	3,5-Dichlorobenzoic acid		0.5	0.430	ug/L	86	(50-150)		
MS1_201907110503	3,5-Dichlorobenzoic acid	ND	7.5	8.27	ug/L	110	(70-130)		
MSD1_201907110503	3,5-Dichlorobenzoic acid	ND	7.5	8.14	ug/L	109	(70-130)	30	1.6
CCC3	4,4-Dibromooctafluorobiphenyl (I)		100	102	%	102	(50-150)		
CCCH	4,4-Dibromooctafluorobiphenyl (I)			102	%	102	(50-150)		
CCCM	4,4-Dibromooctafluorobiphenyl (I)			102	%	102	(50-150)		
MBLK	4,4-Dibromooctafluorobiphenyl (I)			103	%	103	(50-150)		
MRL_CHK	4,4-Dibromooctafluorobiphenyl (I)		100	101	%	101	(50-150)		
MS1_201907110503	4,4-Dibromooctafluorobiphenyl (I)		100	92.1	%	92	(50-150)		
MSD1_201907110503	4,4-Dibromooctafluorobiphenyl (I)			91.9	%	92	(50-150)		
CCC3	Acifluorfen		4	4.07	ug/L	102	(70-130)		
CCCH	Acifluorfen		4	4.02	ug/L	100	(70-130)		
CCCM	Acifluorfen		1	1.06	ug/L	106	(70-130)		
MBLK	Acifluorfen			<0.066	ug/L				
MRL_CHK	Acifluorfen		0.2	0.234	ug/L	117	(50-150)		
MS1_201907110503	Acifluorfen	ND	3	3.25	ug/L	108	(70-130)		
MSD1_201907110503	Acifluorfen	ND	3	3.06	ug/L	101	(70-130)	30	6.1
CCC3	Bentazon		10	9.64	ug/L	96	(70-130)		
CCCH	Bentazon		10	9.58	ug/L	96	(70-130)		
CCCM	Bentazon		2.5	2.43	ug/L	97	(70-130)		
MBLK	Bentazon			<0.166	ug/L				
MRL_CHK	Bentazon		0.5	0.389	ug/L	78	(50-150)		
MS1_201907110503	Bentazon	ND	7.5	8.64	ug/L	115	(70-130)		

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.



Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

**Report:** 812008  
**Project:** BW  
**Group:** Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
MSD1_201907110503	Bentazon	ND	7.5	8.31	ug/L	111	(70-130)	30	3.9
CCC3	Dalapon		20	20.0	ug/L	100	(70-130)		
CCCH	Dalapon		20	20.4	ug/L	102	(70-130)		
CCCM	Dalapon		5	5.24	ug/L	105	(70-130)		
MBLK	Dalapon			<0.333	ug/L				
MRL_CHK	Dalapon		1	1.05	ug/L	105	(50-150)		
MS1_201907110503	Dalapon	ND	15	17.1	ug/L	114	(70-130)		
MSD1_201907110503	Dalapon	ND	15	16.0	ug/L	107	(70-130)	30	6.9
CCC3	Dicamba		2	1.95	ug/L	98	(70-130)		
CCCH	Dicamba		2	1.99	ug/L	99	(70-130)		
CCCM	Dicamba		0.5	0.480	ug/L	96	(70-130)		
MBLK	Dicamba			<0.033	ug/L				
MRL_CHK	Dicamba		0.1	0.136	ug/L	136	(50-150)		
MS1_201907110503	Dicamba	ND	1.5	1.46	ug/L	92	(70-130)		
MSD1_201907110503	Dicamba	ND	1.5	1.71	ug/L	108	(70-130)	30	16
CCC3	Dichlorprop		10	10.2	ug/L	102	(70-130)		
CCCH	Dichlorprop		10	10.3	ug/L	103	(70-130)		
CCCM	Dichlorprop		2.5	2.57	ug/L	103	(70-130)		
MBLK	Dichlorprop			<0.166	ug/L				
MRL_CHK	Dichlorprop		0.5	0.337	ug/L	67	(50-150)		
MS1_201907110503	Dichlorprop	ND	7.5	9.06	ug/L	121	(70-130)		
MSD1_201907110503	Dichlorprop	ND	7.5	8.29	ug/L	111	(70-130)	30	8.9
CCC3	Dinoseb		4	3.96	ug/L	99	(70-130)		
CCCH	Dinoseb		4	3.95	ug/L	99	(70-130)		
CCCM	Dinoseb		1	1.03	ug/L	103	(70-130)		
MBLK	Dinoseb			<0.066	ug/L				
MRL_CHK	Dinoseb		0.2	0.217	ug/L	108	(50-150)		
MS1_201907110503	Dinoseb	ND	3	3.14	ug/L	105	(70-130)		
MSD1_201907110503	Dinoseb	ND	3	3.07	ug/L	102	(70-130)	30	2.3
CCC3	Pentachlorophenol		0.8	0.819	ug/L	102	(70-130)		
CCCH	Pentachlorophenol		0.8	0.809	ug/L	101	(70-130)		
CCCM	Pentachlorophenol		0.2	0.228	ug/L	114	(70-130)		
MBLK	Pentachlorophenol			<0.013	ug/L				
MRL_CHK	Pentachlorophenol		0.04	0.0473	ug/L	118	(50-150)		
MS1_201907110503	Pentachlorophenol	ND	0.6	0.705	ug/L	117	(70-130)		
MSD1_201907110503	Pentachlorophenol	ND	0.6	0.709	ug/L	118	(70-130)	30	0.58
CCC3	Picloram		2	1.77	ug/L	88	(70-130)		
CCCH	Picloram		2	1.78	ug/L	89	(70-130)		

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.

Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
CCCM	Picloram		0.5	0.471	ug/L	94	(70-130)		
MBLK	Picloram			<0.033	ug/L				
MRL_CHK	Picloram		0.1	0.0707	ug/L	71	(50-150)		
MS1_201907110503	Picloram	ND	1.5	2.13	ug/L	<b>142</b>	(70-130)		
MSD1_201907110503	Picloram	ND	1.5	1.82	ug/L	122	(70-130)	30	16
CCC3	Tot DCPA Mono&Diacid Degradate		2	1.99	ug/L	100	(70-130)		
CCCH	Tot DCPA Mono&Diacid Degradate		2	2.01	ug/L	101	(70-130)		
CCCM	Tot DCPA Mono&Diacid Degradate		0.5	0.567	ug/L	113	(70-130)		
MBLK	Tot DCPA Mono&Diacid Degradate			<0.033	ug/L				
MRL_CHK	Tot DCPA Mono&Diacid Degradate		0.1	0.148	ug/L	148	(50-150)		
MS1_201907110503	Tot DCPA Mono&Diacid Degradate	ND	1.5	1.66	ug/L	110	(70-130)		
MSD1_201907110503	Tot DCPA Mono&Diacid Degradate	ND	1.5	1.45	ug/L	97	(70-130)	30	13

Organochlorine Pesticides/PCBs by EPA 505

Prep Batch: 1184697 Analytical Batch: 1186375

Analysis Date: 07/17/2019

CCCH	Alachlor (Alanex)		1	1.08	ug/L	108	(70-130)		
CCCH	Alachlor (Alanex)		1	1.08	ug/L	108	(70-130)		
MBLK	Alachlor (Alanex)			<0.1	ug/L				
MRL_CHK	Alachlor (Alanex)		0.1	0.0658	ug/L	66	(50-150)		
MS1_201907110497	Alachlor (Alanex)	ND	0.2	0.191	ug/L	96	(65-135)		
CCCH	Aldrin		0.1	0.101	ug/L	101	(70-130)		
CCCH	Aldrin		0.1	0.108	ug/L	108	(70-130)		
MBLK	Aldrin			<0.01	ug/L				
MRL_CHK	Aldrin		0.01	0.0102	ug/L	102	(50-150)		
MS1_201907110497	Aldrin	ND	0.02	0.0229	ug/L	108	(65-135)		
CCCH	Chlordane		0.5	0.555	ug/L	111	(70-130)		
LCS1	Chlordane		0.5	0.501	ug/L	100	(70-130)		
MBLK	Chlordane			<0.1	ug/L				
MRL_CHK	Chlordane		0.1	0.0990	ug/L	99	(50-150)		
MS1_201907110497	Chlordane	ND	0.5	0.535	ug/L	107	(65-135)		
CCCH	Dieldrin		0.1	0.105	ug/L	105	(70-130)		
CCCH	Dieldrin		0.1	0.102	ug/L	102	(70-130)		
MBLK	Dieldrin			<0.01	ug/L				
MRL_CHK	Dieldrin		0.01	0.0111	ug/L	111	(50-150)		
MS1_201907110497	Dieldrin	ND	0.02	0.0212	ug/L	104	(65-135)		
CCCH	Endrin		0.1	0.101	ug/L	101	(70-130)		
CCCH	Endrin		0.1	0.102	ug/L	102	(70-130)		
MBLK	Endrin			<0.01	ug/L				
MRL_CHK	Endrin		0.01	0.00850	ug/L	85	(50-150)		

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.

Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
MS1_201907110497	Endrin	ND	0.02	0.0187	ug/L	94	(65-135)		
CCCH	Heptachlor		0.1	0.108	ug/L	108	(70-130)		
CCCH	Heptachlor		0.1	0.103	ug/L	103	(70-130)		
MBLK	Heptachlor			<0.01	ug/L				
MRL_CHK	Heptachlor		0.01	0.00850	ug/L	85	(50-150)		
MS1_201907110497	Heptachlor	ND	0.02	0.0205	ug/L	102	(65-135)		
CCCH	Heptachlor Epoxide		0.1	0.103	ug/L	103	(70-130)		
CCCH	Heptachlor Epoxide		0.1	0.104	ug/L	104	(70-130)		
MBLK	Heptachlor Epoxide			<0.01	ug/L				
MRL_CHK	Heptachlor Epoxide		0.01	0.00750	ug/L	75	(50-150)		
MS1_201907110497	Heptachlor Epoxide	ND	0.02	0.0205	ug/L	102	(65-135)		
CCCH	Lindane (gamma-BHC)		0.1	0.103	ug/L	103	(70-130)		
CCCH	Lindane (gamma-BHC)		0.1	0.101	ug/L	101	(70-130)		
MBLK	Lindane (gamma-BHC)			<0.01	ug/L				
MRL_CHK	Lindane (gamma-BHC)		0.01	0.0104	ug/L	104	(50-150)		
MS1_201907110497	Lindane (gamma-BHC)	ND	0.02	0.0204	ug/L	102	(65-135)		
CCCH	Methoxychlor		0.5	0.488	ug/L	98	(70-130)		
CCCH	Methoxychlor		0.5	0.487	ug/L	97	(70-130)		
MBLK	Methoxychlor			<0.05	ug/L				
MRL_CHK	Methoxychlor		0.05	0.0547	ug/L	109	(50-150)		
MS1_201907110497	Methoxychlor	ND	0.1	0.106	ug/L	106	(65-135)		
MBLK	PCB 1016 Aroclor			<0.08	ug/L				
MBLK	PCB 1221 Aroclor			<0.1	ug/L				
MBLK	PCB 1232 Aroclor			<0.1	ug/L				
MBLK	PCB 1242 Aroclor			<0.1	ug/L				
MBLK	PCB 1248 Aroclor			<0.1	ug/L				
MBLK	PCB 1254 Aroclor			<0.1	ug/L				
MBLK	PCB 1260 Aroclor			<0.1	ug/L				
MBLK	Toxaphene			<0.5	ug/L				

Gross Alpha/Beta Radiation by EPA 900.0

Analytical Batch: 1187151

Analysis Date: 07/23/2019

DUP1_201906210096	Alpha, Gross	ND		ND	pCi/L		(0-20)		
DUP2_201906250289	Alpha, Gross	ND		ND	pCi/L		(0-20)		
LCS1	Alpha, Gross		31	32.9	pCi/L	106	(80-120)		
LCS2	Alpha, Gross		31	29.2	pCi/L	94	(80-120)	20	12
MBLK	Alpha, Gross			<3	pCi/L				
MS_201907090210	Alpha, Gross	ND	31	28.6	pCi/L	91	(70-130)		

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.

Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
DUP1_201906210096	Beta, Gross	ND		ND	pCi/L		(0-20)		
DUP2_201906250289	Beta, Gross	ND		ND	pCi/L		(0-20)		
LCS1	Beta, Gross		31	29.9	pCi/L	96	(80-120)		
LCS2	Beta, Gross		31	31.9	pCi/L	102	(80-120)	20	6.5
MBLK	Beta, Gross			<3	pCi/L				
MS_201907090210	Beta, Gross	ND	31	32.6	pCi/L	104	(70-130)		

**Radium 228 by RA-228 GA**

Analytical Batch: 1187488

Analysis Date: 08/01/2019

LCS1	Radium 228		9.9	11.2	pCi/L	113	(80-120)		
LCS2	Radium 228		9.9	12.0	pCi/L	<u>122</u>	(80-120)	20	6.9
MBLK	Radium 228			<1	pCi/L				
MS_201907160512	Radium 228	ND	9.9	10.1	pCi/L	102	(70-130)		

**Radium 226 by Ra-226 GA**

Analytical Batch: 1187489

Analysis Date: 08/01/2019

LCS1	Radium 226		12	12.0	pCi/L	100	(80-120)		
LCS2	Radium 226		12	12.9	pCi/L	108	(80-120)	20	7.2
MBLK	Radium 226			<1	pCi/L				
MS_201907160511	Radium 226	ND	12	11.4	pCi/L	95	(70-130)		

**Haloacetic Acids by SM 6251B**

Prep Batch: 1186154 Analytical Batch: 1188864

Analysis Date: 07/30/2019

CCCH	1,2,3-Trichloropropane (I)		100	94.8	%	95	(80-120)		
CCCM	1,2,3-Trichloropropane (I)		100	94.8	%	95	(80-130)		
DUP2_201907150245	1,2,3-Trichloropropane (I)			107	%	107	(80-120)		
DUP2_201907150251	1,2,3-Trichloropropane (I)			102	%	102	(80-120)		
MBLK	1,2,3-Trichloropropane (I)			99.6	%	100	(80-120)		
MRL_CHK	1,2,3-Trichloropropane (I)		100	100	%	100	(80-120)		
MS1_201907150240	1,2,3-Trichloropropane (I)		100	102	%	102	(80-120)		
MS2_201907100410	1,2,3-Trichloropropane (I)			98.1	%	98	(80-120)		
CCCH	2,3-Dibromopropionic acid (S)		100	97.8	%	98	(70-130)		
CCCM	2,3-Dibromopropionic acid (S)		100	102	%	102	(70-130)		
DUP2_201907150251	2,3-Dibromopropionic acid (S)			126	%	126	(70-130)		
DUP2_201907150245	2,3-Dibromopropionic acid (S)			113	%	113	(70-130)		
MBLK	2,3-Dibromopropionic acid (S)			76.6	%	77	(70-130)		
MRL_CHK	2,3-Dibromopropionic acid (S)		100	86.1	%	86	(70-130)		
MS1_201907150240	2,3-Dibromopropionic acid (S)		100	115	%	115	(70-130)		
MS2_201907100410	2,3-Dibromopropionic acid (S)			93.1	%	93	(70-130)		

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.

Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
CCCH	Bromochloroacetic acid		32	33.3	ug/L	104	(85-115)		
CCCM	Bromochloroacetic acid		20	22.0	ug/L	110	(85-115)		
DUP2_201907150251	Bromochloroacetic acid	5.4		5.55	ug/L		(0-20)	20	2.1
DUP2_201907150245	Bromochloroacetic acid	3.1		3.09	ug/L		(0-20)	20	0.84
MBLK	Bromochloroacetic acid			<1	ug/L				
MRL_CHK	Bromochloroacetic acid		1	0.958	ug/L	96	(50-150)		
MS1_201907150240	Bromochloroacetic acid	2.2	20	23.7	ug/L	108	(84-123)		
MS2_201907100410	Bromochloroacetic acid	ND	32	33.9	ug/L	106	(84-123)		
CCCH	Dibromoacetic acid		32	34.2	ug/L	107	(85-115)		
CCCM	Dibromoacetic acid		20	22.4	ug/L	112	(85-115)		
DUP2_201907150251	Dibromoacetic acid	5.8		6.03	ug/L		(0-20)	20	3.2
DUP2_201907150245	Dibromoacetic acid	1.2		1.23	ug/L		(0-20)		
MBLK	Dibromoacetic acid			<1	ug/L				
MRL_CHK	Dibromoacetic acid		1	1.22	ug/L	123	(50-150)		
MS1_201907150240	Dibromoacetic acid	4.7	20	26.3	ug/L	108	(84-122)		
MS2_201907100410	Dibromoacetic acid	ND	32	34.8	ug/L	108	(84-122)		
CCCH	Dichloroacetic acid		32	33.0	ug/L	103	(85-115)		
CCCM	Dichloroacetic acid		20	20.8	ug/L	104	(85-115)		
DUP2_201907150251	Dichloroacetic acid	2.8		2.74	ug/L		(0-20)		
DUP2_201907150245	Dichloroacetic acid	5.5		5.60	ug/L		(0-20)	20	1.8
MBLK	Dichloroacetic acid			<1	ug/L				
MRL_CHK	Dichloroacetic acid		1	1.30	ug/L	130	(50-150)		
MS1_201907150240	Dichloroacetic acid	ND	20	20.6	ug/L	100	(79-123)		
MS2_201907100410	Dichloroacetic acid	ND	32	33.7	ug/L	104	(79-123)		
CCCH	Monobromoacetic acid		32	28.5	ug/L	89	(85-115)		
CCCM	Monobromoacetic acid		20	20.2	ug/L	101	(85-115)		
DUP2_201907150245	Monobromoacetic acid	ND		ND	ug/L		(0-20)		
DUP2_201907150251	Monobromoacetic acid	ND		ND	ug/L		(0-20)		
MBLK	Monobromoacetic acid			<1	ug/L				
MRL_CHK	Monobromoacetic acid		1	1.22	ug/L	122	(50-150)		
MS1_201907150240	Monobromoacetic acid	ND	20	18.6	ug/L	89	(81-122)		
MS2_201907100410	Monobromoacetic acid	ND	32	33.1	ug/L	103	(81-122)		
CCCH	Monochloroacetic acid		32	32.0	ug/L	100	(85-115)		
CCCM	Monochloroacetic acid		20	22.8	ug/L	114	(85-115)		
DUP2_201907150251	Monochloroacetic acid	ND		ND	ug/L		(0-20)		
DUP2_201907150245	Monochloroacetic acid	ND		ND	ug/L		(0-20)		
MBLK	Monochloroacetic acid			<2	ug/L				
MRL_CHK	Monochloroacetic acid		2	1.32	ug/L	66	(50-150)		

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.

Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

Report: 812008  
 Project: BW  
 Group: Finished Product

Tribeca Beverage, LLC

QC Type	Analyte	Native	Spiked	Recovered	Units	Yield (%)	Limits (%)	RPDLimit (%)	RPD%
MS1_201907150240	Monochloroacetic acid	ND	20	19.1	ug/L	96	(72-126)		
MS2_201907100410	Monochloroacetic acid	ND	32	33.3	ug/L	104	(72-126)		
CCCH	Trichloroacetic acid		32	33.6	ug/L	105	(85-115)		
CCCM	Trichloroacetic acid		20	20.9	ug/L	105	(85-115)		
DUP2_201907150251	Trichloroacetic acid	2.0		2.02	ug/L		(0-20)		
DUP2_201907150245	Trichloroacetic acid	4.7		4.81	ug/L		(0-20)	20	1.7
MBLK	Trichloroacetic acid			<1	ug/L				
MRL_CHK	Trichloroacetic acid		1	0.846	ug/L	85	(50-150)		
MS1_201907150240	Trichloroacetic acid	ND	20	21.2	ug/L	106	(82-124)		
MS2_201907100410	Trichloroacetic acid	ND	32	34.2	ug/L	107	(82-124)		

Spike recovery is already corrected for native results.

Spikes which exceed Limits and Method Blanks with positive results are highlighted by Underlining.

Criteria for MS and Dup are advisory only, batch control is based on LCS. Criteria for duplicates are advisory only, unless otherwise specified in the method.

RPD not calculated for LCS2 when different a concentration than LCS1 is used.

RPD not calculated for Duplicates when the result is not five times the MRL (Minimum Reporting Level).

(S) - Indicates surrogate compound.

(I) - Indicates internal standard compound.