

Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Report: 993452
 Project: BW
 Group: Finished Product

Tribeca Beverage, LLC
 Mark Zonin
 185 Lackawanna Ave
 Woodland Park, NJ 07424

Samples Received on:
 03/16/2022 19:15

| Prepped | Analyzed | Prep Batch | Analytical Batch | Method | Analyte | Result | Units | MRL | Dilution |
|---|----------------|------------|------------------|-------------|--|--------|--------|-------|----------|
| 03/15 09:01 BL-1 5gallon (202203170144) | | | | | Sampled on 05/17/2022 1236 | | | | |
| EPA 200.8 - ICPMS Metals | | | | | | | | | |
| 05/18/22 | 05/23/22 13:37 | 1407243 | 1407882 | (EPA 200.8) | Aluminum Total ICAP/MS | ND | ug/L | 20 | 1 |
| 05/18/22 | 05/23/22 13:37 | 1407243 | 1407882 | (EPA 200.8) | Antimony Total ICAP/MS | ND | ug/L | 1.0 | 1 |
| 05/18/22 | 05/23/22 13:37 | 1407243 | 1407882 | (EPA 200.8) | Arsenic Total ICAP/MS | ND | ug/L | 1.0 | 1 |
| 05/18/22 | 05/23/22 13:37 | 1407243 | 1407882 | (EPA 200.8) | Barium Total ICAP/MS | ND | ug/L | 2.0 | 1 |
| 05/18/22 | 05/23/22 13:37 | 1407243 | 1407882 | (EPA 200.8) | Beryllium Total ICAP/MS | ND | ug/L | 1.0 | 1 |
| 05/18/22 | 05/23/22 13:37 | 1407243 | 1407882 | (EPA 200.8) | Cadmium Total ICAP/MS | ND | ug/L | 0.50 | 1 |
| 05/18/22 | 05/23/22 13:37 | 1407243 | 1407882 | (EPA 200.8) | Chromium Total ICAP/MS | ND | ug/L | 1.0 | 1 |
| 05/18/22 | 05/23/22 13:37 | 1407243 | 1407882 | (EPA 200.8) | Copper Total ICAP/MS | ND | ug/L | 2.0 | 1 |
| 05/18/22 | 05/23/22 13:37 | 1407243 | 1407882 | (EPA 200.8) | Lead Total ICAP/MS | ND | ug/L | 0.50 | 1 |
| 05/18/22 | 05/23/22 13:37 | 1407243 | 1407882 | (EPA 200.8) | Manganese Total ICAP/MS | ND | ug/L | 2.0 | 1 |
| 05/18/22 | 05/23/22 13:37 | 1407243 | 1407882 | (EPA 200.8) | Nickel Total ICAP/MS | ND | ug/L | 5.0 | 1 |
| 05/18/22 | 05/23/22 13:37 | 1407243 | 1407882 | (EPA 200.8) | Selenium Total ICAP/MS | ND | ug/L | 5.0 | 1 |
| 05/18/22 | 05/23/22 13:37 | 1407243 | 1407882 | (EPA 200.8) | Silver Total ICAP/MS | ND | ug/L | 0.50 | 1 |
| 05/18/22 | 05/23/22 13:37 | 1407243 | 1407882 | (EPA 200.8) | Thallium Total ICAP/MS | ND | ug/L | 1.0 | 1 |
| 05/18/22 | 05/23/22 13:37 | 1407243 | 1407882 | (EPA 200.8) | Uranium ICAP/MS | ND | ug/L | 1.0 | 1 |
| 05/18/22 | 05/23/22 13:37 | 1407243 | 1407882 | (EPA 200.8) | Zinc Total ICAP/MS | ND | ug/L | 20 | 1 |
| EPA 200.7 - ICP Metals | | | | | | | | | |
| 05/18/22 | 05/19/22 12:31 | 1407243 | 1407369 | (EPA 200.7) | Calcium Total ICAP | 3.2 | mg/L | 1.0 | 1 |
| 05/18/22 | 05/19/22 12:31 | 1407243 | 1407369 | (EPA 200.7) | Iron Total ICAP | ND | mg/L | 0.010 | 1 |
| 05/18/22 | 05/19/22 12:31 | 1407243 | 1407369 | (EPA 200.7) | Magnesium Total ICAP | 2.5 | mg/L | 0.10 | 1 |
| 05/18/22 | 05/19/22 12:31 | 1407243 | 1407369 | (EPA 200.7) | Potassium Total ICAP | ND | mg/L | 1.0 | 1 |
| 05/18/22 | 05/19/22 12:31 | 1407243 | 1407369 | (EPA 200.7) | Sodium Total ICAP | 1.1 | mg/L | 1.0 | 1 |
| EPA 200.8 - Mercury ICPMS | | | | | | | | | |
| 05/18/22 | 05/23/22 13:37 | 1407243 | 1407885 | (EPA 200.8) | Mercury ICPMS | ND | ug/L | 0.20 | 1 |
| SM 9215B - Heterotrophic Plate Count | | | | | | | | | |
| 05/17/22 | 05/20/22 17:11 | 1407713 | 1408102 | (SM 9215B) | Heterotrophic Plate Count | 5 | CFU/ml | 1.0 | 1 |
| EPA 100.2 - Asbestos by TEM - >10 microns | | | | | | | | | |
| 05/17/22 | : | 1407128 | | (EPA 100.2) | Asbestos by TEM - >10 microns | | MFL | | 1 |
| SM 9223B - Quantitray Coliforms 18 Hour | | | | | | | | | |
| 05/17/22 | 05/18/22 13:41 | 1407198 | 1412977 | (SM 9223B) | 18 Hour E. Coli Confirmed (Large Wells) | ND | PW | 1.0 | 1 |
| 05/17/22 | 05/18/22 13:41 | 1407198 | 1412977 | (SM 9223B) | 18 Hour E. Coli Confirmed (Small Wells) | ND | PW | 1.0 | 1 |
| 05/17/22 | 05/18/22 13:41 | 1407198 | 1412977 | (SM 9223B) | 18 Hour Total Coliform Confm (Large Wells) | ND | PW | 1.0 | 1 |
| 05/17/22 | 05/18/22 13:41 | 1407198 | 1412977 | (SM 9223B) | 18 Hour Total Coliform Confm (Small Wells) | ND | PW | 1.0 | 1 |

Rounding on totals after summation.
 (c) - indicates calculated results. Analysis is a calculated result. Reported results are not rounded until the final step before reporting. Therefore methods that use a test result with further calculation may have slight differences in final result than the component analyses.

Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Report: 993452
 Project: BW
 Group: Finished Product

Tribeca Beverage, LLC
 Mark Zonin
 185 Lackawanna Ave
 Woodland Park, NJ 07424

Samples Received on:
 03/16/2022 19:15

| Prepped | Analyzed | Prep Batch | Analytical Batch | Method | Analyte | Result | Units | MRL | Dilution |
|--|----------------|------------|------------------|----------------|---------------------------------------|-----------|------------|--------|----------|
| 05/17/22 | 05/18/22 13:41 | 1407198 | 1412977 | (SM 9223B) | E. Coli Bacteria (P/A) | A | PA | | 1 |
| 05/17/22 | 05/18/22 13:41 | 1407198 | 1412977 | (SM 9223B) | Total Coliform Bacteria (P/A) | A | PA | | 1 |
| 05/17/22 | 05/18/22 13:41 | 1407198 | 1412977 | (SM 9223B) | E. Coli Bacteria | <1 | MPN/100 mL | 1.0 | 1 |
| 05/17/22 | 05/18/22 13:41 | 1407198 | 1412977 | (SM 9223B) | Total Coliform Bacteria | <1 | MPN/100 mL | 1.0 | 1 |
| SM2330B - Hydroxide as OH, Calculated | | | | | | | | | |
| | 05/28/22 12:28 | | | (SM2330B) | Hydroxide as OH Calculated | ND (c) | mg/L | 2.0 | 1 |
| EPA 200.8 - Uranium by ICPMS as pCi/L | | | | | | | | | |
| | 05/24/22 11:45 | | | (EPA 200.8) | Uranium by ICPMS as pCi/L | ND (c) | pCi/L | 0.70 | 1 |
| SM4500-CO2-D - Carbon Dioxide,Free(25C)-Calc. | | | | | | | | | |
| | 05/28/22 12:28 | | | (SM4500-CO2-D) | Carbon Dioxide,Free(25C)-Calc. | ND (c) | mg/L | 2.0 | 1 |
| SM 2330B - Langelier Index - 25 degree | | | | | | | | | |
| | 05/28/22 12:28 | | | (SM 2330B) | Langelier Index - 25 degree | -0.25 (c) | None | -14 | 1 |
| SM2330B - Carbonate as CO3, Calculated | | | | | | | | | |
| | 05/28/22 12:32 | | | (SM2330B) | Carbonate as CO3, Calculated | 2.9 (c) | mg/L | 2.0 | 1 |
| SM 2340B - Total Hardness as CaCO3 by ICP | | | | | | | | | |
| | 05/19/22 13:08 | | | (SM 2340B) | Total Hardness as CaCO3 by ICP (calc) | 18 (c) | mg/L | 3.0 | 1 |
| SM 1030E - Anion Sum - Calculated | | | | | | | | | |
| | 05/28/22 11:19 | | | (SM 1030E) | Anion Sum - Calculated | 0.38 (c) | meq/L | 0.0010 | 1 |
| SM 1030E - Cation Sum - Calculated | | | | | | | | | |
| | 05/19/22 13:08 | | | (SM 1030E) | Cation Sum - Calculated | 0.41 (c) | meq/L | 0.0010 | 1 |
| SM2330B - Bicarb.Alkalinity as HCO3,calc | | | | | | | | | |
| | 05/28/22 12:28 | | | (SM2330B) | Bicarb.Alkalinity as HCO3calc | 18 (c) | mg/L | 2.0 | 1 |
| EPA 505 - Organochlorine Pesticides/PCBs | | | | | | | | | |
| 05/20/22 | 05/21/22 19:10 | 1408007 | 1408129 | (EPA 505) | Alachlor (Alanex) | ND | ug/L | 0.10 | 1 |
| 05/20/22 | 05/21/22 19:10 | 1408007 | 1408129 | (EPA 505) | Aldrin | ND | ug/L | 0.010 | 1 |
| 05/20/22 | 05/21/22 19:10 | 1408007 | 1408129 | (EPA 505) | Chlordane | ND | ug/L | 0.10 | 1 |
| 05/20/22 | 05/21/22 19:10 | 1408007 | 1408129 | (EPA 505) | Dieldrin | ND | ug/L | 0.0100 | 1 |
| 05/20/22 | 05/21/22 19:10 | 1408007 | 1408129 | (EPA 505) | Endrin | ND | ug/L | 0.010 | 1 |
| 05/20/22 | 05/21/22 19:10 | 1408007 | 1408129 | (EPA 505) | Heptachlor | ND | ug/L | 0.010 | 1 |
| 05/20/22 | 05/21/22 19:10 | 1408007 | 1408129 | (EPA 505) | Heptachlor Epoxide | ND | ug/L | 0.010 | 1 |
| 05/20/22 | 05/21/22 19:10 | 1408007 | 1408129 | (EPA 505) | Lindane (gamma-BHC) | ND | ug/L | 0.010 | 1 |
| 05/20/22 | 05/21/22 19:10 | 1408007 | 1408129 | (EPA 505) | Methoxychlor | ND | ug/L | 0.050 | 1 |
| 05/20/22 | 05/21/22 19:10 | 1408007 | 1408129 | (EPA 505) | PCB 1016 Aroclor | ND | ug/L | 0.080 | 1 |
| 05/20/22 | 05/21/22 19:10 | 1408007 | 1408129 | (EPA 505) | PCB 1221 Aroclor | ND | ug/L | 0.10 | 1 |
| 05/20/22 | 05/21/22 19:10 | 1408007 | 1408129 | (EPA 505) | PCB 1232 Aroclor | ND | ug/L | 0.10 | 1 |
| 05/20/22 | 05/21/22 19:10 | 1408007 | 1408129 | (EPA 505) | PCB 1242 Aroclor | ND | ug/L | 0.10 | 1 |
| 05/20/22 | 05/21/22 19:10 | 1408007 | 1408129 | (EPA 505) | PCB 1248 Aroclor | ND | ug/L | 0.10 | 1 |
| 05/20/22 | 05/21/22 19:10 | 1408007 | 1408129 | (EPA 505) | PCB 1254 Aroclor | ND | ug/L | 0.10 | 1 |

Rounding on totals after summation.
 (c) - indicates calculated results. Analysis is a calculated result. Reported results are not rounded until the final step before reporting. Therefore methods that use a test result with further calculation may have slight differences in final result than the component analyses.

Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Report: 993452
 Project: BW
 Group: Finished Product

Tribeca Beverage, LLC
 Mark Zonin
 185 Lackawanna Ave
 Woodland Park, NJ 07424

Samples Received on:
 03/16/2022 19:15

| Prepped | Analyzed | Prep Batch | Analytical Batch | Method | Analyte | Result | Units | MRL | Dilution |
|---|----------------|------------|------------------|-------------|--------------------------------|--------|-------|-------|----------|
| 05/20/22 | 05/21/22 19:10 | 1408007 | 1408129 | (EPA 505) | PCB 1260 Aroclor | ND | ug/L | 0.10 | 1 |
| 05/20/22 | 05/21/22 19:10 | 1408007 | 1408129 | (EPA 505) | Total PCBs | ND | ug/L | 0.10 | 1 |
| 05/20/22 | 05/21/22 19:10 | 1408007 | 1408129 | (EPA 505) | Toxaphene | ND | ug/L | 0.50 | 1 |
| 05/20/22 | 05/21/22 19:10 | 1408007 | 1408129 | (EPA 505) | Tetrachlorometaxylene | 86 | % | | 1 |
| EPA 515.4 - Chlorophenoxy Herbicides | | | | | | | | | |
| 05/26/22 | 05/28/22 05:44 | 1409016 | 1409017 | (EPA 515.4) | 2,4,5-T | ND | ug/L | 0.20 | 1 |
| 05/26/22 | 05/28/22 05:44 | 1409016 | 1409017 | (EPA 515.4) | 2,4,5-TP (Silvex) | ND | ug/L | 0.20 | 1 |
| 05/26/22 | 05/28/22 05:44 | 1409016 | 1409017 | (EPA 515.4) | 2,4-D | ND | ug/L | 0.10 | 1 |
| 05/26/22 | 05/28/22 05:44 | 1409016 | 1409017 | (EPA 515.4) | 2,4-DB | ND | ug/L | 2.0 | 1 |
| 05/26/22 | 05/28/22 05:44 | 1409016 | 1409017 | (EPA 515.4) | 3,5-Dichlorobenzoic acid | ND | ug/L | 0.50 | 1 |
| 05/26/22 | 05/28/22 05:44 | 1409016 | 1409017 | (EPA 515.4) | Acifluorfen | ND | ug/L | 0.20 | 1 |
| 05/26/22 | 05/28/22 05:44 | 1409016 | 1409017 | (EPA 515.4) | Bentazon | ND | ug/L | 0.50 | 1 |
| 05/26/22 | 05/28/22 05:44 | 1409016 | 1409017 | (EPA 515.4) | Dalapon | ND | ug/L | 1.0 | 1 |
| 05/26/22 | 05/28/22 05:44 | 1409016 | 1409017 | (EPA 515.4) | Dicamba | ND | ug/L | 0.10 | 1 |
| 05/26/22 | 05/28/22 05:44 | 1409016 | 1409017 | (EPA 515.4) | Dichlorprop | ND | ug/L | 0.50 | 1 |
| 05/26/22 | 05/28/22 05:44 | 1409016 | 1409017 | (EPA 515.4) | Dinoseb | ND | ug/L | 0.20 | 1 |
| 05/26/22 | 05/28/22 05:44 | 1409016 | 1409017 | (EPA 515.4) | Pentachlorophenol | ND | ug/L | 0.040 | 1 |
| 05/26/22 | 05/28/22 05:44 | 1409016 | 1409017 | (EPA 515.4) | Picloram | ND | ug/L | 0.10 | 1 |
| 05/26/22 | 05/28/22 05:44 | 1409016 | 1409017 | (EPA 515.4) | Tot DCPA Mono&Diacid Degradate | ND | ug/L | 0.10 | 1 |
| 05/26/22 | 05/28/22 05:44 | 1409016 | 1409017 | (EPA 515.4) | 2,4-Dichlorophenyl acetic acid | 103 | % | | 1 |
| 05/26/22 | 05/28/22 05:44 | 1409016 | 1409017 | (EPA 515.4) | 4,4-Dibromooctafluorobiphenyl | 90 | % | | 1 |
| SM 6251B - Haloacetic Acids | | | | | | | | | |
| 05/25/22 | 05/27/22 04:51 | 1408546 | 1408993 | (SM 6251B) | Monochloroacetic acid | NA | ug/L | 2.0 | 1 |
| EPA 504.1 - EPA Method 504.1 | | | | | | | | | |
| 05/23/22 | 05/24/22 06:32 | 1408193 | 1408559 | (EPA 504.1) | 1,2,3-Trichloropropane | ND | ug/L | 0.020 | 1 |
| 05/23/22 | 05/24/22 06:32 | 1408193 | 1408559 | (EPA 504.1) | 1,2-Dibromo-3-chloropropane | ND | ug/L | 0.010 | 1 |
| 05/23/22 | 05/24/22 06:32 | 1408193 | 1408559 | (EPA 504.1) | 1,2-Dibromoethane | ND | ug/L | 0.010 | 1 |
| 05/23/22 | 05/24/22 06:32 | 1408193 | 1408559 | (EPA 504.1) | 1,2-Dibromopropane | 102 | % | | 1 |
| EPA 525.2 - Semivolatiles by GCMS | | | | | | | | | |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | 4,4-DDD | ND | ug/L | 0.10 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | 4,4-DDE | ND | ug/L | 0.10 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | 4,4-DDT | ND | ug/L | 0.10 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Acetochlor | ND | ug/L | 0.10 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Alachlor | ND | ug/L | 0.050 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | alpha-Chlordane | ND | ug/L | 0.050 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Anthracene | ND | ug/L | 0.020 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Benz(a)Anthracene | ND | ug/L | 0.050 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Benzo(a)pyrene | ND | ug/L | 0.020 | 1 |

Rounding on totals after summation.

(c) - indicates calculated results. Analysis is a calculated result. Reported results are not rounded until the final step before reporting. Therefore methods that use a test result with further calculation may have slight differences in final result than the component analyses.

Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Report: 993452
 Project: BW
 Group: Finished Product

Tribeca Beverage, LLC
 Mark Zonin
 185 Lackawanna Ave
 Woodland Park, NJ 07424

Samples Received on:
 03/16/2022 19:15

| Prepped | Analyzed | Prep Batch | Analytical Batch | Method | Analyte | Result | Units | MRL | Dilution |
|----------|----------------|------------|------------------|-------------|--------------------------------|---------|-------|-------|----------|
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Benzo(b)Fluoranthene | ND | ug/L | 0.020 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Benzo(g,h,i)Perylene | ND (R7) | ug/L | 0.050 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Benzo(k)Fluoranthene | ND | ug/L | 0.020 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Bromacil | ND (LK) | ug/L | 0.10 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Butachlor | ND | ug/L | 0.050 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Butylbenzylphthalate | ND (BM) | ug/L | 0.50 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Caffeine by method 525mod | ND | ug/L | 0.050 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Chlorobenzilate | ND | ug/L | 0.10 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Chlorothalonil(Draconil,Bravo) | ND (LK) | ug/L | 0.10 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Chlorpyrifos (Dursban) | ND | ug/L | 0.050 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Chrysene | ND | ug/L | 0.020 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Delta-BHC | ND | ug/L | 0.10 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Di-(2-Ethylhexyl)adipate | ND | ug/L | 0.60 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Di(2-Ethylhexyl)phthalate | ND | ug/L | 0.60 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Dibenz(a,h)Anthracene | ND (R7) | ug/L | 0.050 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Dieldrin | ND | ug/L | 0.20 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Di-n-Butylphthalate | ND | ug/L | 1.0 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Di-N-octylphthalate | ND | ug/L | 0.10 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Endosulfan I (Alpha) | ND | ug/L | 0.10 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Endosulfan II (Beta) | ND | ug/L | 0.10 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Endosulfan Sulfate | ND (LK) | ug/L | 0.10 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Endrin | ND | ug/L | 0.10 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Endrin Aldehyde | ND | ug/L | 0.10 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Fluoranthene | ND | ug/L | 0.10 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | gamma-Chlordane | ND | ug/L | 0.050 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Heptachlor | ND | ug/L | 0.040 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Heptachlor Epoxide (isomer B) | ND | ug/L | 0.050 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Indeno(1,2,3,c,d)Pyrene | ND | ug/L | 0.050 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Malathion | ND | ug/L | 0.10 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Methoxychlor | ND | ug/L | 0.10 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Metolachlor | ND | ug/L | 0.050 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Metribuzin | ND | ug/L | 0.050 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Parathion | ND | ug/L | 0.10 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Pendimethalin | ND | ug/L | 0.10 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Permethrin (mixed isomers) | ND | ug/L | 0.20 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Phenanthrene | ND | ug/L | 0.040 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Pyrene | ND | ug/L | 0.050 | 1 |

Rounding on totals after summation.
 (c) - indicates calculated results. Analysis is a calculated result. Reported results are not rounded until the final step before reporting. Therefore methods that use a test result with further calculation may have slight differences in final result than the component analyses.

Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Report: 993452
 Project: BW
 Group: Finished Product

Tribeca Beverage, LLC
 Mark Zonin
 185 Lackawanna Ave
 Woodland Park, NJ 07424

Samples Received on:
 03/16/2022 19:15

| Prepped | Analyzed | Prep Batch | Analytical Batch | Method | Analyte | Result | Units | MRL | Dilution |
|--|----------------|------------|------------------|-------------|--|--------|-------|-------|----------|
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Terbacil | ND | ug/L | 0.10 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Thiobencarb (ELAP) | ND | ug/L | 0.20 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | trans-Nonachlor | ND | ug/L | 0.050 | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | 1,3-Dimethyl-2-nitrobenzene | 25500 | % | | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Acenaphthene-d10 | 0.2 | % | | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Chrysene-d12 | 71 | % | | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Perylene-d12 | 88 | % | | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Phenanthrene-d10 | 62 | % | | 1 |
| 05/25/22 | 06/02/22 12:44 | 1408739 | 1410706 | (EPA 525.2) | Triphenylphosphate | 128 | % | | 1 |
| EPA 548.1 - Endothall | | | | | | | | | |
| 05/19/22 | 05/27/22 8:23 | 1407549 | 1407809 | (EPA 548.1) | Endothall | ND | ug/L | 5.0 | 1 |
| EPA 522 - 1,4-Dioxane | | | | | | | | | |
| 05/19/22 | 05/19/22 15:52 | 1407355 | 1407483 | (EPA 522) | 1,4-Dioxane | ND | ug/L | 1.0 | 1 |
| 05/19/22 | 05/19/22 15:52 | 1407355 | 1407483 | (EPA 522) | Dioxane-d8 | 84 | % | | 1 |
| EPA 1613B - 2,3,7,8-TCDD_Dioxin | | | | | | | | | |
| 05/24/22 | 05/26/22 11:27 | 1407522 | 1409003 | (EPA 1613B) | 2,3,7,8-TCDD | ND | pg/L | 5.00 | 1 |
| 05/24/22 | 05/26/22 11:27 | 1407522 | 1409003 | (EPA 1613B) | C12-2,3,7,8-TCDD | 64 | % | | 1 |
| EPA 547 - Glyphosate | | | | | | | | | |
| | 05/19/22 19:17 | | 1407227 | (EPA 547) | Glyphosate | ND | ug/L | 6.0 | 1 |
| EPA 531.2 - Aldicarbs | | | | | | | | | |
| | 05/21/22 07:04 | | 1407826 | (EPA 531.2) | 3-Hydroxycarbofuran | ND | ug/L | 0.50 | 1 |
| | 05/21/22 07:04 | | 1407826 | (EPA 531.2) | Aldicarb (Temik) | ND | ug/L | 0.50 | 1 |
| | 05/21/22 07:04 | | 1407826 | (EPA 531.2) | Aldicarb sulfone | ND | ug/L | 0.50 | 1 |
| | 05/21/22 07:04 | | 1407826 | (EPA 531.2) | Aldicarb sulfoxide | ND | ug/L | 0.50 | 1 |
| | 05/21/22 07:04 | | 1407826 | (EPA 531.2) | Baygon | ND | ug/L | 0.50 | 1 |
| | 05/21/22 07:04 | | 1407826 | (EPA 531.2) | Carbaryl | ND | ug/L | 0.50 | 1 |
| | 05/21/22 07:04 | | 1407826 | (EPA 531.2) | Carbofuran (Furadan) | ND | ug/L | 0.50 | 1 |
| | 05/21/22 07:04 | | 1407826 | (EPA 531.2) | Methiocarb | ND | ug/L | 0.50 | 1 |
| | 05/21/22 07:04 | | 1407826 | (EPA 531.2) | Methomyl | ND | ug/L | 0.50 | 1 |
| | 05/21/22 07:04 | | 1407826 | (EPA 531.2) | Oxamyl (Vydate) | ND | ug/L | 0.50 | 1 |
| | 05/21/22 07:04 | | 1407826 | (EPA 531.2) | 4-Bromo-3,5-dimethylphenyl-N-methylc arbamate | 99 | % | | 1 |
| EPA 549.2 - Diquat and Paraquat | | | | | | | | | |
| 05/18/22 | 05/20/22 16:44 | 1407267 | 1407922 | (EPA 549.2) | Diquat | ND | ug/L | 0.40 | 1 |
| 05/18/22 | 05/20/22 16:44 | 1407267 | 1407922 | (EPA 549.2) | Paraquat | ND | ug/L | 2.0 | 1 |
| EPA 317 - Bromate by UV/VIS 317 | | | | | | | | | |
| | 06/07/22 04:16 | | 1411317 | (EPA 317) | Bromate by UV/VIS | ND | ug/L | 1.0 | 1 |
| EPA 300.0 - Nitrate, Nitrite by EPA 300.0 | | | | | | | | | |

Rounding on totals after summation.
 (c) - indicates calculated results. Analysis is a calculated result. Reported results are not rounded until the final step before reporting. Therefore methods that use a test result with further calculation may have slight differences in final result than the component analyses.

Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Report: 993452
Project: BW
Group: Finished Product

Tribeca Beverage, LLC
 Mark Zonin
 185 Lackawanna Ave
 Woodland Park, NJ 07424

Samples Received on:
 03/16/2022 19:15

| Prepped | Analyzed | Prep Batch | Analytical Batch | Method | Analyte | Result | Units | MRL | Dilution |
|---|----------------|------------|------------------|-------------|--|--------|-------|--------|----------|
| | 05/18/22 06:40 | | 1410187 | (EPA 300.0) | Nitrate as Nitrogen by IC | ND | mg/L | 0.050 | 1 |
| | 05/18/22 06:40 | | 1410187 | (EPA 300.0) | Nitrate as NO3 (calc) | ND | mg/L | 0.22 | 1 |
| | 05/18/22 06:40 | | 1410187 | (EPA 300.0) | Nitrite Nitrogen by IC | ND | mg/L | 0.050 | 1 |
| | 05/18/22 06:40 | | 1410187 | (EPA 300.0) | Total Nitrate, Nitrite-N, CALC | ND | mg/L | 0.050 | 1 |
| EPA 300.0 - Chlorite by 300.0 | | | | | | | | | |
| | 05/19/22 19:28 | | 1407558 | (EPA 300.0) | Chlorite by IC | ND | mg/L | 0.010 | 1 |
| EPA 300.0 - Disinfection ByProducts by 300.0 | | | | | | | | | |
| | 05/19/22 19:28 | | 1407559 | (EPA 300.0) | Bromide | ND | ug/L | 5.0 | 1 |
| EPA 300.0 - Chloride, Sulfate by EPA 300.0 | | | | | | | | | |
| | 05/18/22 06:40 | | 1410188 | (EPA 300.0) | Chloride | 1.2 | mg/L | 0.50 | 1 |
| | 05/18/22 06:40 | | 1410188 | (EPA 300.0) | Sulfate | ND | mg/L | 0.50 | 1 |
| EPA 331.0 - Perchlorate by EPA 331.0 | | | | | | | | | |
| | 05/18/22 17:41 | | 1407381 | (EPA 331.0) | Perchlorate | ND | ug/L | 0.50 | 1 |
| EPA 537.1 - EPA Method 537.1 | | | | | | | | | |
| 05/18/22 | 05/20/22 10:09 | 1407223 | 1408461 | (EPA 537.1) | 11-chloroeicosafuoro-3-oxaundecane-sulfonic acid | ND | ug/L | 0.0020 | 1 |
| 05/18/22 | 05/20/22 10:09 | 1407223 | 1408461 | (EPA 537.1) | 4,8-dioxa-3H-perfluorononanoic acid (ADONA) | ND | ug/L | 0.0020 | 1 |
| 05/18/22 | 05/20/22 10:09 | 1407223 | 1408461 | (EPA 537.1) | 9-chlorohexadecafluoro-3-oxanone-sulfonic acid | ND | ug/L | 0.0020 | 1 |
| 05/18/22 | 05/20/22 10:09 | 1407223 | 1408461 | (EPA 537.1) | Hexafluoropropylene oxide dimer acid (HFPO-DA) | ND | ug/L | 0.0020 | 1 |
| 05/18/22 | 05/20/22 10:09 | 1407223 | 1408461 | (EPA 537.1) | N-ethyl Perfluorooctanesulfonamidoacetic acid | ND | ug/L | 0.0020 | 1 |
| 05/18/22 | 05/20/22 10:09 | 1407223 | 1408461 | (EPA 537.1) | N-methyl Perfluorooctanesulfonamidoacetic acid | ND | ug/L | 0.0020 | 1 |
| 05/18/22 | 05/20/22 10:09 | 1407223 | 1408461 | (EPA 537.1) | Perfluorobutanesulfonic acid (PFBS) | ND | ug/L | 0.0020 | 1 |
| 05/18/22 | 05/20/22 10:09 | 1407223 | 1408461 | (EPA 537.1) | Perfluorodecanoic acid (PFDA) | ND | ug/L | 0.0020 | 1 |
| 05/18/22 | 05/20/22 10:09 | 1407223 | 1408461 | (EPA 537.1) | Perfluorododecanoic acid (PFDoA) | ND | ug/L | 0.0020 | 1 |
| 05/18/22 | 05/20/22 10:09 | 1407223 | 1408461 | (EPA 537.1) | Perfluoroheptanoic acid (PFHpA) | ND | ug/L | 0.0020 | 1 |
| 05/18/22 | 05/20/22 10:09 | 1407223 | 1408461 | (EPA 537.1) | Perfluorohexanesulfonic acid (PFHxS) | ND | ug/L | 0.0020 | 1 |
| 05/18/22 | 05/20/22 10:09 | 1407223 | 1408461 | (EPA 537.1) | Perfluorohexanoic acid (PFHxA) | ND | ug/L | 0.0020 | 1 |
| 05/18/22 | 05/20/22 10:09 | 1407223 | 1408461 | (EPA 537.1) | Perfluorononanoic acid (PFNA) | ND | ug/L | 0.0020 | 1 |
| 05/18/22 | 05/20/22 10:09 | 1407223 | 1408461 | (EPA 537.1) | Perfluorooctanesulfonic acid (PFOS) | ND | ug/L | 0.0020 | 1 |
| 05/18/22 | 05/20/22 10:09 | 1407223 | 1408461 | (EPA 537.1) | Perfluorooctanoic acid (PFOA) | ND | ug/L | 0.0020 | 1 |
| 05/18/22 | 05/20/22 10:09 | 1407223 | 1408461 | (EPA 537.1) | Perfluorotetradecanoic acid (PFTA) | ND | ug/L | 0.0020 | 1 |
| 05/18/22 | 05/20/22 10:09 | 1407223 | 1408461 | (EPA 537.1) | Perfluorotridecanoic acid (PFTTrDA) | ND | ug/L | 0.0020 | 1 |
| 05/18/22 | 05/20/22 10:09 | 1407223 | 1408461 | (EPA 537.1) | Perfluoroundecanoic acid (PFUnA) | ND | ug/L | 0.0020 | 1 |
| 05/18/22 | 05/20/22 10:09 | 1407223 | 1408461 | (EPA 537.1) | 13C2-PFDA | 93 | % | | 1 |
| 05/18/22 | 05/20/22 10:09 | 1407223 | 1408461 | (EPA 537.1) | 13C2-PFHxA | 95 | % | | 1 |

Rounding on totals after summation.
 (c) - indicates calculated results. Analysis is a calculated result. Reported results are not rounded until the final step before reporting. Therefore methods that use a test result with further calculation may have slight differences in final result than the component analyses.

Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Report: 993452
 Project: BW
 Group: Finished Product

Tribeca Beverage, LLC
 Mark Zonin
 185 Lackawanna Ave
 Woodland Park, NJ 07424

Samples Received on:
 03/16/2022 19:15

| Prepped | Analyzed | Prep Batch | Analytical Batch | Method | Analyte | Result | Units | MRL | Dilution |
|---|----------------|------------|------------------|-------------|--------------------------------|----------|-------|------|----------|
| 05/18/22 | 05/20/22 10:09 | 1407223 | 1408461 | (EPA 537.1) | 13C2-PFOA- IS#1 | 118 | % | | 1 |
| 05/18/22 | 05/20/22 10:09 | 1407223 | 1408461 | (EPA 537.1) | 13C3-HFPO-DA | 94 | % | | 1 |
| 05/18/22 | 05/20/22 10:09 | 1407223 | 1408461 | (EPA 537.1) | 13C4-PFOS- IS#2 | 118 | % | | 1 |
| 05/18/22 | 05/20/22 10:09 | 1407223 | 1408461 | (EPA 537.1) | d3-NMeFOSAA | 109 | % | | 1 |
| 05/18/22 | 05/20/22 10:09 | 1407223 | 1408461 | (EPA 537.1) | d5-NEtFOSAA | 92 | % | | 1 |
| Ra-226 GA - Radium 226 | | | | | | | | | |
| 05/19/22 | 06/02/22 09:06 | 1407222 | 1410740 | (Ra-226 GA) | Radium 226 | ND (M1) | pCi/L | 1.0 | 1 |
| 05/19/22 | 06/02/22 09:06 | 1407222 | 1410740 | (Ra-226 GA) | Radium 226 Min Detect Activity | 0.5 | pCi/L | | 1 |
| 05/19/22 | 06/02/22 09:06 | 1407222 | 1410740 | (Ra-226 GA) | Radium 226 Two Sigma Error | ND | pCi/L | 1.0 | 1 |
| RA-228 GA - Radium 228 | | | | | | | | | |
| 05/19/22 | 06/02/22 09:06 | 1407224 | 1412117 | (RA-228 GA) | Radium 228 | ND (L1) | pCi/L | 1.0 | 1 |
| 05/19/22 | 06/02/22 09:06 | 1407224 | 1412117 | (RA-228 GA) | Radium 228 Min Detect Activity | 0.7 (L1) | pCi/L | | 1 |
| 05/19/22 | 06/02/22 09:06 | 1407224 | 1412117 | (RA-228 GA) | Radium 228 Two Sigma Error | ND (L1) | pCi/L | 1.0 | 1 |
| EPA 420.4 - Phenolic Compounds-low level | | | | | | | | | |
| | 05/23/22 15:46 | | 1408605 | (EPA 420.4) | Phenolic Compounds-low level | ND (NE) | ug/L | 1.0 | 1 |
| EPA 900.0 - Gross Alpha/Beta Radiation (Sub) | | | | | | | | | |
| | : | | | (EPA 900.0) | Alpha, Min Detectable Activity | | pCi/L | | 1 |
| | : | | | (EPA 900.0) | Beta Min Detectable Activity | | pCi/L | | 1 |
| | : | | | (EPA 900.0) | Beta Two Sigma Error | | pCi/L | | 1 |
| | : | | | (EPA 900.0) | Gross Alpha (Subbed) | | pCi/L | | 1 |
| | : | | | (EPA 900.0) | Gross Alpha + adjusted error | | pCi/L | | 1 |
| | : | | | (EPA 900.0) | Gross Alpha Two Sigma Error | | pCi/L | | 1 |
| | : | | | (EPA 900.0) | Gross Beta (Subbed) | | pCi/L | | 1 |
| EPA 524.2 - Volatile Organics by GCMS | | | | | | | | | |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | 1,1,1,2-Tetrachloroethane | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | 1,1,1-Trichloroethane | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | 1,1,2,2-Tetrachloroethane | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | 1,1,2-Trichloroethane | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | 1,1-Dichloroethane | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | 1,1-Dichloroethylene | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | 1,1-Dichloropropene | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | 1,2,3-Trichlorobenzene | ND (LM) | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | 1,2,3-Trichloropropane | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | 1,2,4-Trichlorobenzene | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | 1,2,4-Trimethylbenzene | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | 1,2-Dichloroethane | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | 1,2-Dichloropropane | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | 1,3,5-Trimethylbenzene | ND | ug/L | 0.50 | 1 |

Rounding on totals after summation.
 (c) - indicates calculated results. Analysis is a calculated result. Reported results are not rounded until the final step before reporting. Therefore methods that use a test result with further calculation may have slight differences in final result than the component analyses.

Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Report: 993452
 Project: BW
 Group: Finished Product

Tribeca Beverage, LLC
 Mark Zonin
 185 Lackawanna Ave
 Woodland Park, NJ 07424

Samples Received on:
 03/16/2022 19:15

| Prepped | Analyzed | Prep Batch | Analytical Batch | Method | Analyte | Result | Units | MRL | Dilution |
|----------|---------------|------------|------------------|-------------|--------------------------------|---------------|-------|------|----------|
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | 1,3-Dichloropropane | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | 2,2-Dichloropropane | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | 2-Butanone (MEK) | ND | ug/L | 5.0 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | 4-Methyl-2-Pentanone (MIBK) | ND | ug/L | 5.0 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Benzene | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Bromobenzene | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Bromochloromethane | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Bromodichloromethane | 1.6 | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Bromoethane | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Bromoform | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Bromomethane (Methyl Bromide) | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Carbon disulfide | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Carbon Tetrachloride | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Chlorobenzene | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Chlorodibromomethane | 0.77 | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Chloroethane | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Chloroform (Trichloromethane) | 7.8 | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Chloromethane(Methyl Chloride) | ND (LM) | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | cis-1,2-Dichloroethylene | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | cis-1,3-Dichloropropene | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Dibromomethane | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Dichlorodifluoromethane | ND (VC,LK,LM) | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Dichloromethane | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Di-isopropyl ether | ND | ug/L | 3.0 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Ethyl benzene | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Hexachlorobutadiene | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Isopropylbenzene | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | m,p-Xylenes | ND (LM) | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | m-Dichlorobenzene (1,3-DCB) | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Methyl Tert-butyl ether (MTBE) | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Naphthalene | ND (LM) | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | n-Butylbenzene | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | n-Propylbenzene | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | o-Chlorotoluene | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | o-Dichlorobenzene (1,2-DCB) | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | o-Xylene | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | p-Chlorotoluene | ND | ug/L | 0.50 | 1 |

Rounding on totals after summation.
 (c) - indicates calculated results. Analysis is a calculated result. Reported results are not rounded until the final step before reporting. Therefore methods that use a test result with further calculation may have slight differences in final result than the component analyses.

Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Report: 993452
 Project: BW
 Group: Finished Product

Tribeca Beverage, LLC
 Mark Zonin
 185 Lackawanna Ave
 Woodland Park, NJ 07424

Samples Received on:
 03/16/2022 19:15

| Prepped | Analyzed | Prep Batch | Analytical Batch | Method | Analyte | Result | Units | MRL | Dilution |
|--|----------------|------------|------------------|----------------------|-------------------------------------|--------|-------|-------|----------|
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | p-Dichlorobenzene (1,4-DCB) | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | p-Isopropyltoluene | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | sec-Butylbenzene | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Styrene | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | tert-amyl Methyl Ether | ND | ug/L | 3.0 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | tert-Butyl Ethyl Ether | ND | ug/L | 3.0 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | tert-Butylbenzene | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Tetrachloroethylene (PCE) | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Toluene | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Total 1,3-Dichloropropene | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Total THM | 10 | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Total xylenes | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | trans-1,2-Dichloroethylene | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | trans-1,3-Dichloropropene | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Trichloroethylene (TCE) | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Trichlorofluoromethane | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Trichlorotrifluoroethane(Freon 113) | ND | ug/L | 0.50 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Vinyl chloride (VC) | ND | ug/L | 0.30 | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | 1,2-Dichloroethane-d4 | 111 | % | | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | 4-Bromofluorobenzene | 97 | % | | 1 |
| 05/27/22 | 05/28/22 7:12 | 1409744 | 1409745 | (EPA 524.2) | Toluene-d8 | 93 | % | | 1 |
| SM4500CN-F - Cyanide | | | | | | | | | |
| | 05/24/22 17:00 | | 1408467 | (SM4500CN-F) | Cyanide | ND | mg/L | 0.025 | 1 |
| SM 2150B - Odor at 60 C (TON) | | | | | | | | | |
| | 05/18/22 10:36 | | 1408787 | (SM 2150B) | Odor at 60 C (TON) | ND | TON | 1.0 | 1 |
| SM 4500F-C - Fluoride | | | | | | | | | |
| | 05/27/22 19:32 | | 1409330 | (SM 4500F-C) | Fluoride | ND | mg/L | 0.050 | 1 |
| SM 2320B - Alkalinity in CaCO3 units | | | | | | | | | |
| | 05/27/22 22:24 | | 1409496 | (SM 2320B) | Alkalinity in CaCO3 units | 17 | mg/L | 2.0 | 1 |
| E160.1/SM2540C - Total Dissolved Solids (TDS) | | | | | | | | | |
| 05/24/22 | 05/23/22 23:47 | 1407896 | 1408636 | (E160.1/SM2540C) | Total Dissolved Solids (TDS) | 34 | mg/L | 10 | 1 |
| SM4500-HB - PH (H3=past HT not compliant) | | | | | | | | | |
| | 05/27/22 22:24 | | 1409499 | (SM4500-HB) | PH (H3=past HT not compliant) | 9.4 | Units | 0.10 | 1 |
| SM 5540C/EPA 425.1 - Surfactants | | | | | | | | | |
| | 05/18/22 07:37 | | 1407248 | (SM 5540C/EPA 425.1) | Surfactants | ND | mg/L | 0.10 | 1 |
| EPA 180.1 - Turbidity | | | | | | | | | |
| | 05/18/22 16:05 | | 1409937 | (EPA 180.1) | Turbidity | ND | NTU | 0.10 | 1 |

Rounding on totals after summation.
 (c) - indicates calculated results. Analysis is a calculated result. Reported results are not rounded until the final step before reporting. Therefore methods that use a test result with further calculation may have slight differences in final result than the component analyses.

Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Report: 993452
Project: BW
Group: Finished Product

Tribeca Beverage, LLC
 Mark Zonin
 185 Lackawanna Ave
 Woodland Park, NJ 07424

Samples Received on:
 03/16/2022 19:15

| Prepped | Analyzed | Prep Batch | Analytical Batch | Method | Analyte | Result | Units | MRL | Dilution |
|---|----------------|------------|------------------|------------------------|--|--------|---------|------|----------|
| SM2510B - Specific Conductance | | | | | | | | | |
| | 05/27/22 22:24 | | 1409503 | (SM2510B) | Specific Conductance, 25 C | 45 | umho/cm | 2.0 | 1 |
| 4500HB/ E 150 - PH, Bottled Water | | | | | | | | | |
| | 05/27/22 22:24 | | 1409048 | (4500HB/ E 150) | PH Bottled Water | 9.4 | Units | 0.10 | 1 |
| SM 2120B - Apparent Color | | | | | | | | | |
| | 05/18/22 14:19 | | 1410886 | (SM 2120B) | Apparent Color | ND | ACU | 3.0 | 1 |
| SM 4500-CLO2-D/HACH - Chlorine Dioxide (H3=past HT not compliant) | | | | | | | | | |
| | 05/19/22 15:37 | | 1407602 | (SM 4500-CLO2-D/HACH) | Chlorine Dioxide (H3=past HT not compliant) | ND | mg/L | 0.24 | 1 |
| SM 4500-CL G - Total Chlorine Residual (H3=past HT not compliant) | | | | | | | | | |
| | 05/19/22 15:37 | | 1407607 | (SM 4500-CL G) | Total Chlorine Residual (H3=past HT not compliant) | ND | mg/L | 0.10 | 1 |
| SM 4500CL-G/HACH - Free Chlorine Residual (H3=past HT not compliant) | | | | | | | | | |
| | 05/19/22 15:37 | | 1407605 | (SM 4500CL-G/HACH) | Free Chlorine Residual (H3=past HT not compliant) | ND | mg/L | 0.10 | 1 |
| SM 4500CL-G/HACH - Chloramines (H3=past HT not compliant) | | | | | | | | | |
| | 05/19/22 15:35 | | 1407599 | (SM 4500CL-G/HACH) | Chloramines (H3=past HT not compliant) | ND | mg/L | 0.10 | 1 |

Rounding on totals after summation.
 (c) - indicates calculated results. Analysis is a calculated result. Reported results are not rounded until the final step before reporting. Therefore methods that use a test result with further calculation may have slight differences in final result than the component analyses.